

**MARK SCHEME for the October/November 2010 question paper  
for the guidance of teachers**

**0581 MATHEMATICS**

**0581/22**

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.



CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

<b>Page 2</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>
	<b>IGCSE – October/November 2010</b>	<b>0581</b>

**Abbreviations**

- cao correct answer only
- cso correct solution only
- dep dependent
- ft follow through after error
- isw ignore subsequent working
- oe or equivalent
- SC Special Case
- www without wrong working

Qu.	Answers	Mark	Part Marks
<b>1</b>	<b>(a)</b> 5	1	
	<b>(b)</b> 0	1	
<b>2</b>	10	2	<b>M1</b> 33 – 25 or 38 – 30 <b>M1</b> 30 – 15 – 5 oe with no further working
<b>3</b>	$m = \frac{J}{v - u}$	2	<b>M1</b> $m(v - u)$ seen
<b>4</b>	<b>(a)</b> 40	1	
	<b>(b)</b> 65	1	
<b>5</b>	23.6	2	<b>M1</b> $\sin R = 20/50$ or $\frac{20}{\sin R} = \frac{50}{\sin 90}$
<b>6</b>	<b>(a)</b> $6.58 \times 10^{-3}$	1	× and 10 essential
	<b>(b)</b> 0.00 <u>66</u> cao	1	Allow $6.6 \times 10^{-3}$
<b>7</b>	$t = 2\frac{1}{2}$	2	<b>M1</b> <b>(b)</b> $t = \mathbf{(b)}(3t - 5)$
<b>8</b>	Answer given so only working scores marks	2	<b>M1</b> $7/27 + 48/27$ or $7/27 + (1)21/27$ <b>M1</b> completely correct finish
<b>9</b>	2390 2410	2	<b>M1</b> 119.5 and 120.5 or <b>B1</b> for one correct answer
<b>10</b>	60	3	<b>B1</b> 540 used <b>M1</b> $[\text{their } 540 - 3 \times 140]/2$
<b>11</b>	128	3	<b>M1</b> $R = kv^2$ <b>A1</b> $k = \frac{1}{2}$
<b>12</b>	$\frac{x - 7}{(x - 1)(x + 2)}$	3	<b>M1</b> $3(x - 1) - 2(x + 2)$ seen <b>B1</b> denominator correct seen <b>A1</b> all correct

13	245 or 246	3	<b>M1</b> $\pi \times 5^2$ <b>M1</b> $18^2 - \text{their } k\pi$																				
14		3	<b>M1</b> 2 lines correct length <b>M1</b> 2 compass arcs correct length <b>A1</b> complete accurate drawing with all lines and arcs solid																				
15	36 cao	3	<b>M1</b> $1900/2.448 (= 776.14)$ <b>A1</b> “776.(14...)” – 740 (= 36.14...)																				
16	<b>(a)</b> $\frac{4}{9}x^8$  <b>(b)</b> $2y^{-1}$	2  2	<b>B1</b> $\frac{4}{9}$ <b>B1</b> $x^8$  <b>B1</b> 2 <b>B1</b> $y^{-1}$																				
17	<b>(a)</b> <table border="1" data-bbox="231 817 726 996"> <thead> <tr> <th></th> <th>Boys</th> <th>Girls</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>Asia</td> <td>62</td> <td>28</td> <td><b>90</b></td> </tr> <tr> <td>Europe</td> <td>35</td> <td>45</td> <td><b>80</b></td> </tr> <tr> <td>Africa</td> <td><b>68</b></td> <td>17</td> <td><b>85</b></td> </tr> <tr> <td>Total</td> <td><b>165</b></td> <td><b>90</b></td> <td>255</td> </tr> </tbody> </table> <b>(b)</b> $\frac{3}{17}$ or 0.176(47...)		Boys	Girls	Total	Asia	62	28	<b>90</b>	Europe	35	45	<b>80</b>	Africa	<b>68</b>	17	<b>85</b>	Total	<b>165</b>	<b>90</b>	255	3  1	<b>B1</b> two or three correct or <b>B2</b> four or five correct  Allow $\frac{45}{255}, \frac{15}{85}, \frac{9}{51}$
	Boys	Girls	Total																				
Asia	62	28	<b>90</b>																				
Europe	35	45	<b>80</b>																				
Africa	<b>68</b>	17	<b>85</b>																				
Total	<b>165</b>	<b>90</b>	255																				
18	<b>(a)</b> $\begin{pmatrix} -14 & 0 \\ 0 & -14 \end{pmatrix}$  <b>(b)</b> -14  <b>(c)</b> $\begin{pmatrix} -5 & 4 \\ 5 & -4 \end{pmatrix}$	2  1  2	<b>B1</b> two or three correct answers  <b>B1</b> two or three terms correct																				
19	<b>(a)</b> 14.1  <b>(b)</b> 3.74 or 3.78	2  3	<b>M1</b> $(BD^2) = 10^2 + 10^2$ or $\sin 45 = 10/CD$ <b>M1</b> <b>(a)/2</b> <b>M1</b> $(\text{their } \mathbf{(a)}/2)^2 + PM^2 = 8^2$																				
20	<b>(a)</b>   <b>(b)</b>	4  1	<b>B1</b> $y = 2$ <b>single</b> line thro <b>B1</b> (6, 0) and <b>B1</b> (0,6) <b>B1</b> $y = 2x$  Correct R cao																				

<b>Page 4</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>
	<b>IGCSE – October/November 2010</b>	<b>0581</b>

<b>21</b>	<b>(a)</b> 2	1	<b>M1</b> intention to find area under the graph <b>M1</b> $\frac{1}{2} \times 7 \times 14 + 9 \times 14 + \frac{1}{2} \times 4 \times 14$ oe
	<b>(b)</b> 6.7 to 7.3	1	
	<b>(c)</b> 203	3	
<b>22</b>	<b>(a)</b> (0, 7)	1	<b>B1</b> $y = 2x + c, c \neq 7$ or <b>B1</b> $y = kx + 3, k \neq 0$ <b>B1</b> $y = 5$ <b>M1</b> $\left(\frac{0+2}{2}, \frac{3+5}{2}\right)$ <b>A1</b> (1, 4)
	<b>(b) (i)</b> $y = 2x + 3$	2	
	<b>(b) (ii)</b> (1, 4)	3	