www.PapaCambridge.com

CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2014 series

0439 CHEMISTRY (US)

0439/23

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.


Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

	Pa	ge 2	2 Mark Scheme Syllabi	IS P P
	ıa	ge z	IGCSE – May/June 2014 0439	No.
1	(a)	(i)	copper sulfate / CuSO ₄	Cally
		(ii)	calcium oxide / CaO	us M. Para Cambridge
		(iii)	hydrogen chloride / HCl	[1]
		(iv)	potassium bromide / KBr	[1]
		(v)	aluminium oxide / Al ₂ O ₃	[1]
		(vi)	copper sulfate / CuSO ₄	[1]
	(b)		emically; different; fixed; mark each)	[3]
				[Total: 9]
2	(a)		drochloric (acid) / HC <i>l</i> cium hydroxide / calcium oxide	[1] [1]
	(b)	\rightleftharpoons		[1]
		6H ₂	₂ O on right	[1]
	(c)	in t	ube A the calcium chloride absorbs the water vapour;	[1]
		In t	tube B there is both water and air / there is water (vapour) in the air;	[1]
	(d)	2 nd	box down ticked (oxidation state of iron)	[1]
	(e)	(i)	magnesium < zinc < iron < lead 1 mark if one pair reversed / lead > iron > zinc > magnesium	[2]
		(ii)	oxygen removed from the copper oxide / it loses oxygen / hydro oxygen;	ogen gains [1]
				[Total: 10]
3	(a)	(i)	carrots; potatoes;	[1]
		(ii)	(pH) 7;	[1]
	(b)	(i)	 Any two from: plants won't grow if (conditions too) acid to raise the pH / to make the soil less acidic / lime is alkaline high pH; 	[2] / lime has

to neutralise (the soil) / neutralisation;

Page 3			Mark Scheme Syllabus		. 1		
			IGCSE – May/June 2014	0439	San I		
	(ii)	lime	is alkaline / lime is a base / lime reacts with ammor	nium salts;	Da Cambridge		
		ammonia produced;					
			[1]				
	(c) (i)	•	two from: increases; up to pH 7.5 / up to quoted values between pH 7 ar	nd 8:	[2]		
		ρΗ					
	(ii)	pH 9	0.5 / between 9 and 10		[1]		
					[Total: 10]		
4	(a) (i)	capi	llary tube / very narrow tube;		[1]		
	(ii)		vould undergo chromatography / ink would run up t results / ink would smear / ink mixes with spot ORA		[1]		
	(iii)	В			[1]		
	(iv)	Α			[1]		
	(v)	С			[1]		
	(b) (i)	4			[1]		
	(ii)	H =	1 mark one row correct e.g. 12 × 1 = 12 4 × 14 = 56		[2]		
	(c) (i)		of substance formed by (addition of) monomers or y monomers or simple units (joined);	simple units / idea of	[1]		
	(ii)	poly	(ethene) / polyethene;		[1]		
	()	. ,			[Total: 10]		
5	(a) (i)		eases as number of (carbon) atoms increase / both / proportional / more carbon the higher the boiling p		[1]		
	(ii)		ng point allow: between 130 and 150 °C; ual = 141)		[1]		
			sity allow: between 0.80 and 1.00; ual = 0.96)		[1]		

Page 4	Mark Scheme	Syllabus	* P3 V
	IGCSE – May/June 2014	0439	100
(iii) liqu	d because melting point below room temperature	and boiling point a	Car Car
	temperature / room temperature is between me		



[1]

(c) (i) burette;

[1]

(ii) sodium hydroxide;

[1]

(iii) indicator in flask / reference to indicator;

[1]

[1]

run liquid from burette (until indicator changes colour);

[Total: 9]

(a) $PbBr_2 / Pb^{2+}2Br^{-}$

[1]

(b) (i) to melt the lead bromide / to allow ions to move;

[1]

(ii) graphite;

[1]

(iii) anode: bromine and cathode: lead; (both required)

[1]

[1]

(ii) (anode): decreases in size / becomes eroded;

[1]

cathode: increases in size;

[2]

[1]

(iii) 134;

(c) (i) A;

[Total: 9]

7 (a) (i) Any four suitable differences e.g.: [4]

- no noble gases / only 7 (standard) Groups ORA;
- hydrogen / H in same column as Li ORA;
- some elements missing / named element missing / empty spaces ORA
- groups are horizontal rather than vertical / reference to groups or periods being different ORA
- not ordered according to atomic number / no proton numbers
- Zn put in same group as Be and Mg ORA

(ii) any two from: fluorine, chlorine, bromine, oxygen, nitrogen, hydrogen [1]

www.PapaCambridge.com **Syllabus** Page 5 Mark Scheme IGCSE – May/June 2014 0439 (b) any three from: melting points / boiling points; density; catalytic activity; strength hardness electrical conductivity / heat conductivity malleability / ductility (c) $2(Cl_2)$; [1] CO₂ (on right); [1] (d) to prevent sodium reacting with air / to stop the Ti reacting with the air / to exclude air / to stop the hydrolysis of the titanium oxide / to exclude water (vapour); [1] because argon is inert / unreactive / inactive / does not react; [1] [Total: 12] (a) 3rd box down ticked (giant ionic); 8 [1] (b) add barium chloride / barium nitrate; [1] white precipitate; [1] (both required) note: second mark dependent on correct reagent (c) Any five from: [5] condenser connected to flask mixture in flask idea of heating the solution / boil the solution water has lower boiling point than sodium sulfate / sodium sulfate is solid and water is liquid (at rtp) on heating water boils more easily / forms vapour more easily / water boils first / water will evaporate (not sodium sulfate) steam / water vapour goes to top of the flask and into condenser water vapour gets into condenser sodium sulfate does not turn to gas sodium sulfate remains in flask / sodium sulfate is left water vapour / steam goes to liquid in condenser

[1]

water collected in receiver

(d) turns pink;

Page 6	Mark Scheme	Syllabus	.0
	IGCSE – May/June 2014	0439	100

(e) filtered;

chlorine added / chlorination;

allow: other stages e.g. sedimentation / flocculation (use of iron chloride / aluminium sulfate etc.) / treatment with sulfur dioxide

[Total: 11]