



Cambridge International Examinations

| Cambridge IGCSE | Cambridge International Examinations Cambridge International General Certificate of | Secondary Education |
|-------------------|---|--|
| CANDIDATE NAME | | The state of the s |
| CENTER NUMBER | | CANDIDATE NUMBER |
| CHEMISTRY (| JS) | 0439/21 |
| Paper 2 | | October/November 2014 |

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Center number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.


At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [] at the end of each question or part question.




1 hour 15 minutes

1 The structures of five carbon compounds are shown below.







- (a) Answer the following questions about these compounds. Each compound may be used once, more than once or not at all.
 - (i) Which compound, A, B, C, D or E, is ethanoic acid? [1]

 - (iii) Which compound is the main constituent of natural gas? [1]
 - (iv) Which compound reacts with steam to form ethanol? [1]
 - (v) Which compound is causing concern as a greenhouse gas? [1]
 - (vi) Which two compounds are in the same homologous series? and [1]
- **(b)** Deduce the molecular formula for compound **C**.

.....[1]

(c) Complete the symbol equation for the complete combustion of compound A.

$$C_3H_8 +O_2 \rightarrow 3CO_2 +H_2O$$
 [2]

[Total: 9]

2 The diagram shows a bottle of mineral water. The concentration of the ions present in shown on the label. The pH of the water is also shown.

| | i |
|--|-----|
| poly(ethene) | С |
| bottle | |
| | ma |
| | maı |
| Processors No. 107 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) | |
| | р |
| | s |
| | |

| e concentration of the ions present hown. concentration in mg / 1000 cm ³ chloride, Cl ⁻ 0.71 | | | | | | |
|--|--|--------|--|--|--|--|
| ions present | concentration in mg/1000 cm ³ | age C. | | | | |
| chloride, Cl ⁻ | 0.71 | Th | | | | |
| X , F ⁻ | 0.31 | | | | | |
| magnesium, Mg ²⁺ | 0.02 | | | | | |
| manganese, Mn ²⁺ | 0.01 | | | | | |
| Y, NO ₃ - | 0.70 | | | | | |
| potassium, K⁺ | 0.44 | | | | | |
| sodium, Na⁺ | 1.22 | | | | | |
| pH = 6 | 5.6 | | | | | |

| (a) (| (i) | Which positively charged ion is present in the | e highest concentration?[1] |
|------------|------|---|--------------------------------------|
| (i | ii) | | [-] |
| | | ion X | |
| | | ion Y | |
| (ii | ii) | Calculate the mass, in mg, of sodium ions in | [2] 200 cm³ of mineral water. |
| | | | mg [1] |
| (i | v) | Which one of the following phrases best des Tick one box. | cribes the pH of this mineral water? |
| | | neutral | |
| | | strongly acidic | |
| | | strongly alkaline | |
| | | weakly acidic | |
| | | weakly alkaline | [1] |
| (b) | Des | escribe a test for chloride ions. | |
| 1 | test | st | |
| ı | resı | sult | [2] |

© UCLES 2014 [Turn over

www.PapaCambridge.com

(c) The mineral water bottle is made of poly(ethene).

Complete the following sentence about poly(ethene) using words from the list below.

| atom | ionic | monomer | polymer | reactant | saturated |
|------|-------|---------|---------|----------|-----------|
| | | | | | |

Poly(ethene) is a made by the addition of units.

[Total: 9]

3 Rose oil contains 2-phenylethanol.
The structure of 2-phenylethanol is shown below.

- (a) On the structure above, draw a ring around the alcohol functional group. [1]
- **(b)** When heated with an alkali, 2-phenylethanol forms styrene. Styrene is an unsaturated compound. Describe a test for an unsaturated compound.

result

[2]


- (c) Rose petals contain a variety of different colored pigments. A student wants to identify these pigments.
 - (i) She grinds up rose petals with a solvent. Explain why.

......[2

(ii) She then filters the solution through some glass wool. Suggest why she does not use filter paper.

.....[1]

www.papaCambridge.com (d) The student uses the apparatus shown below to identify the different pigments in




(i) State the name of this method of separating the pigments.

| [4] | 1 |
|---------|---|
| LL. | 1 |

- (ii) On the diagram above, draw a spot, •, to show where the mixture of pigments is placed at the start of the experiment. [1]
- (iii) What is the purpose of the glass cover?

......[1]

(iv) The student also puts four spots of pure pigments, A, B, C and D, onto the filter paper. The diagram below shows the results of her experiment.



Which of the pigments, A, B, C and D, are present in the rose petals?

(e) The solvent used in the experiment is ethanol.


Draw the structure of a molecule of ethanol showing all atoms and bonds.

www.PapaCambridge.com

[2]

[Total: 12]

www.PapaCambridge.com A student wants to compare the energy released when different fuels are burned. He measures the increase in temperature of the water in a metal can when the fuels are



| (a) | what piece of apparatus is missing from the diagram above? | [1] |
|-----|--|-----|
| (b) | State two things the student should keep the same when burning each fuel. | |
| | | |
| (c) | Suggest why the water in the can should be stirred. | |
| | | |
| (d) | What happens to the reading on the top-pan balance as the fuel burns? Give a reason for your answer. | |
| | | |

(e) The results of burning four fuels, **D**, **E**, **F** and **G**, are shown in the table below.

| ılts of burı | 8 ning four fuels, D , E , F and G | temperature of water at end of experiment/°C |
|--------------|---|--|
| fuel | temperature of water at start of experiment/°C | temperature of water at end of experiment/°C |
| D | 20 | 45 |
| Е | 19 | 43 |
| F | 16 | 44 |
| G | 21 | 46 |

| | Which fuel produced the greatest temperature rise in the water? | | |
|-----|---|---|-----|
| | | | [1] |
| (f) | The | e metal can is made of mild steel coated with tin. | |
| | (i) | Steel is an alloy. What is meant by the term <i>alloy</i> ? | |
| | | | |
| | | | [1] |
| | | | ניו |
| | (ii) | Why does the tin prevent the steel can from rusting? | |
| | | | |
| | | | |
| | | | [2] |
| (g) | | ss is made from silicon(IV) oxide. | |
| | Par | t of the structure of silicon dioxide is shown below. | |
| | | oxygen atom | |
| | | silicon atom | |

Which one of the following best describes the structure of silicon dioxide? Tick **one** box.

| giant covalent | |
|------------------|--|
| giant ionic | |
| simple atomic | |
| simple molecular | |

[1]

[Total: 11]

| | | | | 9 | | | 1.03 | 1 |
|---|-----|---|------------------|---|------------|-------------------------------|------------------|------------|
| 5 | (a) | Describe how a | cids react with | metals and with m | etal oxide | es. | | OC. |
| | | Describe how acids react with metals and with metal oxides. In your answer: • refer to a particular metal and metal oxide, • illustrate your answer with at least one word equation. | | | | | | |
| | | | | | | | | |
| | | | | | | ••••• | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | [4] |
| | (b) | | ne following wor | hloric acid, the te ds best describes answer. | | | ction mixture in | ncreases. |
| | | end | dothermic | exothermic is | otopic | radioact | ive | [1] |
| | (c) | Uranium is a me of energy. State one other | | everal radioactive | isotopes. | Some of th | ese are used a | as sources |
| | | [1] | | | | | | |
| | (d) | (d) Complete the table below to show the number of protons, neutrons and electrons in two isotopes of uranium. | | | | | | |
| | | | isotope | ²³⁵ ₉₂ U | 2 | ³⁸ ₉₂ U | | |
| | | | protons | | | | | |


| isotope | ²³⁵ ₉₂ U | ²³⁸ ₉₂ U |
|-----------|--------------------------------|--------------------------------|
| protons | | |
| neutrons | | |
| electrons | | |

[3]

[Total: 9]

The organic compound 1-bromobutane reacts with excess sodium hydroxide to form A scientist studied the rate of this reaction by finding out how the concentration of sodium changed with time.

The graph below shows the results.



| (1) | Describe now the concentration of sodium hydroxide changes with time. |
|-------|---|
| | [2] |
| (ii) | Determine the time it took for the concentration of sodium hydroxide to fall to 0.15 mol/dm ³ . |
| (iii) | At what time was the reaction complete? |
| | [1] |
| (iv) | On the grid above, draw a line to show how the concentration of sodium hydroxide changes when the concentration of 1-bromobutane in the reaction mixture is increased. All other conditions remain the same. |

(v) Increasing the concentration of 1-bromobutane increases the rate of this reaction. Suggest **one** other way of increasing the rate of this reaction.

[2]

the concentration of aqueous sodium hydroxide can be found by titrating same reaction mixture with hydrochloric acid.

| rescribe now you would carry out this litration. | Tak |
|--|-----|
| n your answer, refer to: | 36. |
| a buret, | On |
| a volumetric pipet, | |
| an acid-base indicator solution. | |

| |
|---------|
| |
| [4] |

(c) Hydrochloric acid is made by dissolving hydrogen chloride gas, HCl, in water. Draw a dot-and-cross diagram to show a molecule of hydrogen chloride. Show hydrogen electrons as x. Show chlorine electrons as •.

[2]

[Total: 13]

| Fer | tilizers usually contain compounds of nitrogen, phosphorus and potassium. |
|-----|--|
| (a) | tilizers usually contain compounds of nitrogen, phosphorus and potassium. Why do farmers use fertilizers? |
| (b) | Many fertilizers contain ammonium sulfate. Ammonium sulfate is made by reacting aqueous ammonia with sulfuric acid. What type of chemical reaction is this? |
| (c) | Aqueous ammonia reacts with nitric acid to make another compound often found in fertilizers. State the name of this compound. |
| | [1] |
| (d) | The structure of ammonium sulfate is shown below. |
| | NH_{4}^{+} |
| | Deduce the simplest ratio of ammonium and sulfate ions in ammonium sulfate. |
| (e) | Ammonium salts react with alkalis. For example: ammonium sodium sulfate hydroxide sulfate sulfate sulfate sulfate sulfate Use this information to explain why adding slaked lime to fields which have fertilizers spread on them may result in loss of nitrogen. |
| | |

.....[2]

7


www.PapaCambridge.com (f) Many fertilizers contain potassium chloride. When molten potassium chloride is electrolyzed, two products are formed. Complete the table below to show the name of the electrodes and the products forme

| charge on the electrode | name of the electrode | product formed at the electrode |
|-------------------------|-----------------------|---------------------------------|
| positive | | |
| negative | | |

[3]

[Total: 9]

www.PapaCambridge.com (a) A student placed a crystal of iodine in a test tube of solvent. 8 After two minutes, a dense violet color was observed at the bottom of the test-tube hours, the violet color had spread throughout the solvent.



Use the kinetic particle theory to explain these observations.

In your answer, refer to:

- the arrangement and motion of the molecules in the iodine crystal,
- the arrangement and motion of the molecules in the solution,
- the names of the processes which are occurring.

| | | |
|------|------|---------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [1] |
| | | [4] |

- **(b)** Astatine, At, is below iodine in Group VII of the Periodic Table.
 - (i) The table shows the states of the Group VII elements at room temperature.

| element | state |
|----------|--------|
| fluorine | gas |
| chlorine | gas |
| bromine | liquid |
| iodine | solid |

| use this information to deduce the state of astatine at room temperature. | |
|---|-----|
| | |
| | [1] |

(ii) Astatine is radioactive. A lot of heat is given off due to this radioactivity. The small samples of a tatine that have been isolated are often liquid. Suggest why they are often liquid.

www.PapaCambridge.com (iii) Although few compounds of astatine have been made, scientists think that sodium astatide will react with iodine. Complete the equation for this reaction.

$$I_2$$
 +NaAt \rightarrow 2NaI +

[2]

[Total: 8]

| SHEE | The Periodic Table of the Elements |
|------|------------------------------------|
|------|------------------------------------|

| | | | 16 | 169 |
|---------|------------------|--|--|---|
| 0 | He Helium | 20 Neon 10 A 40 A 7 A 7 | 84 Kr Kr Kr Xe 131 Xe Xeron 54 Radon 86 | Lr Lawrendum 103 |
| = | | 19 Fluorine 9 35.5 C.1 Chlorine | | Y Y b viter blum 70 No entum 102 |
| > | | 16 Oxygen 8 32 32 Sulfur 16 | 79 Seemium 34 Ta | Tm Trudium 69 Med Mendelevium 101 |
| > | _ | Nitrogen 7 31 31 Phosphorus 15 | 75 Asenic 33 Asenic 55 Sb Antimony 51 209 Bismuth 83 | 167 Er Erbum 68 Fm Fm 100 To |
| ≥ | _ | Carbon 6 Carbon 8 Silicon 14 | 73 Germanium 32 H19 719 707 707 707 707 707 707 707 707 707 70 | 165 Holmium 67 Ensitentum 99 (r.t.p.). |
| ≡ | - | 11 B Boron 5 27 A1 Aluminum 13 | 70 Ga Gallum 31 115 115 115 149 Indium 204 71 T1 | Ce Pr Nd Pm Samertum Europum Gd Tb Dy Hohmur 232 Th 238 91 Unantum Napuntum Np Pu Am Cm Cm Bk Cf Es The volume of one mole of any gas is 24 dm³ at room troop and pressure fig. fig. fig. fig. fig. fig. fig. fig. hommun |
| | | | Cadmium 48 Mercury 80 | Tb Tb Terrbum 65 Bk Brenkelium 97 |
| | | | Cu Cu Copper 108 Ag Shver 197 197 Au Au | Gd Gadolinum 64 Cm Curium 96 Cm Curium 96 Cm Curium |
| Group | | | 28 Nickel 28 Nickel 28 Nickel 28 106 Paladium 46 Paladium 78 Palad | Europium 63 Am Am Am 956 Europium 95 Am 1000 |
| ์ อี | | 1 | Cobalt 27 Cobalt 27 Rh H03 Rhodum 45 I 192 I r | Samarium 62 Pu Put Put Put Put Put Put Put Put Put |
| | 1 Hydrogen | | 86 Fe Iron 26 Iron 101 Ruthenium 44 Ruthenium 76 Ossmum 77 Ossmum | Pm Promethium 61 Np Napunium 93 of any gi |
| | | | Manganese 25 TC Technetium 43 Re Re Rennium 75 | Nedymium 60 238 238 Uranium 92 One mole |
| | | | 52 Cromium 24 Mo Moyodenum 42 NW Tungsten 74 | Preseodymium 59 Pratactinium 91 Volume of c |
| | | | V V V V V V V V V V V V V V V V V V V | 828 |
| | | | 48 Titanum 22 Titanum 22 Zr Caronium 40 Titanum 40 Titanum 4778 Titanu | ↑ omic mass mbol omic) number |
| | _ | | Scandium 21 88 89 Yrunum 39 139 Lanthanum 57 | Actinum Actinum Actinum 199 Actinum 190 Actinum 190 Actinum 199 Actinum 190 Ac |
| = | | Beryllium 4 24 Mg Magnesium 12 | 20 20 38 38 38 26 20 20 20 20 20 20 20 20 20 20 20 20 20 | Radum Redum 88 Redum 98 Redum 98 Redum 98 Retinoid 98 |
| _ | | Lithium 3 23 8 8 8 8 8 8 11 | 39 | #58-71 Famelum |

publisher will be pleased to make amends at the earliest possible opportunity.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.