



## **Cambridge International Examinations**

CANDIDATE	ne.com
NAME	
CENTER CANDIDATE NUMBER	L

## **CO-ORDINATED SCIENCES (DOUBLE)(US)**

0442/33

Paper 3 (Extended)

May/June 2014

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Center number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 32.


At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of 32 printed pages.



1 (a) Wind farms are areas of land containing many wind turbines. Four thousand with the containing many wind turbines. can produce the same power as one coal-fired power station.



	electrical power.
	advantage
	disadvantage
	[1]
(ii)	On a particular day, the power input to a wind turbine is 1500 kW. The turbine produces 900 kW of electrical power.
	Calculate the efficiency of the wind turbine.
	State any formula that you use and show your working. State your answer as a percentage.
	formula

(i) State one advantage and one disadvantage of using wind, rather than coal, to generate

working

www.PapaCambridge.com (b) Nuclear power stations generate electricity using energy released by the nucle atoms. (i) Describe the process that transforms this energy into electrical energy. [3] (ii) Energy is released in the Sun by a different nuclear process. Name this process. (c) A wind farm generates 33 MW of electrical power. The wind farm is connected to a transmission line at a potential difference of 132 kV. Calculate the current produced by the wind farm. State the formula that you use and show your working. formula working [2]

[Turn over © UCLES 2014

www.PapaCambridge.com (d) Fig. 1.1 shows how the electricity cables carrying electricity from a wind farm are pylons.

The cables hang loosely in hot weather.



Fig. 1.1

Explain why the cables must hang loosely in hot weather.

(e) A scientist investigates six different wires used in making these cables. He wants to determine the resistance of each piece of wire.

wire	metal composition	length/m	cross-sectional area/cm <sup>2</sup>
Α	copper	10	0.1
В	nichrome	10	0.1
С	copper	20	0.1
D	nichrome	20	0.1
E	copper	10	0.2
F	nichrome	20	0.2

(i) Which wire, A or E, will have the greater resistance?

Explain your answer.

wire	 because	,
		[1]

(ii)	Wire <b>B</b> has a greater resistance than wire <b>A</b> .
	Which wire, <b>B</b> , <b>C</b> , <b>D</b> , <b>E</b> or <b>F</b> , has the greatest resistance?  Explain your answer
	Explain your answer.
	wire
	explanation
	[2]
(iii)	The resistance of wire ${\bf B}$ is $0.15\Omega.$
	Calculate the current passing through the wire when a voltage of 12 V is applied across it.
	State the formula that you use and show your working.
	formula
	working

© UCLES 2014 [Turn over

[2]

2 (a) Fig. 2.1 shows some of the cells that line the trachea.




Fig. 2.1

(1	i)	Name the structures labeled <b>X</b> .
		[1]
(ii	i)	Explain how these structures, and the cells labeled $\mathbf{Y}$ , protect the gas exchange system from pathogens.
		[3]
(b) T	ob	acco smoke can have a damaging effect on the working of the cells in Fig. 2.1.
<b>(</b> i	i)	Name a component of tobacco smoke that damages these cells.
		[1]
(i	i)	Describe how this component of tobacco smoke affects the structures labeled ${\bf X}$ and the cells labeled ${\bf Y}$ .
		structures labeled <b>X</b>
		cells labeled <b>Y</b>

www.PapaCambridge.com

www.PapaCambridge.com

Please turn over for Question 3.

3 (a) Dutch metal is an alloy of copper and zinc that has been formed into very thin sh

When a small piece of Dutch metal is dropped into a container filled with chlorine, into flame and two compounds are produced as shown in Fig. 3.1.





Fig. 3.1

(1)	State the meaning of the term <i>alloy</i> .	
		 [1]
(ii)	State the physical property of metals that allows them to be formed into very thin sheet	S.
		[1]
(iii)	Suggest the names of the <b>two</b> compounds formed when Dutch metal reacts w chlorine.	ith
	1	
	2	[1]

www.PapaCambridge.com (b) Sodium burns in oxygen gas to produce a white solid that contains the ionic sodium oxide.

Fig. 3.2 shows a sodium atom and an oxygen atom.






Fig. 3.2

Predict and explain, in terms of changes in electronic structure, the chemical formula of sodium oxide. You may wish to draw diagrams to help you to answer this question.

[3]

(c) Phosphorus is a non metallic element containing molecules that have the formula P<sub>4</sub>.

The chemical formula of phosphorus oxide shows four phosphorus atoms bonded with ten oxygen atoms.

Construct a balanced symbolic equation for the reaction between phosphorus and oxygen gas to form phosphorus oxide.

r.	·01
I.	J.
L	. – .

4 Fig. 4.1 shows a river with nearby agricultural land. Large amounts of artificial to been sprayed onto the agricultural land.




Fig. 4.1

(a) Name a mineral ion that would be present in the fertilizer.

			[1]
(b)	Des	scribe how mineral ions in the fertilizer might reach the river.	
	•••••		[1]
(c)		en large amounts of mineral ions are added to a river a sequence of effects on the livianisms can take place.	ing
	Exp	plain the effects on the following organisms	
	(i)	algae (photosynthesizing microorganisms),	
			[1]
	(ii)	submerged aquatic plants,	
			[2]

	(iii)	bacteria, Canal	1
		•	Tio
			[2]
	(iv)	fish.	
			[1]
(d)		ne farmer uses artificial fertilizer, suggest <b>two</b> ways in which the effect of the fertilizer river could be reduced.	on
	1		
	•		
	2		
	۷ ,		
			[2]

(a) Two bar magnets A and B are shown in Fig. 5.1. Magnet A is moved towards magnets. 5




Fig. 5.1

(1)	Describe and explain what happens to magnet <b>B</b> as magnet <b>A</b> is moved towards it.	
		[1]
(ii)	Magnet <b>A</b> is replaced by a piece of unmagnetized iron <b>C</b> .	
	Predict what happens as the unmagnetized iron <b>C</b> is moved towards <b>B</b> .	
	Explain your prediction.	
		[2]

(b) Fig. 5.2 shows two plastic balls hanging from threads. Both balls are electrically




Fig. 5.2

Ball Y is negatively charged.

(i)	State the charge on ball <b>X</b> . Give a reason for your answer.		
		[1]	
(ii)	Describe and explain how ball <b>Y</b> has been given a negative charge.		
		[2]	
(iii)	There is an electric field between ball <b>X</b> and ball <b>Y</b> .		
	State what happens to an electrical charge placed in this field.		
		[1]	

The mass of ball <b>X</b> is $3.97  \mathrm{g} \ (3.97 \times 10^{-3}  \mathrm{kg})$ . The volume of ball <b>X</b> is $4.17  \mathrm{cm}^3 \ (4.1)$
Calculate the density of the plastic used to make ball <b>X</b> .
State the formula that you use and show your working. State the units of your answer.
formula

working


density =		unit =	 [3]

www.PapaCambridge.com


Please turn over for Question 6.

(a) Fig. 6.1 shows diagrams P, Q and R, of three molecules containing carbon atoms

Ρ



Q






Fig. 6.1

(i)	Using the Periodic Table on page 32, state the number of electrons in one atom carbon.	ı of
	Explain how you obtained your answer.	
	number of electrons	
	explanation	
		[2]
(ii)	State and explain which diagram, P, Q or R, represents one molecule of ethane.	
	diagram	
	explanation	
		[2]
(iii)	Name the type of chemical bonding found in all of the compounds shown in Fig. 6.1.	
	Give a reason for your answer.	
	type of bonding	
	reason	

[2]

(b) Methane hydrate is a solid mixture in which methane molecules are concice crystals.

Large amounts of methane hydrate exist under the oceans and in the cold polar reg of the Earth.

Table 6.1 shows the relative numbers of moles of methane and water in a typical sample of methane hydrate.

Table 6.1

substance	chemical formula	relative number of moles
methane	CH₄	1.00
water (ice)	H <sub>2</sub> O	5.75

(i)	The mass of 1.00 moles of methane is 16.0 g.
	Calculate the mass of 5.75 moles of water.

Show your working.

(ii)	Calculate the mass of methane hydrate that contains 1.00 moles of methane.
	[1]
(iii)	When the temperature of methane hydrate increases, the ice melts and releases the methane.
	Some scientists think that methane hydrate might have a serious effect on global warming.
	Suggest how the breakdown of methane hydrate might affect global warming.
	[2]

[Turn over

[2]

An electric motor inflates a car tire by pumping air into it.	oca,
(a) Explain, in terms of particles, how the air causes the tire to inflate.	Bridge
	46.CO

**(b)** Fig. 7.1 shows a simple electric motor.

7




Fig. 7.1

Explain why the coil turns when an electric current passes through it.	
	[4]

www.PapaCambridge.com

Please turn over for Question 8.

8 After its flowers have been pollinated, a sweetcorn (maize) plant produces a corncol Fig. 8.1.




Fig. 8.1

Each of the individual grains on the corncob results from the fertilization of a different egg cell in the female parent. The pollen all came from the same (male) parent.

Some of the grains are purple (dark) in color and others yellow (light) in color.

(a)	The	The variation in grain color is an example of discontinuous variation.		
	Exp	plain why this variation is described as discontinuous.		
			 [2]	
(b)	(i)	In the row of grains labeled ${\bf X}$ to ${\bf Y}$ , count the number of purple (dark) grains and number of yellow (light) grains.	the	
		number of purple (dark) grains		
		number of yellow (light) grains	[1]	
	(ii)	State, to the nearest whole number, the ratio of purple grains to yellow grains.		
			[1]	
(c)	The	e allele for purple color ( <b>G</b> ) is dominant and the allele for yellow color ( <b>g</b> ) is recessive.		
	(i)	What would be the color of a sweetcorn grain with the genotype <b>Gg</b> ?		
			[1]	
	(ii)	Use the ratio of purple grains and yellow grains in <b>(b)(ii)</b> to state the genotypes of parents.	the	
		genotypes and	[2]	

(d)		genetic diagram below to show the nt with a yellow-grained sweetcorn plant.	result of crossing a h
	parents	purple	yellow
	genotype		
	gametes		
	offspring		

genotype

grain color

ratio

[5]

(a) Fig. 9.1 shows air passing into the engine of a car, and a mixture of exhaust ( 9 being released.





Fig. 9.1

- (i) Complete the table in Fig. 9.1 to show the name and percentage of the main gas in air. [2]
- (ii) Name one gas, other than carbon dioxide, in the mixture of exhaust gases which causes air pollution.

State **one** harmful effect that this gas has in the environment.

gas	
harmful effect	
	[2]

(b) Hydrogen gas is released when magnesium reacts with dilute hydrochloric acid.



(i) Describe the test for hydrogen gas.

	[0]

- (ii) State the word equation for the reaction between magnesium and dilute hydrochloric acid.

www.PapaCambridge.com (c) Fig. 9.2 shows the apparatus a student used to measure the temperature magnesium powder reacted with dilute hydrochloric acid.




Fig. 9.2

The student repeated the experiment using different masses of magnesium powder.

After each experiment he rinsed out the insulated beaker and then refilled it using the same volume of 1.0 mol/dm<sup>3</sup> hydrochloric acid. His results are shown in Fig. 9.3.




Fig. 9.3

(1)	magnesium powder is added to dilute hydrochloric acid.
	[2

[Turn over © UCLES 2014

(ii)	Suggest why in this experiment the graph eventually became horizontal.	
		Tidge
		[2]

www.PapaCambridge.com

Please turn over for Question 10.

10 (a) Draw lines to link the waves in the electromagnetic spectrum to their uses. One drawn for you.

electromagnetic wave

# www.PapaCambridge.com γ-radiation airport security scanners infra-red intruder alarms microwaves mobile phone (cell phone) communication X-rays radioactive medical tracers

use

**(b)** Different waves in the electromagnetic spectrum have different wavelengths and frequencies. State the meaning of the terms frequency and wavelength. You may use diagrams to help your explanation.

requency	
	111
vavelength	

[1]

- (c)  $\alpha$ -radiation,  $\beta$ -radiation and  $\gamma$ -radiation are three radioactive emissions.
- www.PapaCambridge.com (i) Place the three radiations in order of their ionizing ability, placing the most ionizsing

most ionizing	
least ionizing	

[1]

(ii) Fig. 10.1 shows  $\alpha$ ,  $\beta$ , and  $\gamma$  radiations passing through a magnetic field.




Fig. 10.1

Explain t	ine results.				
		 		 	•••••
		 		 	•••••
			•••••		
		 		 	[3]


			28
11	(a)	Def	ine osmosis.
			No.
			[3]
	(b)	Fig.	iece of plant tissue was placed in a concentrated sugar solution on a microscope slide. 11.1 shows the appearance of three of the cells from this tissue after they had been in sugar solution for one hour.
			Fig. 11.1
		(i)	Describe the effect, as shown in Fig. 11.1, that the sugar solution has had on the cells.
			[1]
		(ii)	Explain this effect in terms of osmosis.
			[2]
		(iii)	Complete Fig. 11.2, to show how the cells would appear if they had been placed in water, instead of in a concentrated sugar solution.



Fig. 11.2

(c)	Pla	nts absorb water by osmosis into their root hair cells.	1
	(i)	Explain how the structure of the root hair cells is related to this function.	brid
			[2]
	(ii)	State <b>one</b> other function of root hair cells.	
			[1]

**12** (a) Fig. 12.1 shows some of the particles present in a mixture of gases.



of gases.

key

atom 1

atom 2

atom 3

Fig. 12.1

	(i)	State the number of different gases that are contained in the mixture shown in Fig. 12.1	١.
			[1]
	(ii)	On Fig. 12.1 draw a label line to a molecule of a <b>compound</b> . Label this molecule <b>C</b> .	[1]
	(iii)	Explain your answer to (ii).	
			[1]
(b)		me the family of metals that includes cobalt (proton number 27) and nickel (protomber 28).	or
			[1]

(c) Fig. 12.2 shows a simplified diagram of the industrial process used to produce an




	Fig. 12.2	
(i)	Name the <b>two</b> substances that are melted together to form the electrolyte.	
	1	
	2	[2]
(ii)	Name <b>one</b> gas that bubbles from the surface of the anode.	
		[1]
(iii)	Describe what happens on the surface of the cathode to convert aluminum ions, $\mathrm{A}l^{3+}$ aluminum atoms.	, to
		[2]

The Periodic Table of the Elements DATA SHEET

	0	<b>He</b> fium	20 Neon	40 <b>Ar</b> Argon	84 <b>K K K Y K Y Y Y Y</b>	131 Xenon	<b>Rn</b> Radon		175 <b>Lu</b> Luteitum	.f.	DanaCambrida
		2 Heli	9	18	8	54	86		7	m Lawre	Mid
	<b>=</b>		19 Fluorine	35.5 <b>C 1</b> Chlorine	80 <b>Br</b> Bromine	127 <b>I</b> lodine	At Astatine		173 <b>Yb</b> Ytterbium 70	No Nobeliu	
	>		16 Oxygen 8	32 <b>Sulfur</b>	Selenium 34	128 <b>Te</b> Tellurium	Po Polonium 84		169 <b>Tm</b> Thulium	Md Mendelevium 101	
	>		14 <b>N</b> itrogen 7	31 <b>P</b> Phosphorus 15	75 <b>AS</b> Arsenic	122 <b>Sb</b> Antimony 51	209 <b>Bi</b> Bismuth 83		167 <b>Er</b> Erbium 68	Fm Fermium	
	>		12 Carbon 6	28 <b>Si</b> Silicon	73 <b>Ge</b> Germanium	119 <b>Sn</b> Tin	207 <b>Pb</b> Lead		165 <b>Ho</b> Holmium 67	Ensteinium	(r.t.p.).
	=		11 Boron 5	27 <b>A1</b> Auminum	70 <b>Ga</b> Gallium 31	115 <b>In</b> Indium	204 <b>T 1</b> Thallium 81		162 <b>Dy</b> Dysprosium 66	Cf Californium 98	The volume of one mole of any gas is 24 dm $^3$ at room temperature and pressure (r.t.p.).
		'			65 <b>Zn</b> Znc 30	Cd Cadmium 48	201 <b>Hg</b> Mercury 80		159 <b>Tb</b> Terbium 65	BK Berkelium 97	ture and I
					64 Copper 29	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold		Gd Gadolinium 64	Cm Curium	temperat
dn					59 Nickel	Pd Palladium	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> Europium 63	Americium 95	3 at room
Group					59 <b>Co</b> balt	Rhodium 45	192 <b>Ir</b> Iridium		Sm Samarium 62	Pu Plutonium 94	is 24 dm
	,	Hydrogen			56 Fe Iron 26	Ruthenium 44	190 <b>Os</b> Osmium 76		Pm Promethium 61	Np Neptunium 93	f any gas
		` '			Mn Manganese	Tc Technetium 43	186 <b>Re</b> Rhenium 75		144 <b>Nd</b> Neodymium 60	238 <b>U</b> Uranium	ne mole c
					Chromium 24	96 Mo Molybdenum 42	184 <b>W</b> Tungsten 7		Praseodymium 659		ume of or
					51 Vanadium 23	Niobium 41	181 <b>Ta</b> Tantalum 7		140 Cerium F	232 <b>Th</b> Thorium	The vol
					48 <b>1</b> itanium	91 <b>Zr</b> Zirconium 40	178 <b>H</b> lafnium		آن ]	nass	
					Sc icandium	89 <b>×</b> (ttrium 40	139 <b>La</b> Lanthanum + 72	Actinium	es	a = relative atomic mass  X = atomic symbol b = proton (atomic) number	
	=		9 <b>Be</b>	24 Magnesium	40 Ca Salcium 2:	Sr Strontium 39	137  Ba Barium 5	226 <b>Ra</b> 3adium 89	*58-71 Lanthanoid series	a = re. <b>X</b> = at b = pro	
	_		Lithium E	23 Na Sodium MR	39 <b>K</b> Potassium 20	Rb Stabildium Sta	133 <b>CS</b> Caesium 56	Francium 88	71 Lant 103 Acti	<b>х</b> в	
			e E	, Z ° S	Pota 19	37 Rub	Cae	Fran 87	*58- 190-	Key	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.