CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2014 series

0581 MATHEMATICS

0581/23

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

BBCAMRRIDGE

www.PapaCambridge.com

			Syllabus	
P	age 2	Mark Scheme	Syllabus	
		IGCSE – May/June 2014	0581 Page	
Abbrev	viations		Cambridge.	
cao	correct answer	only	Of.	
dep	dependent		90	
FT follow through after error		after error	, in	
isw	ignore subsequ	ent working		On '
oe	or equivalent			~
SC	Special Case		· · · · · · · · · · · · · · · · · · ·	
nfww	not from wron	g working		

Abbreviations

seen or implied soi

Qu.	Part	Answers	Mark	Part Marks
1		- 16	1	
2		84	2	M1 for $\frac{7}{6+8+9+7}$ or $\frac{360}{6+8+9+7}$
3		1030	2	M1 for 1350 ÷ 1.313
4		$5a(3a^2-b)$	2	B1 for $a(15a^2 - 5b)$ or $5(3a^3 - ab)$
5	(a)	0.059161	1	
	(b)	5.9161×10 ⁻²	1FT	ft their part (a)
6		$3x^6y^4$	2	B1 for x^6 or y^4 in a product on answer line
7	(a)	74	1	
	(b)	8.69	1	
8		48	2	M1 for 15^2 or $\left(\frac{1}{15}\right)^2$ or $\frac{1}{15^2}$
				or $\sqrt{10800}$ or $\frac{1}{\sqrt{10800}}$
9		$t < -\frac{6}{7}$	2	M1 for $5t + 2t < 17 - 23$ If zero scored SC1 for $-\frac{6}{7}$ with incorrect inequality sign or equals sign
				inequality sign or equals sign

Page 3	Mark Scheme	Syllabus	S	
	IGCSE – May/June 2014	0581	Sp.	

	ı	T		6
10		$\frac{5}{4}$ oe	B1	Do not allow decimals for the B1 , M1 , a
	$\frac{5 \times 9}{4 \times 9}$ and $\frac{7 \times 4}{9 \times 4}$ oe or better		M1	e.g. $\frac{45}{36}$ and $\frac{28}{36}$
		4×9 9×4	FT	_
		17	A1	Follow through <i>their</i> $\frac{5}{4}$ for the M1 mark.
		$\frac{17}{36}$ oe working must be shown		Alt method 1: B1 for $\frac{1}{4} + \frac{2}{9}$
				M1 for $\frac{1\times9}{4\times9}$ and $\frac{2\times4}{4\times9}$ oe e.g. $\frac{9}{36}$ and $\frac{8}{36}$
				Alt method 2: B1 for $\frac{1}{4} - \frac{7}{9} + 1$
				M1 for oe e.g. $\frac{9}{36}$ and $\frac{8}{36}$
				ISW converting fraction answer to a decimal.
11		3.5	3	M1 for $y = k \sqrt[3]{x+3}$
				A1 for $k = \frac{1}{2}$
				Alternative method:
				M2 for $\frac{y}{\sqrt[3]{340+3}} = \frac{1}{\sqrt[3]{5+3}}$ oe
12	(a)	(3x-4)(x+2)	2	M1 for $(3x+a)(x+b)$
				where $a + 3b = 2$ or $ab = -8$ if M0 then SC1 for $3\left(x - \frac{4}{3}\right)(x + 2)$
	(b)	$1\frac{1}{3}, -2$	1FT	dep on M1
13		y = -0.5x + 11.5 oe	3	B2 for $y = -0.5x + k$ oe
				or $y = kx + 11.5$, $k \ne 0$ oe or $-0.5x + 11.5$ oe
				or B1 for gradient = -0.5 oe and B1 for y-intercept = 11.5 oe
				If zero scored then, SC1 for $9 = their \ m \times 5 + c$
				or $13 = their \ m \times -3 + c$

Page 4	Mark Scheme	Syllabus	.0	V
-	IGCSE – May/June 2014	0581	No.	

	1		ı	63.
14		8.23 or 8.234 to 8.235	3	M2 for $[PR=]$ $\frac{12.5 \times \sin 37}{\sin 66}$ or M1 for $\frac{PR}{\sin 37} = \frac{12.5}{\sin 66}$ oe
15		427.8	3	M2 for $2 \times (127.35 + 86.55)$ or
		427.4		$2 \times (127.35 + 86.45)$
				or B1 for two of these figures: 127.35, 86.55, 127.25, 86.45 seen
				If zero scored, SC2 for upper bound 427.8 or lower bound 427.4 provided nfww
16		65.4 or 65.37 to 65.4	4	M3 for $\cos = \frac{5}{12}$ or $\frac{\sqrt{3^2 + 4^2}}{12}$ oe
				or M1 for $\sqrt{3^2 + 4^2}$ and M1 for clearly identifying angle <i>GAC</i>
17	(a)	9 1 2 3 8 10	2	B1 for 2 of the 4 regions correct
	(b)	7 8 10	1FT	
	(c)	1	1FT	
18	(a)	$ \begin{pmatrix} 33 & 16 \\ 32 & 17 \end{pmatrix} $	2	B1 for one column or row correct
	(b)	$\frac{1}{7} \begin{pmatrix} 3 & -2 \\ -4 & 5 \end{pmatrix} $ oe	2	B1 for $\frac{1}{7} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ seen or $k \begin{pmatrix} 3 & -2 \\ -4 & 5 \end{pmatrix}$ seen
19		3x + 4y = 10.8 $5x + 2y = 14.50$	1 1	
		2.6[0] 0.75	3	M1 FT for correctly eliminating one variable Al for 2.6 A1 for 0.75 If M0 then or SC1 for correct substitution and correct evaluation to find the other value

Page 5	Mark Scheme	Syllabus	18 V	_
-	IGCSE – May/June 2014	0581	100	

20	(a)	34	1	alth
	(b)	16	2	B1 for 24 or 40 seen
	(c)	30	1	
	(d)	120	1	
21		62.3 or 62.26 to 62.272	5	M1 for $\frac{2}{3} \times 2\pi \times 6$
				and M2 for $(\frac{2}{3} + \frac{1}{3}) \times 2\pi \times 4$ oe
				or M1 for $\frac{2}{3} \times 2\pi \times 4$ or $\frac{1}{3} \times 2\pi \times 4$
				and M1 for $2 \times (2 + 4) + k\pi, k \neq 0$
22	(a)	Triangle at (2,-1) (2,1) (1,-2)	2	B1 for translation by $\begin{pmatrix} k \\ -4 \end{pmatrix}$ or $\begin{pmatrix} 3 \\ k \end{pmatrix}$
	(b)	Rotation [centre] (1, 0) 180° or half turn	1 1 1	OR enlargement [centre] (1,0) [scale factor] -1
	(c)	Triangle at (2,3) (4,2) (2,5)	3	B2 for 2 correct vertices plotted
				or If no/wrong plots allow SC2 for 3 correct coordinates shown in working or SC1 for any 2 correct coordinates shown or a triangle of the correct size and orientation but wrong position
				or M1 for $\begin{pmatrix} -2 & 0 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} -1 & -1 & -2 \\ 3 & 5 & 2 \end{pmatrix}$ oe shown