



Cambridge International Examinations

Cambridge IGCSE	Cambridge International Examinations Cambridge International General Certificate of Secondary Education
CANDIDATE NAME	
CENTRE NUMBER	CANDIDATE NUMBER

MATHEMATICS 0581/22

Paper 2 (Extended) May/June 2014

1 hour 30 minutes

Candidates answer on the Question Paper.

Additional Materials: Electronic calculator Geometrical instruments

Tracing paper (optional)

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π , use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The total of the marks for this paper is 70.

This document consists of 12 printed pages.



[Turn over

1	Calculate	$\frac{\sqrt[3]{16}}{1.3^2}$	
---	-----------	------------------------------	--

	Age 1	
	Car	
	34.	
	8	
١	abaCambridge:	

Answer	 [1]

2 (a) Write 569 000 correct to 2 significant figures.

Answer(a)		[1]
-----------	--	-----

(b) Write 569 000 in standard form.


3 Solve the simultaneous equations.

$$2x - y = 7$$
$$3x + y = 3$$

$$Answer x = \dots$$

$$y = \dots$$
 [2]

4




NOT TO SCALE

Calculate the length of AB.

Answer AB =	:	cm	[2]
-------------	---	----	-----

www.PapaCambridge.com

5



The equation of the line *l* in the diagram is y = 5 - x.

(a) The line cuts the y-axis at P.

Write down the co-ordinates of P.

(b) Write down the gradient of the line l.

6	The mass of 1 cm ³	of copper is 8.5	grams, correct to	1 decimal place.
---	-------------------------------	------------------	-------------------	------------------

Complete the statement about the total mass, T grams, of 12 cm³ of copper.

4	2				
	3.4	ago!		the com	
		SC	In.		
			Oric	18	
				.co	
				17	

Answer
$$\leq T <$$
 [2]

Write the following in order, smallest first.

$$\sqrt{0.1}$$
 $\frac{43}{201}$ $2\frac{1}{2}\%$

$$\frac{43}{201}$$

$$2\frac{1}{2}\%$$

Without using your calculator, work out $\frac{5}{6} - (\frac{1}{2} \times 1\frac{1}{2})$. 8

Write down all the steps of your working.

9 At the beginning of July, Kim had a mass of 63 kg. At the end of July, his mass was 61 kg.

Calculate the percentage loss in Kim's mass.

Anguar	0/_	Г2

www.PapaCambridge.com

$$V = \frac{1}{3}Ah$$

(a) Find V when A = 15 and h = 7.

(b) Make *h* the subject of the formula.

Answer(b)
$$h =$$
 [2]

Anita buys a computer for \$391 in a sale.
The sale price is 15% less than the original price.

Calculate the original price of the computer.

	Pap.		
•	3	3	
		Mon	
			Se
		•	CON
•		Apar	W. PapaCambri

Answer \$		[3]
-----------	--	-----

12 Solve the equation.

$$\frac{3}{2x} + \frac{1}{x+1} = 0$$

$$Answer x =$$
 [3]


www.papaCambridge.com

13 w varies inversely as the square root of x. When x = 4, w = 4.

Find w when x = 25.

4	F 2 7
Answer w =	 [3]

14



OPQR is a trapezium with RQ parallel to OP and RQ = 2OP.

O is the origin, $\overrightarrow{OP} = \mathbf{p}$ and $\overrightarrow{OR} = \mathbf{r}$.

M is the midpoint of PQ.

Find, in terms of \mathbf{p} and \mathbf{r} , in its simplest form

(a) \overrightarrow{PQ} ,

Answer(a)
$$\overrightarrow{PQ} =$$
 [1]

(b) \overrightarrow{OM} , the position vector of M.

$$Answer(b) \overrightarrow{OM} =$$
 [2]

$$\mathbf{M} = \begin{pmatrix} 4 & 2 \\ 3 & 5 \end{pmatrix}$$

Find

(a) M^2 ,

Answer(a)	[2]
Answer (u)	[4]

www.PapaCambridge.com

(b) the determinant of **M**.

16 Factorise completely.

(a)
$$4p^2q - 6pq^2$$

(b)
$$u + 4t + ux + 4tx$$

17 (a) Simplify $(3125t^{125})^{\frac{1}{5}}$.

	mm
	Papac
	MANN, Dapa Cambridge Com
Answer(a)	[2]


(b) Find the value of p when $3^p = \frac{1}{9}$.

Answer(b)
$$p =$$
 [1]

(c) Find the value of w when $x^{72} \div x^w = x^8$.

$$Answer(c) w = \dots [1]$$

18



The two containers are mathematically similar in shape.

The larger container has a volume of 3456 cm³ and a surface area of 1024 cm².

The smaller container has a volume of 1458 cm³.

Calculate the surface area of the smaller container.

Answer	 cm^2	[4]


19	Sim	olify.

$$\frac{x^2 + 6x - 7}{3x + 21}$$

					Ai	iswer	[4]
20		32	25	18	11	4	
	These are the first 5 terr	ns of a seque	nce.				
	Find						
	(a) the 6th term,						
					Answ	ver(a)	[1]
	(b) the <i>n</i> th term,						
					,	4	[0]
	(a) which term is equa	1 to 222			Answ	ver(b)	[2]
	(c) which term is equa	110 –332.					
					Answ	ver(c)	[2]

www.PapaCambridge.com

21



The diagram shows a pyramid on a square base ABCD with diagonals, AC and BD, of length 8 cm. AC and BD meet at M and the vertex, P, of the pyramid is vertically above M. The sloping edges of the pyramid are of length 6 cm.

11


Calculate

(a) the perpendicular height, PM, of the pyramid,

(b) the angle between a sloping edge and the base of the pyramid.

Question 22 is printed on the next page.

22



(a) Use the information in the Venn diagram to complete the following.

(i)
$$P \cap Q = \{\dots\}$$

(ii)
$$P' \cup Q = \{\dots\}$$

(iii)
$$n(P \cup Q)' = \dots$$
 [1]

(b) A letter is chosen at random from the set Q.

Find the probability that it is also in the set *P*.

- (c) On the Venn diagram shade the region $P' \cap Q$. [1]
- (d) Use a set notation symbol to complete the statement.

$$\{f, g, h\}$$
 P

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.