



### Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTER NUMBER		CANDIDATE NUMBER	
CHEMISTRY (U	JS)		0439/33
Paper 3 Theory	(Core)		May/June 2018
			1 hour 15 minutes
Candidates ans	wer on the Question Paper.		
No Additional M	laterials are required.		

#### **READ THESE INSTRUCTIONS FIRST**

Write your Center number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 20.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.




1 The names of seven gases are given.

ammonia
ethene
helium
hydrogen
hydrogen chloride
methane
nitrogen

		hydrogen chloride methane nitrogen	
(a) Answer the following questions about these gases. Each gas may be used once, more than once or not at all. State which gas:			
	(i)	forms an acidic solution in water	
(	(ii)	is monatomic	[1]
			[1]
(i	iii)	forms 78% of clean dry air	[1]
(i	iv)	is the main constituent of natural gas	
(	(v)	has molecules which each contain 14 protons.	[1]
			[1]
(b)	(i)	Give the names of <b>two</b> elements in the list.	
		and	 [1]
(	(ii)	What is meant by the term <i>element</i> ?	

(c) Complete the dot-and-cross diagram to show the electron arrangement in a molecule of hydrogen chloride. Show outer electrons only.



[2]

[Total: 9]

**2 (a)** The table shows the percentage by volume of each of the gases present in the exhaust gases from a gasoline engine and a diesel engine.

name		entage by v a gasoline		ntage by vo a diesel en	
nitrogen		72.00		67.00	
carbon dioxide		14.00			
water vapor		12.00		11.00	
carbon monoxide		1.50		0.05	
oxides of nitrogen		0.25		0.70	
hydrocarbons		0.24		0.22	
sulfur dioxide		0.01		0.03	
oxygen		0.00		9.00	
	total	100.00	total	100.00	

(i) In the diesel engine, nitrogen, carbon dioxide and water vapor account for 90.00% of the exhaust gases by volume.

Calculate the percentage by volume of carbon dioxide in the exhaust gases from the diesel engine.

	%	[1]
(ii)	Describe <b>three</b> ways in which the composition of the exhaust gases from the gasol engine differ from the composition of the exhaust gases from the diesel engine.	line
	1	
	2	
	3	
		[3]
(iii)	Give <b>one</b> adverse effect of sulfur dioxide on health.	
		[1]

(b)	Complete the sentences about the separation of petroleum into fractions using words from the
	list.


boiling	crystallization	density	distillation	keroser	1e	poly(ethene	)	
Fractional		of petrole	um produces	fractions	such a	as gasoline,	diesel o	il
and	V	Vithin each 1	fraction, the	molecules	have	a particular	range c	of
	points.						[3	31

(c) Balance the chemical equation for the complete combustion of propane.

$$C_3H_8 + 5O_2 \rightarrow .....CO_2 + .....H_2O$$
 [2]

[Total: 10]

- **3** This question is about cobalt and its compounds.
  - (a) A colored crystal of cobalt(II) chloride was placed at the bottom of a beaker containing water. After 2 days, the color had spread throughout the water.



Explain these observations using the k	inetic particle model.
	[3

**(b)** Cobalt(II) chloride can be used to test for the presence of water.


$$\begin{array}{cccc} {\rm CoC}\,l_2 & + & {\rm 6H_2O} & \Longrightarrow & {\rm CoC}\,l_2.{\rm 6H_2O} \\ {\rm anhydrous} & & {\rm hydrated} \\ {\rm cobalt(II)\ chloride} & & {\rm cobalt(II)\ chloride} \end{array}$$

(i) What is meant by the symbol ⇒?

(ii)

	rom to	· ·
D	Describe how the color of anhydrous cobalt(II)	chloride changes when water is added to it.

**(c)** A compound of cobalt can be represented by the structure shown.



[2]

Deduce the molecular formula of this compound showing the number of cobalt, carbon and oxygen atoms.

\_\_\_\_\_\_[1]

(d) The table compares the reactivity of cobalt with that of three other metals.

metal	reactivity with cold water	reactivity with steam
barium	reacts rapidly	
cobalt no reaction		reacts slowly when heated
magnesium	reacts very slowly	reacts rapidly
zinc	no reaction	reacts easily when heated

Use this information to put the metals in order of their reactivity. Put the least reactive metal first.

	least reactive most reactive	[2]
(e)	Cobalt is a transition element. Lithium is an element in Group I of the Periodic Table.	
	Describe <b>three</b> ways in which the properties of cobalt differ from those of lithium.	
	1	
	2	
	3	[2]
(f)	When cobalt(II) oxide, CoO, is heated in air, an oxide with the formula ${\rm Co_3O_4}$ is formed.	
	Balance the chemical equation for this reaction.	
	CoO + $O_2 \rightarrow 2Co_3O_4$	[1]
(g)	When Co <sub>3</sub> O <sub>4</sub> is heated with hydrogen, cobalt metal can be formed.	
	$Co_3O_4 + 4H_2 \rightarrow 3Co + 4H_2O$	
	How does this equation show that Co <sub>3</sub> O <sub>4</sub> is reduced?	
		. [1]

[Total: 13]

- 4 This question is about alcohols.
  - (a) The structure of compound P is shown.


(i)	What feature of the structure of compound <b>P</b> shows that it is unsaturated?	
		[1]
(ii)	Describe how the color of aqueous bromine changes when an excess of compound added to it.	<b>P</b> is
	from to	 [2]
(iii)	The melting point of compound <b>P</b> is -129 °C. The boiling point of compound <b>P</b> is 97 °C.	
	What is the physical state of compound <b>P</b> at –120 °C? Explain your answer.	
		[2]

- (b) Ethanol is an alcohol with two carbon atoms.
  - (i) Draw the structure of ethanol showing all of the atoms and all of the bonds.

[1]

Complete the sentences about fermentation using words from the list.

	30°C	300°C	distillation	electrolysis		
	elements	enzymes	salt	sugar		
	A flask containing	s	solution and yea	ast is heated to		
	The yeast contains .		which cata	lyze the reaction.	The ethanol i	S
	separated by				[4	ŀ]
(iii)	Ethanol can be used a	s a fuel.				
	Give one other use of	ethanol in indus	try.			
					[1	]
(iv)	The energy level diagr	am for the comp	olete combustio	n of ethanol is show	wn.	



Explain how this diagram shows that the reaction is exothermic.


(v) Carbon dioxide and water can be formed when ethanol burns in a limited supply of air.

State the name of **two** other products which can be formed when ethanol burns in a limited supply of air.

..... and ......[2]

[Total: 14]

(a) Molten lead(II) bromide can be electrolyzed using the apparatus shown.



	The negative electrode is called the cathode.
	State the name of the positive electrode.
	[1]
(b)	Predict the products of the electrolysis of molten lead( $\Pi$ ) bromide at:
	the negative electrode
	the positive electrode[2]
	[4]
(c)	$\label{eq:lead} \begin{tabular}{ll} Lead(II) bromide is insoluble in cold water. \\ Sodium bromide is soluble in cold water. \\ \end{tabular}$
	$\label{lem:continuous} Describe how you could obtain crystals of sodium bromide from a mixture of solid lead (II) bromide and solid sodium bromide.$
	[3]
(d)	When chlorine is bubbled through a colorless aqueous solution of sodium bromide, the solution turns orange-brown.
	Name the orange-brown substance. Suggest, using ideas about reactivity of the halogens, why the reaction occurs.
	orange-brown substance
	why the reaction occurs
	ro:
	[2]

(e)	What is the color of the precipitate formed when aqueous silver nitrate is added t sodium bromide?	o aqueous
		[1]
(f)	Complete the sentence about the formation of a chloride ion from a chlorine atom.	
	A chloride ion is formed when a chlorine atom gains one	[1]
		[Total: 10]

6	This	question	is	about	isoto	pes.
---	------	----------	----	-------	-------	------

(a) An atom of an isotope of oxygen is represented by the symbol
--

<sup>17</sup><sub>8</sub>O

	Describe the structure of an atom of this isotope of oxygen. In your answer, include:  the position of the protons, neutrons and electrons in the atom the number of protons, neutrons and electrons present in the atom		
		 	[5]
(b)	Which <b>two</b> statements about isotopes are correct? Tick <b>two</b> boxes.		
	Isotopes of the same element have different numbers of protons.		
	Isotopes of the same element have different numbers of neutrons.		
	Isotopes are always radioactive.		
	The isotope $^{235}_{92}$ U is a source of energy.		
	$^{14}_{\ 6}\text{C}$ and $^{14}_{\ 7}\text{N}$ are isotopes of each other.		
			[2]
(c)	What is meant by the term <i>nucleon number</i> ?		
		 	[1]
		[	Total: 8]

This question is about Group I elements and their compounds. 7

(a) The properties of some Group I elements are shown in the table.

element	melting point /°C	relative hardness	observations when it reacts with cold water
lithium	181	23	
sodium	98	3	rapid bubbling but does <b>not</b> burst into flame
potassium	63		very rapid bubbling and bursts into flame
rubidium		1	bursts into flame and explodes

- the relative hardness of potassium
- the melting point of rubidium.

[2]

(ii)	Use the information in the table to predict what you would observe when lithium reacts with
	cold water.

[	1]

<b>(b)</b> Write the electronic structure of a sodium atom.	
---	--

[1]
 נין

(c) When sodium reacts with water, an alkaline solution is formed.

2Na + 
$$2H_2O \rightarrow 2NaOH + H_2$$

(i)	Use the information in the equation to explain why the solution formed is alkaline.

. [	1]


(d)	Sodium tetrahydridoborate, $NaBH_4$ , is an ionic compound.
	Calculate the relative formula mass of NaBH <sub>4</sub> .

Calculate the relative formula mass of NaBH<sub>4</sub> Show all your working. Use your Periodic Table to help you.

relative formula mass = ..... [2]

[Total: 9]

8 The apparatus shown is used to investigate the rate of reaction between calcium carbonate and hydrochloric acid at 30 °C.



(a)	Name the piece of apparatus labeled <b>A</b> in the diagram.	[4]
(b)	Describe how this apparatus can be used to find the rate of reaction.	
		[2]
(c)	The experiment is repeated at 20 °C. All other conditions are kept the same.	
	How does the decrease in temperature affect the rate of reaction?	
		[1]

(d) The experiment is repeated using the same mass of different size pieces of calcium carbonate. All other conditions are kept the same.

The sizes of the pieces of calcium carbonate are:

- large pieces
- small pieces
- powder

Complete the table by writing the sizes of the pieces in the first column.

size of the pieces of calcium carbonate	initial rate of reaction in cm³ gas/s
	5
	2
	12

(e)		names ic acid.	of	the	three	products	formed	when	calcium	carbonate	reacts	with
	1	 										
	2	 										
	3	 										
												[2]

[Total: 7]

# **BLANK PAGE**

# **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	<b>=</b>	5 -	В	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	<b>=</b>				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ъ	bromine 80	53	П	iodine 127	85	Ą	astatine -			
	5				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium –	116		ivermorium -
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	≥									silicon 28										114	Fl	flerovium -
	=				2	В	boron 11	13	Αl	aluminum 27	31	Ga	gallium 70	49	In	indium 115	81	ll Ll	thallium 204			
											30	Zu	zinc 65	48	g	cadmium 112	80	£	mercury 201	112	ပ်	copernicium
											29	no	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	oentgenium –
dr.																palladium 106						E
Group											27	ဝိ	cobalt 59	45	뫈	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
			I	hydrogen 1							26	Fe	iron 56	44	R	ruthenium 101	92	SO	osmium 190	108	Hs	hassium
					J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						Б	s,				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>Б</u>	tantalum 181	105	op O	dubnium
					at	ator	relati				22	ï	titanium 48	40	Zr	zirconium 91	72	Έ	hafnium 178	104	弘	rutherfordium -
								J			21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium _
	_				8	:	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	ВВ	rubidium 85	55	Cs	cesium 133	87	т Г	francium

71	Pn	lutetium	175	103	Ļ	lawrenciu	1
70	ΥÞ	ytterbium	173	102	9	nobelium	ı
69	Tm	thulium	169	101	Md	mendelevium	ı
89	ш	erbinm	167	100	Fm	fermium	ı
29	웃	holmium	165	66	Es	einsteinium	ı
99	۵	dysprosium	163	86	ర్	californium	1
65	Tp	terbium	159	26	器	berkelium	I
64	В	gadolinium	157	96	CB	curium	ı
63	En	europium	152	92	Am	americium	ı
62	Sm	samarium	150	94	Pu	plutonium	ı
61	Pm	promethium	ı	93	δ	neptunium	ı
09	βN	neodymium	144	92	$\supset$	uranium	238
	Ą			_	Ра		
58	Ce	cerium	140	06	H	thorium	232
22	La	lanthanum	139	89	Ac	actinium	1

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).