



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTER NUMBER		CANDIDATE NUMBER	
CHEMISTRY (JS)		0439/41
Paner / Theor	v (Extended)	October/No	wambar 2018

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Center number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



This document consists of 15 printed pages and 1 blank page.

International Examinations

The following formulae represent different substances.									
		Αl	Ag	CaCO ₃	CH ₄	Cl_2	Cu	SO ₂	
Answer the following questions using only these substances. Each substance may be used once, more than once or not at all.									
	State which substance is:								
	(a) used to make food containers								

(a)	used to make food containers	[1]
(b)	added to a blast furnace to remove impurities during the production of iron	[1]
(c)	the main constituent of natural gas	[1]
(d)	a cause of acid rain	[1]
(e)	a gas which bleaches damp litmus paper	[1]
(f)	a gas which contributes to climate change.	[1]
	[Total	: 6]


2 The table gives some information about four different particles, **A**, **B**, **C** and **D**.

particle	number of electrons	number of neutrons	number of protons	electronic structure	charge on particle
Α	11	12	11	2,8,1	0
В		14	11	2,8,1	0
С	18	20		2,8,8	0
D	18	20	17		

(a)	Complete the table. The first row has been done for you.	[4]
(b)	Give two particles from the table which are isotopes of each other.	
		[1]
(c)	Element Z is in the same group of the Periodic Table as A and is less reactive than A .	
	State the identity of element Z .	
		[1]
(d)	C is unreactive.	
	Use information from the table to explain why.	
		[1]
	[Total	: 7]

3 (a) Copper(II) nitrate decomposes when heated. Two gases, oxygen and nitrogen dioxide, and a solid are made in the reaction.

A sample of copper(II) nitrate was decomposed using the apparatus shown.



(i) Complete the chemical equation for the reaction.

$$2Cu(NO_3)_2 \rightarrow O_2 +NO_2 +$$
 [2]

(ii) Only oxygen gas is collected at X.

Explain why.	
	. [1

(b) Nitrogen dioxide and other oxides of nitrogen are formed in car engines.

Explain how nitrogen dioxide is formed in car engines.

-			
			[2]

(c) /	4 te	acher he	eated 18.8g of copper	r(II) nitrate.	
(i)	Calcula	te the number of mole	es of copper(II) nitrate present in the 18.8 g.	
					mol [2]
(i	i)		te the maximum numb II) nitrate.	per of moles of oxygen that can be made by hea	ting 18.8g of
					mol [1]
(ii	i)			ne of oxygen at room temperature and pressure ${f g}$ of copper(II) nitrate.	, in cm³, that
					cm³ [1]
(d) <i>i</i>	Δ es	ample of	conner(II) nitrate was	s dissolved in water to form an aqueous solution	n
		-		to three portions. A separate test was done on	
		shown.	o colument mae opint in	to all oo portionol/ (ooparato toot mao aono on	ouen peruen
		test	reagent added	result	
		1	aqueous sodium hydroxide	light blue precipitate forms	
		2	zinc powder	solution changes from blue to colorless and a brown solid forms	
		3		ammonia gas is produced	
(i)	Give the	e formula of the light b	olue precipitate formed in test 1 .	
					[1]
(i	i)	Explain	the changes seen in t	test 2.	
(ii	i)	Identify		t must be added to the aqueous copper(Π) nitra	
		1			

[2]

(e)		oper(II) nitrate can be made by reacting $copper(II)$ carbonate with nitric acid. One of t ducts is carbon dioxide.	he
	(i)	Write a chemical equation for the reaction of copper(II) carbonate with nitric acid.	
			[2]
	(ii)	Carbon dioxide is added to the air by living things.	
		Name the chemical process by which living things add carbon dioxide to the air.	
			[1]
((iii)	Carbon dioxide is removed from the air by plants.	
		Name the chemical process by which plants remove carbon dioxide from the air.	
			[1]
		[Total: 1	9]

(a)	Sulf	uric	acid is made industrially by a four-step process.	
	ste _l	o 2 o 3	Sulfur is burned in air to produce sulfur dioxide. Sulfur dioxide is converted into sulfur trioxide. Sulfur trioxide is reacted with concentrated sulfuric acid to produce oleum. Oleum is reacted with water to produce concentrated sulfuric acid.	
	(i)	Sor	me sulfur is obtained by mining.	
		Naı	me one other major source of sulfur.	
	(ii)	What is the name of the process by which sulfuric acid is made industrially?		[1]
				[1]
((iii)	Des	scribe the conversion of sulfur dioxide into sulfur trioxide in step 2.	
		In y •	our answer, include: a chemical equation for the reaction the essential reaction conditions.	
				[5]
(b)			concentrated sulfuric acid is added to glucose, $C_6H_{12}O_6$, a black solid is produced. Trated sulfuric acid acts as a dehydrating agent.	The
	(i)	Wh	at is removed from the glucose in this reaction?	
				[1]
	(ii)	Naı	me the black solid produced in this reaction.	
				[1]

(c)		ne gas hydrogen sulfide, $\rm H_2S$, is produced when concentrated sulfuric acid is added to solid stassium iodide.			
	The	e reaction involves oxidation.			
	(i)	Define the term <i>oxidation</i> in terms of electron transfer.			
			[1]		
	(ii)	Complete the dot-and-cross diagram to show the electron arrangement in a molecule hydrogen sulfide. Show outer shell electrons only.	of		
		H S H	[2]		
	(iii)	Hydrogen sulfide has a simple molecular structure.			
		Explain why hydrogen sulfide has a low boiling point.			
			[2]		

(d)	Dilute sulfuric acid	I reacts with aqued	ous sodium hydrogei	ncarbonate in a ne	eutralization reaction.

$$H_2SO_4(aq) + 2NaHCO_3(aq) \rightarrow Na_2SO_4(aq) + 2H_2O(I) + 2CO_2(g)$$

In a titration, 0.200 mol/dm³ aqueous sodium hydrogencarbonate was used to neutralize 20.0 cm³ of dilute sulfuric acid of concentration 0.150 mol/dm³.

(i) Calculate the number of moles of dilute sulfuric acid used in the	ne titration.
---	---------------

- (ii) Calculate the number of moles of sodium hydrogencarbonate needed to neutralize the dilute sulfuric acid.
 - mol [1]
- (iii) Calculate the volume, in cm³, of 0.200 mol/dm³ aqueous sodium hydrogencarbonate needed to neutralize the dilute sulfuric acid.

..... cm³ [1]

[Total: 17]

5 Hydrogen gas reacts with iodine gas. The equation is shown.


$$H_2(g) + I_2(g) \rightleftharpoons 2HI(g)$$

The reaction is reversible and can reach equilibrium.

(a)	What is	meant b	y the	term	equilibrium?
-----	---------	---------	-------	------	--------------

|
 | [2 |
|------|------|------|------|------|------|------|------|------|------|------|------|----|

(b) The graphs show how pressure affects the yield of hydrogen iodide, HI, at two different temperatures.




(i)	Explain why the	vield at 500 °C o	does not change as	the pressure is increased	
(')	Explain willy the	yicia at ooo o t	acco not onange ac	the precodure to moreacea	•

		. [1]

(ii) What can you conclude from the difference in the yield of hydrogen iodide at the **two** temperatures shown? Explain your answer.



(c) The graph shows how the concentration of hydrogen iodide, HI, changes after hydrogen gas and iodine gas are mixed together in a sealed container.



	(i)	When is the rate of reaction fastest?
		[1]
	(ii)	The reaction was repeated at the same temperature and pressure but in the presence of a catalyst.
		Draw a graph on the same axes to show how the concentration of hydrogen iodide changes with time in the presence of a catalyst. [2]
(d)	A m	nixture of hydrogen gas and iodine gas is allowed to reach equilibrium.
	(i)	Increasing the pressure of a gas increases its concentration.
		State and explain the effect of increasing the pressure on the rate of the forward reaction.
		[2]
	(ii)	State and explain the effect of increasing the temperature on the rate of the reverse reaction.

(a) Eth Eth	hane, $\rm C_2H_6$, is a member of the homologous series called alkanes. Hanol, $\rm C_2H_5OH$, is a member of the homologous series called alcohols.
(i)	Alkanes are hydrocarbons.
	What is meant by the term hydrocarbon?
	[2]
(ii)	All members of a homologous series can be represented by a general formula.
	State the general formula of:
	alkanes
	• alcohols
	[2]
(iii)	State two characteristics, other than having the same general formula, of members of a homologous series.
	1
	2
	[2]
(b) Eth	ane can react with chlorine in a substitution reaction.
(i)	State one essential reaction condition.
	[1]
(ii)	Draw the structure of the organic product formed by substitution of one of the hydrogen atoms in ethane with chlorine. Show all of the atoms and all of the bonds.
	[1]
(iii)	Name the product of the substitution reaction between ethane and chlorine that does not contain carbon.
	[1]

(c) Propan-1-ol is an alcohol.

The structure of propan-1-ol is shown.

Propan-1-ol reacts with ethanoic acid to form an ester.

Give the name of the ester formed in this reaction.

......[1]

(d) Ester Y has the structure shown.

ester Y

.....[1]

(ii) Draw the structures of the carboxylic acid and the alcohol used to make ester Y. Show all of the atoms and all of the bonds. Give the name of the carboxylic acid and the alcohol.

structure of the carboxylic acid

name of the carboxylic acid

structure of the alcohol

name of the alcohol

(e)	Nylon is a polyam	nide.			
	Complete the dia bonds present in	gram to show the structu	ire of nylon. Show all	of the atoms and	all of the
					[3]
					[Total: 18]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	=	2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	25	Xe	xenon 131	98	R	radon _			
	 			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	н	iodine 127	85	Ą	astatine -			
	5								sulfur 32										116		ermorium -
	>								hosphorus 31												<u></u>
	≥								silicon p										114	F1	flerovium -
	=								aluminum 27												
										30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	ت ک	opernicium -
												copper 64									
<u>ا</u>												nickel 59									darmstadtium n
Group										27	ပိ	cobalt 59	45	格	rhodium 103	77	'n	indium 192	109		
		- I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	H	hassium -
				J						25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					Го	SS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>a</u>	tantalum 181	105	Ор	dubnium —
				a	ator	relat				22	j	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿆	rutherfordium -
							1			21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	99	Ba	barium 137	88	Ra	radium
	_			8	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	ВВ	rubidium 85	55	S	cesium 133	87	ъ́	francium

7.1	Γn	lutetium	175	103	۲	lawrencium	ı
	ХÞ					_	
69	H	thulium	169	101	Md	mendelevium	ı
89	ш	erbinm	167	100	Fm	ferminm	1
29	웃	holmium	165	66	Es	einsteinium	ı
99	Dy	dysprosium	163	86	ర్	californium	ı
99	Tp	terbium	159	26	Ř	berkelium	ı
64	В	gadolinium	157	96	Cm	curium	ı
63	En	europium	152	92	Am	americium	ı
62	Sm	samarium	150	94	Pu	plutonium	ı
61	Pm	promethium	ı	93	ď	neptunium	ı
09	ρN	neodymium	144	92	\supset	uranium	238
59	Ā	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	Ч	thorium	232
22	Га	lanthanum	139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).