

CANDIDATE

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

DNS AND COMPAND COMP

1 hour 15 minutes

*	
4	
7	
_	
4 0	
03	
S	
5	
9	
Ü	

Paper 2		May/June 2013
CHEMISTRY		0620/23
CENTRE NUMBER	CANDIDATE NUMBER	
NAME		

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page. Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 14 printed pages and 2 blank pages.



The structures of five atoms, A, B, C, D and E, are shown below.

Α	В		
proton			
D		E	



neutron (h)



- (a) Answer the following questions about these structures. Each structure can be used once, more than once or not at all.
 - (i) Which **two** structures are hydrogen atoms?

..... and

(ii) Which structure represents an atom of a metal?

.....

(iii) Which structure has a proton (atomic) number of 3?

(iv) Which structure has two neutrons in its nucleus?

[5]

(b) The structure of carbon-12 can be written ${}^{12}_{6}$ C.

Write the structure of atom ${\bf D}$ in a similar way.

[1]

(c) Complete the following sentences about isotopes using words from the list below.


[Total: 10]

		3		my	For miner's e
table shows	s some physical p	properties of the	Group VII elemer	nts.	For miner's
halogen	melting point /°C	boiling point /°C	atomic radius /nanometres	colour	dridge
fluorine	-220	-188		pale yellow	COM
chlorine	-101	-35	0.099		
bromine	- 7	+59	0.114	red-brown	
iodine	+114	+184	0.133	grey-black	

(a)	Use the	information	in the	table to	o explain	why
-----	---------	-------------	--------	----------	-----------	-----

(i)	chlorine is a gas at room temperature,	
	[1]

- (ii) bromine is a liquid at room temperature.
- **(b)** Describe the trend in atomic radius going down the group from chlorine to iodine.[1]
- (c) Suggest a value for the atomic radius of fluorine.
- (d) Describe the colour of chlorine.
- (e) A chlorine atom has 17 electrons. Complete the following structure to show how the electrons are arranged.



[2]

- (f) Chlorine reacts with potassium bromide to form potassium chloride and bromine.
 - (i) Complete the symbol equation for this reaction.

$$Cl_2 + \dots KBr \rightarrow 2KCl + \dots$$
 [2]

(ii) Explain why iodine does not react with potassium bromide.

[1]

[Total: 10]

- 3 Aluminium and gallium are in Group III of the Periodic Table.
 - (a) The heat from your hand is sufficient to melt gallium.
 Describe the change in state from solid to liquid in terms of the kinetic particle theory.
 In your answer include

the difference in arrangement and closeness of the particles in a solid and a liquid,
the difference in the motion of the particles in a solid and a liquid.

.....[5

(b) Gallium is a metal. Describe **three** physical properties of gallium which are typical of most metals.

1.	 															


2.

(c) When it is a gas, gallium(III) chloride has the structure shown below.

Write the molecular formula for gallium(III) chloride.

.....[1]

(d) Aluminium is used to make high voltage electricity cables.



The table shows some properties of four metals which could be used for overhead power cables.

metal	relative strength	density in g/cm³	relative electrical conductivity	price \$ per tonne
aluminium	9	2.70	0.4	2120
copper	30	8.92	0.7	9600
tungsten	100	19.35	0.2	450
steel	50	7.86	0.1	700

(i) Suggest why aluminium, rather than tungs	en, is used in overhead power cables?
	[1]
(ii) Suggest why steel, rather than copper, is us	sed as a core for overhead power cables.
	[1]
(iii) Give two reasons why aluminium is used copper.	for overhead power cables rather than
1	
2	[2]
(e) State one use of aluminium other than as an el	ectrical conductor.
	[1]
	[Total: 14]

	Why.	
	6	1
mpure	water needs to be treated if it is to be used in the home.	Car
(a) (i)	water needs to be treated if it is to be used in the home. Explain why filtration and chlorination are used in the water treatment process.	
/::\		[2]
(ii)	State one use of water in the home.	[4]
h) Dec	cribe a chemical test for water.	[1]
•	cribe a chemical test for water.	
	ılt[[2]
(c) (i)	Complete the diagram below to show the electron arrangement in a water molecul	
, (,		
	Н	
		[1]
(ii)	Is the bonding in water covalent or ionic? Give a reason for your answer.	
		[1]
-	e water is neutral. Which one of these pH values is neutral? a ring around the correct answer.	
	pH 0 pH 6 pH 7 pH 9 pH 13	F 4 7
		[1]
-	er reacts with sodium. The products are sodium hydroxide and hydrogen. e a word equation for this reaction.	
		[1]
	[Total:	9]

- **5** Energy is given out when fuels burn.
 - (a) State the name given to a chemical reaction which releases energy.


.....[1]

(b) Hydrogen can be used as a fuel. Complete the symbol equation for the burning of hydrogen in oxygen.


..... $H_2 + \rightarrow 2H_2O$ [2]

(c) Gasoline is a mixture of hydrocarbons containing between 5 and 10 carbon atoms. Four of these hydrocarbons are shown below.

A
H H H H H
H H C-C-C-C-C-H
H H H H H



С Н Н Н Н Н Н | | | | | | Н—С—С—С—С—С—С—Н | | | | | |



(i) Which **one** of these structures, **A**, **B**, **C** or **D**, has the highest relative molecular mass?

You are not expected to do any calculations.


.....[1]

(ii) Give one use of gasoline.

[1]

					my	
	8					Page 1
g points	s of the	straight-c	chain hyd	Irocarbor	ns in the	For miner's e
5	6	7	8	9	10	age 1
36	69		126	151	174	.60.
1			g points of the straight-c	g points of the straight-chain hyd	g points of the straight-chain hydrocarbor	8 g points of the straight-chain hydrocarbons in the 5 6 7 8 9 10

(i) On the grid below, plot a graph to show how the boiling point changes with the number of carbon atoms in these hydrocarbons. Draw a smooth curve through the points.




[3]

(ii) Use your graph to deduce the boiling point of the hydrocarbon with 7 carbon atoms.

boiling point°C [1]

- 6 Inks are mixtures of different dyes.
- www.PapaCambridge.com (a) A student used paper chromatography to separate the dyes in a particular ink. Describe how paper chromatography is carried out. You may draw a diagram to help explain your answer. In your description include
 - the apparatus you would use,
 - how chromatography is carried out.

(b) The chromatogram below shows the results of a chromatography experiment. **X**, **Y** and **Z** are pure dyes containing only one compound. The dyes present in four different inks, **D**, **E**, **F** and **G** are also shown.



(i)	Which ink, D , E , F or G , contains all the dyes X , Y and Z ?	
		[1]
(ii)	Which ink, D , E , F or G , does not contain any of the dyes X , Y and Z ?	
		[1]
(iii)	Which ink contains the greatest number of different dyes?	
		[1]



ANNA BARAC For miner's e

[1]

- (d) Ethanoic acid can be used as a solvent. What is the meaning of the term *solvent*?
 -[1]
- (e) The structure of a dye called Gambine R is shown below.

(i) How many different types of atom are there in one molecule of Gambine R?

.....[1]

(ii) How many carbon atoms are there in one molecule of Gambine R?

.....[1]

[Total: 11]

- Hydrogen peroxide, H₂O₂, decomposes in the presence of an enzyme called peroxida 7 products of this reaction are water and oxygen.
 - (a) (i) What is meant by the term enzyme?


Why.	
12	
en peroxide, $\rm H_2O_2$, decomposes in the presence of an enzyme called peroxidals of this reaction are water and oxygen.	For miner's e
What is meant by the term <i>enzyme</i> ?	Tide
	·····
	[2]

(ii) Complete the symbol equation for this reaction.

.....
$$H_2O_2 \rightarrow 2H_2O + O_2$$
 [1]

(b) A student followed the course of this reaction by measuring the volume of oxygen released over a period of time.

The diagram below shows some results that he obtained using hydrogen peroxide at three different concentrations.



(i) Describe how the concentration of hydrogen peroxide affects the rate of this reaction.

(ii) On the graph above, draw a line to show the course of the reaction when the starting

- concentration of hydrogen peroxide is 0.3 mol/dm³. [2]
- (iii) For the concentration of hydrogen peroxide of 0.4 mol/dm³, deduce
 - the volume of oxygen given off when the reaction is complete,

the time it takes to produce 14 cm³ of oxygen.

seconds [2]	 	
seconds [2]	 	

(iii) Describe a test for iodide ions.

(c)		the presence of sulfuric acid, hydrogen peroxide reacts with iodide ions to form d water. This involves the reduction of hydrogen peroxide.	For miner's e
	(i)	What is the meaning of the term reduction?	Tide C
	(ii)	Complete the word equation for the reaction of sulfuric acid with calcium hydroxide.	OH)
	;	sulfuric acid + calcium hydroxide → + +	Ţ

.....[2]

[Total: 13]

[2]

BLANK PAGE

www.PapaCambridge.com

BLANK PAGE

www.PapaCambridge.com

The Periodic Table of the Elements **DATA SHEET**

			16	173	
0	4 Helium 2	20 Ne	84 Krypton 36 Krypton 131 Xe Xe Xenon Standard Radon Radon 88 88 88 88 88 88 88 88 88 88 88 88 88	Lawrendum 103	\
=>		19 Fluorine 9 35.5 C1 Chlorine	80 Br Bromine 35 127 I I A At At At BSS BSS BSS BSS BSS	Y Y b Ytterbium 70 Nobelium 102	CO
>		16 Oxygen 8 32 32 Mfur 16	Seenium 34 Seenium 34 Februard	Tm Thulium 69 Mendelevium 101	
>		Nitrogen 7 31 31 Phosphorus 15	75 Asemic 33 Arsenic 33 Arsenic 35 122 Sb Antimony 51 209 Bi Bismuth 83	167 Erbium 68 Fm Femilum 100	
≥		Carbon 6 Carbon 8 28 Silicon 14	73 Germanium 32 Germanium 32 Tin 119 50 Tin 80 Red 82 Lead	165 Ho Hornlum 67 Es Einsteintum 99 (r.t.p.).	
≡		11 BB Boron 5 27 A1 Aluminium 13	70 Ga 31 115 116 117 204 7 T TRAIllum 81	Dy Dysprosłum 66 Cf Calfornium 98	
			Cadmium 201 48 Marcury 66 Cadmium 80 Hg	Tb Tb Terblum 65 Bk Berkeltum 97	
			64 Cu Copper 108 Ag Silver 197 Au Au 779 Cold	Gd Gadolinium 64 Curium 96	
Group			59 Nickel 28 Nickel 28 Patadum 46 Patadum 195 Pt 19	162 Europium 63 Am Americium 95 m³ at roo	
5		٦	59 Cobalt 27 Cobalt 103 Rhodium 45 I 192 I ridium 777 Cobalt 277 C	Samarium 62 Pu Putonium 94 as is 24 d	
	Hydrogen 1		56 Fe Iron 26 Iron 101 Ru Ruthenium 44 Os Osemum 76	Pm Promethlum 61 Np Neptunium 93	
			Mnanganese 25 Technetium 43 Re Re Rentium 75	Nd Neodymium 60 238 Umnium 92 one mole	
			52 Cr Chromium 24 Mo Moybdenum 42 184 W Tungsten 74	Ce Pr Nd Pm Sm and recoding to the motion Sm and recoding to the motion Former to the motion Sm and recoding to the motion Responsibility Former to the motion Former to the	
			Venadium 23 Nabium 41 181 Ta Ta Ta	140 Certum 58 232 232 Th Thortum 90 The V	
			48 Tritanium 22 27 Str. Str. Str. Str. Str. Str. Str. Str.	↑ omic mass mbol omic) number	
				e atr	
=		Be Beryllium 4 24 NG Magnesium 12	Caecium 20 Caecium 20 Sr Strontium 38 Ba Batum 56	Radium Ra	
_		Lithium 3 23 8 8 8 8 8 8 8 8 8 8 11	Robassium 19 85 Rb Rubidium 37 133 Cs Caesium 55	#Franctum *58-71 L 190-103 Key b	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.