



## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/21
Paper 2		Oct	ober/November 2014
			1 hour 15 minutes
Candidates ans	swer on the Question Paper.		
No Additional M	Naterials are required.		

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.


At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [ ] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

CAMBRIDGE
International Examinations

1 The structures of five carbon compounds are shown below.





- (a) Answer the following questions about these compounds. Each compound may be used once, more than once or not at all.

  - (ii) Which two compounds are saturated hydrocarbons? ...... and ...... [1]
  - (iii) Which compound is the main constituent of natural gas? ...... [1]
  - (iv) Which compound reacts with steam to form ethanol? ...... [1]
  - (v) Which compound is causing concern as a greenhouse gas? ..... [1]
- (b) Deduce the molecular formula for compound C.

r	[4]
	( I I

(c) Complete the symbol equation for the complete combustion of compound A.

$$C_3H_8 + ....O_2 \rightarrow 3CO_2 + ....H_2O$$
 [2]

[Total: 9]

2 The diagram shows a bottle of mineral water. The concentration of the ions present in the water is shown on the label. The pH of the water is also shown.

		ions present	concentration in mg/1000 cm <sup>3</sup>
poly(ethene)		chloride, Cl <sup>-</sup>	0.71
bottle		<b>X</b> , F <sup>-</sup>	0.31
		magnesium, Mg <sup>2+</sup>	0.02
	1000 prodect   1000 personic   1000 personic	manganese, Mn <sup>2+</sup>	0.01
	mayonar. Myl. ()(2) mayonar. Myl. ()(2) mayonar. Myl. ()(1) Y. (0) passar. K ()(4) codun. Nyl ()(2) codun. Nyl ()(2)	<b>Y</b> , NO <sub>3</sub> <sup>-</sup>	0.70
		potassium, K⁺	0.44
		sodium, Na⁺	1.22
		pH = 6	6.6

(a)	(i)	Which positively charged ion is present in the highest concentration?  [1]
(	ii)	State the name of:
		ion <b>X</b>
		ion <b>Y</b> [2]
(i	ii)	Calculate the mass, in mg, of sodium ions in 200 cm³ of mineral water.
		mg [1]
(i	v)	Which <b>one</b> of the following phrases best describes the pH of this mineral water? Tick <b>one</b> box.
		neutral
		strongly acidic
		strongly alkaline
		weakly acidic
		weakly alkaline [1]
(b)	Des	scribe a test for chloride ions.
	test	t
	res	ult[2]

(c	c)	The	mineral	water	bottle	is	made	of	polv	(ethene
ľ	<b>6</b> 1	1116	mmerar	water	DOLLIE	15	IIIauc	Οı	ρυιν	ובוובווי

Complete the following sentence about poly(ethene) using words from the list below.


	saturated	reactant	polymer	monomer	ionic	atom
units.		addition of	made by the		a	oly(ethene) is
[2]			•			
[Total: 9]						

3 Rose oil contains 2-phenylethanol.

The structure of 2-phenylethanol is shown below.

		н н	
(a)	On	the structure above, draw a ring around the alcohol functional group.	[1]
(b)	Styr	en heated with an alkali, 2-phenylethanol forms styrene. rene is an unsaturated compound. scribe a test for an unsaturated compound.	
	test		
	resu	ult	[2]
(c)		se petals contain a variety of different coloured pigments. udent wants to identify these pigments.	
	(i)	She grinds up rose petals with a solvent. Explain why.	
			[2]
	(ii)	She then filters the solution through some glass wool. Suggest why she does not use filter paper.	

(d) The student uses the apparatus shown below to identify the different pigments in the mixture.




(i)	State the name	of this	method of	f separating	the pigments.
-----	----------------	---------	-----------	--------------	---------------

.....[1]

- (ii) On the diagram above, draw a spot, •, to show where the mixture of pigments is placed at the start of the experiment. [1]
- (iii) What is the purpose of the glass cover?

.....[1]

(iv) The student also puts four spots of pure pigments, **A**, **B**, **C** and **D**, onto the filter paper. The diagram below shows the results of her experiment.



Which of the pigments, A, B, C and D, are present in the rose petals?

\_\_\_\_\_\_[1]


(e) The solvent used in the experiment is ethanol.

Draw the structure of a molecule of ethanol showing all atoms and bonds.

[2]

[Total: 12]

4 A student wants to compare the energy released when different fuels are burned. He measures the increase in temperature of the water in a metal can when the fuels are burned.



(a)	What piece of apparatus is missing from the diagram above?	[1]
(b)	State <b>two</b> things the student should keep the same when burning each fuel.	
(c)	Suggest why the water in the can should be stirred.	
		 [1]
(d)	What happens to the reading on the top-pan balance as the fuel burns? Give a reason for your answer.	

(e) The results of burning four fuels, **D**, **E**, **F** and **G**, are shown in the table below.

fuel	temperature of water at start of experiment/°C	temperature of water at end of experiment/°C
D	20	45
E	19	43
F	16	44
G	21	46

	Whi	ich fuel produced the greatest temperature rise in the water?[1]
(f)	The	e metal can is made of mild steel coated with tin.
	(i)	Steel is an alloy. What is meant by the term alloy?
	(ii)	Why does the tin prevent the steel can from rusting?
(a)	Glad	ss is made from silicon(IV) oxide.
(9)		t of the structure of silicon dioxide is shown below.
		oxygen atom silicon atom
		ich <b>one</b> of the following best describes the structure of silicon dioxide?  c <b>one</b> box.
		giant covalent
		giant ionic
		simple atomic

simple molecular


[1]

[Total: 11]

, '						tion mixture increa
		of the following w around the corre				
	Draw a ring Uranium is a of energy.	around the corre endothermic a metal which has	exothermic several radioac	isotopic		<b>/e</b> ese are used as so
1	Uranium is a of energy. State <b>one</b> of the complete the state of the complete the c	around the corre endothermic a metal which has ther use of radioa	exothermic several radioac	<b>isotopic</b> tive isotopes	. Some of the	
	Uranium is a of energy. State <b>one</b> o	around the corre endothermic a metal which has ther use of radioa	exothermic several radioac active isotopes.	isotopic tive isotopes	Some of the	ese are used as so
1	Uranium is a of energy. State <b>one</b> of the complete the state of the complete the c	around the corre endothermic a metal which has ther use of radioa	exothermic several radioac	isotopic tive isotopes	. Some of the	ese are used as so
1	Uranium is a of energy. State <b>one</b> of the complete the state of the complete the c	around the corre endothermic  a metal which has ther use of radioa ne table below to uranium.	exothermic several radioac active isotopes.	isotopic tive isotopes	Some of the	ese are used as so
1	Uranium is a of energy. State <b>one</b> of the complete the state of the complete the c	endothermic  a metal which has ther use of radioa  ne table below to uranium.	exothermic several radioac active isotopes.	isotopic tive isotopes	Some of the	ese are used as so

6 The organic compound 1-bromobutane reacts with excess sodium hydroxide to form butan-1-ol. A scientist studied the rate of this reaction by finding out how the concentration of sodium hydroxide changed with time.

The graph below shows the results.



(a)	(i)	Describe how the	concentration	of sodium	hydroxide	changes	with time.

[2]

(ii) Determine the time it took for the concentration of sodium hydroxide to fall to  $0.15\,\mathrm{mol}\,/\,\mathrm{dm}^3$ .

\_\_\_\_\_\_[1]

(iii) At what time was the reaction complete?

.....[1]

(iv) On the grid above, draw a line to show how the concentration of sodium hydroxide changes when the concentration of 1-bromobutane in the reaction mixture is increased. All other conditions remain the same.

[2]

(v) Increasing the concentration of 1-bromobutane increases the rate of this reaction. Suggest **one** other way of increasing the rate of this reaction.

.....[1]

(b)	The concentration of aqueous sodium hydroxide can be found by titrating samples of the reaction mixture with hydrochloric acid.  Describe how you would carry out this titration.
	In your answer, refer to: <ul> <li>a burette,</li> <li>a volumetric pipette,</li> <li>an acid-base indicator solution.</li> </ul>
	[4]
(c)	Hydrochloric acid is made by dissolving hydrogen chloride gas, HC <i>l</i> , in water. Draw a dot-and-cross diagram to show a molecule of hydrogen chloride. Show hydrogen electrons as x. Show chlorine electrons as ●.

[2]

[Total: 13]

Fer	tilisers usually contain compounds of nitrogen, phosphorus and potassium.
(a)	Why do farmers use fertilisers?
	[1]
(b)	Many fertilisers contain ammonium sulfate. Ammonium sulfate is made by reacting aqueous ammonia with sulfuric acid. What type of chemical reaction is this?
	[1]
(c)	Aqueous ammonia reacts with nitric acid to make another compound often found in fertilisers. State the name of this compound.
	[1]
(d)	The structure of ammonium sulfate is shown below.
	$(NH_4^+)$ $(NH_4^+)$ $(NH_4^+)$ $(NH_4^+)$ $(SO_4^{2-})$
	$NH_4^+$ $NH_4^+$ $NH_4^+$ $NH_4^+$
	$(SO_4^2)$ $(SO_4^2)$ $(NH_4^+)$ $(NH_4^+)$ $(NH_4^+)$
	$SO_4^{2-}$ $SO_4^{2-}$
	Deduce the simplest ratio of ammonium and sulfate ions in ammonium sulfate.
	[1]
(e)	Ammonium salts react with alkalis. For example:
	ammonium + sodium → sodium + ammonia + water sulfate
	Use this information to explain why adding slaked lime to fields which have fertilisers spread on them may result in loss of nitrogen.
	[2]


(f) Many fertilisers contain potassium chloride.
When molten potassium chloride is electrolysed, two products are formed.
Complete the table below to show the name of the electrodes and the products formed.

charge on the electrode	name of the electrode	product formed at the electrode		
positive				
negative				

[3]

[Total: 9]

8 (a) A student placed a crystal of iodine in a test tube of solvent. After two minutes, a dense violet colour was observed at the bottom of the test-tube. After three hours, the violet colour had spread throughout the solvent.



Use the kinetic particle theory to explain these observations.

In your answer, refer to:

- the arrangement and motion of the molecules in the iodine crystal,
- the arrangement and motion of the molecules in the solution,
- the names of the processes which are occurring.

 	 	 	 	[4]
				[4]

- **(b)** Astatine, At, is below iodine in Group VII of the Periodic Table.
  - (i) The table shows the states of the Group VII elements at room temperature.

element	state		
fluorine	gas		
chlorine	gas		
bromine	liquid		
iodine	solid		

Use this information to deduce the state of astatine at room temperature.	
	[1]

(ii)	Astatine is radioactive. A lot of heat is given off due to this radioactivity. The small samples of astatine that have been isolated are often liquid. Suggest why they are often liquid.
	[1]
(iii)	Although few compounds of astatine have been made, scientists think that sodium astatide will react with iodine.  Complete the equation for this reaction.
	$I_2$ +NaAt $\rightarrow$ 2NaI + [2]

[Total: 8]

DATA SHEET
The Periodic Table of the Elements

	0 IIA	Helium		80 84  Bromine Krypton 36  127 131	86	173 175 <b>Yb Lu</b>	77	S
	I N		16 19 Coxygen Pluorine 8 32 35.5 S C 1 Sulfur 17 Chlorine 16 Coxygen 9 C 1 Chlorine 16 Coxygen 9 C 1 Chlorine 17 C	35			miliu	_
	>		Nitrogen 0 31 8 9 Phospirous 16 15	As Seenium 33 4 122 128 Ch T-6		167 Er	_	
	2			Ę	Tin Antimony 51  207 209  Pb Bi Bi Lead 83			
	=		9 4	70 Ga Gentum Gen 32 115 Table 115 Ta	82 20		19	-
			5 8 Abu 13 Abu 13		n		_	22
				.	Ag Silver 197 Au Gold		ε	
0				Nickel 28 106 106	m 47	152 <b>Eu</b>	E	
Group				I	Kn hodium 192 <b>I.r</b> ridium		E	
		Hydrogen 1		Fe Fe 101 101 27	ε .	E	ε	
				Mn Manganese	rechnetium 186 Renium	44 <b>N</b>	Neodymiun 30 238	
				Cr Chromium 24 96	Molybdenum 42 42 43 184 W Tungsten 75	141 <b>T</b>	Praseodymium 59	(2)
				Vanadium 23 93		0 <b>O</b>	Cerium 58	
				Titanium 22 91	40		iic mass	2
				Scandium 21	Yttrium 39 139	Actinium  Actinium  B9  Series	a = relative atomic mass	I stomic cym
	=		Be Beryllium 4  24  Magnesium 12	<b>Ca</b> Calcium 20 88	Strontium 38 137 137 Ba Barium 56	Fr   Ra   Actinium   Actinium   Radium   Radiu	Actilioid s	
	_		7   Lithium 3   23   Na   Sodium 11   11   12   12   12   13   14   15   15   15   15   15   15   15	39 Potassium 19 85	Rubidium 37 133 Csesium 55	Francium 87 *58-71 L	-081	-

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.