



## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME									
CENTRE NUMBER						CANDIDATE NUMBER			
CHEMISTRY								06	520/53
Paper 5 Practic	al Test					Oc	tober/Nov	/embe	r <b>2014</b>
							1 hou	r 15 mi	nutes
Candidates ans	wer on t	he Questi	on Pape	r.					
Additional Mate	rials:	As listed	d in the C	Confidential In	nstructions				

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

Practical notes are provided on page 8.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use			
Total			

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 7 printed pages and 1 blank page.



1 You are going to investigate the addition of four different solids, **H**, **J**, **K** and **L**, to water. The same mass of solid, 4 g, will be used in each experiment.

Read all the instructions below carefully before starting the experiments.

#### Instructions

You are going to carry out five experiments.

## (a) Experiment 1

Use a measuring cylinder to pour 25 cm³ of distilled water into the polystyrene cup provided. Support the polystyrene cup in the 250 cm³ beaker. Measure the initial temperature of the water and record it in the table below.

Add all of solid **H** to the water in the cup and stir the mixture with the thermometer. Measure the temperature of the liquid mixture after 90 seconds. Record your result in the table. Remove the thermometer and rinse the thermometer and the cup with water.

#### (b) Experiment 2

Repeat Experiment 1, using solid **J** instead of solid **H**. Measure and record the initial and final temperatures in the table below. **Keep** some of this solution in a test-tube for Experiment 5.

## (c) Experiment 3

Repeat Experiment 1, using solid **K**. Record the temperatures in the table.

#### (d) Experiment 4

Repeat Experiment 1 using solid **L**. Record the temperatures in the table and complete the table. **Keep** this solution for Experiment 5.

experiment	solid	initial temperature /°C	final temperature /°C	temperature difference/°C
1	н			
2	J			
3	K			
4	L			


I	4	1
		4

#### (e) Experiment 5

Pour about 3 cm³ of the solution from Experiment 2 into a test-tube. Use a teat pipette to about 3 cm³ of the solution from Experiment 4 to the test-tube. Record your observations.	add

© UCLES 2014 0620/53/O/N/14

(f) Draw a labelled bar chart of the results for Experiments 1, 2, 3 and 4 on the grid below.



experiment

[4]
-----

Use your results and observations to answer the following questions.

(g)	(i)	Which experiment produced the smallest temperature change?
		[1]
	(ii)	Which solids dissolve in water to produce an endothermic change? Explain your choice.

.....[2]

(h)	Sug	gest the temperature change that would occur if
	(i)	Experiment 3 was repeated using 50 cm <sup>3</sup> of distilled water,
		[1]
(	ii)	2g of solid <b>L</b> were used in Experiment 4.
		[1]
(i	ii)	Explain your answer to (h)(ii).
		[1]
(i)	Pre	dict the temperature of the solution in Experiment 2 after one hour. Explain your answer.
		[2]
j) :	Sug	gest an explanation for the observations in Experiment 5.
		[2]
		[Total: 20]

You are provided with two aqueous solutions, **M** and **N**.

Carry out the following tests on **M** and **N**, recording all of your observations in the table.

Conclusions must **not** be written in the table.

	tests	observations
tests on solution M		
Divide solution <b>M</b> into four equal portions in separate test-tubes.		
(a)	Describe the appearance of solution <b>M</b> .	
	Test the pH of the first portion of <b>M</b> .	[1]
(b)	Add a spatula measure of calcium carbonate to the second portion of <b>M</b> .  Test the gas given off with a splint.	[2]
(c)	To the third portion of <b>M</b> , add magnesium ribbon.	
	Test the gas given off with a splint.	[3]
(d)	To the fourth portion of <b>M</b> , add a few drops of dilute nitric acid and about 1 cm <sup>3</sup> of aqueous silver nitrate.	[2]

tests	observations
tests on solution N	
Divide solution ${\bf N}$ into three equal portions in separate test-tubes.	
(e) Describe the appearance of solution N.	[1]
Test the pH of the first portion of solution ${\bf N}$ .	[1]
<ul> <li>(f) Use a teat pipette to add three to four drops of aqueous zinc sulfate to the second portion of N. Shake the mixture.</li> </ul>	
Now add excess aqueous zinc sulfate to the mixture and shake.	[3]
(g) To the third portion of <b>N</b> , add a spatula measure of ammonium chloride. Warm the mixture and test the gas given off with damp litmus paper.	
(h) (i) Identify the gas given off in test (c).	[1]
(ii) Identify the gas given off in test (g).	[1]
(i) Identify solution M.	[1]
	[2]
(j) What conclusion can you draw about soluti	on <b>N</b> ?
	[1]
	[Total: 20]

# **BLANK PAGE**

#### **NOTES FOR USE IN QUALITATIVE ANALYSIS**

#### **Test for anions**

anion	test	test result
carbonate (CO <sub>3</sub> <sup>2-</sup> )	add dilute acid	effervescence, carbon dioxide produced
chloride (Cl <sup>-</sup> ) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
iodide (I <sup>-</sup> ) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	yellow ppt.
nitrate (NO <sub>3</sub> <sup>-</sup> ) [in solution]	add aqueous sodium hydroxide then aluminium foil; warm carefully	ammonia produced
sulfate (SO <sub>4</sub> <sup>2-</sup> ) [in solution]	acidify with dilute nitric acid, then aqueous barium nitrate	white ppt.

# Test for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
aluminium (Al³+)	white ppt., soluble in excess giving a colourless solution	white ppt., insoluble in excess
ammonium (NH <sub>4</sub> +)	ammonia produced on warming	_
calcium (Ca <sup>2+</sup> )	white ppt., insoluble in excess	no ppt., or very slight white ppt.
copper (Cu <sup>2+</sup> )	light blue ppt., insoluble in excess	light blue ppt., soluble in excess giving a dark blue solution
iron(II) (Fe <sup>2+</sup> )	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe <sup>3+</sup> )	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn <sup>2+</sup> )	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess giving a colourless solution

# **Test for gases**

gas	test and test results
ammonia (NH <sub>3</sub> )	turns damp red litmus paper blue
carbon dioxide (CO <sub>2</sub> )	turns limewater milky
chlorine (Cl <sub>2</sub> )	bleaches damp litmus paper
hydrogen (H <sub>2</sub> )	'pops' with a lighted splint
oxygen (O <sub>2</sub> )	relights a glowing splint

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2014 0620/53/O/N/14