



**Cambridge International Examinations**  
Cambridge International General Certificate of Secondary Education

**CHEMISTRY**

**0620/13**

Paper 1 Multiple Choice

**October/November 2015**

**45 Minutes**

Additional Materials:      Multiple Choice Answer Sheet  
   Soft clean eraser  
   Soft pencil (type B or HB is recommended)

\* 0 9 7 7 5 1 7 4 1 6 \*

**READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

**DO NOT WRITE IN ANY BARCODES.**

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A, B, C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

**Read the instructions on the Answer Sheet very carefully.**

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.


The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **16** printed pages.



4 In the following diagrams, X and Y are atoms of different elements.


Which diagram correctly shows the arrangement of outer electrons in a molecule of methane?



5 What do the nuclei of  ${}^1_1\text{H}$  hydrogen atoms contain?

- A electrons and neutrons
- B electrons and protons
- C neutrons only
- D protons only

6 The electronic structures of atoms X and Y are shown.




X and Y form a covalent compound.

What is its formula?

- A  $\text{XY}_5$
- B  $\text{XY}_3$
- C XY
- D  $\text{X}_3\text{Y}$

7 Copper(II) oxide reacts with ammonia.

The left hand side of the balanced equation for this reaction is:




What completes the equation?

- A  $3\text{Cu} + 2\text{HNO}_3$
- B  $3\text{Cu} + 2\text{N} + 3\text{H}_2\text{O}$
- C  $3\text{Cu} + \text{N}_2 + 3\text{H}_2\text{O}$
- D  $3\text{Cu} + 2\text{NO} + 3\text{H}_2\text{O}$

- 8 What are the electrode products when molten silver iodide is electrolysed between inert electrodes?

	cathode	anode
<b>A</b>	hydrogen	iodine
<b>B</b>	iodine	silver
<b>C</b>	silver	iodine
<b>D</b>	silver	oxygen

- 9 The diagram shows a section of an overhead power cable.




Which statement explains why a particular substance is used?

- A** Aluminium has a low density and is a good conductor of electricity.
- B** Ceramic is a good conductor of electricity.
- C** Steel can rust in damp air.
- D** Steel is more dense than aluminium.
- 10** Which reaction is endothermic?
- A** the burning of magnesium ribbon
- B** the combustion of methane
- C** the decomposition of calcium carbonate
- D** the reaction of water with anhydrous copper(II) sulfate

11 A metal reacts with an aqueous solution.

The graph shows the temperature before, during and after the reaction.



Which row describes the reaction?

	reaction	energy change
<b>A</b>	combustion	endothermic
<b>B</b>	combustion	exothermic
<b>C</b>	thermal decomposition	endothermic
<b>D</b>	thermal decomposition	exothermic

12 Which of the following changes decreases the rate of the reaction between magnesium and dilute hydrochloric acid?

- 1 diluting the acid
- 2 using larger pieces of magnesium
- 3 cooling the mixture

- A** 1, 2 and 3  
**B** 1 and 2 only  
**C** 1 and 3 only  
**D** 2 and 3 only

13 The element vanadium, V, forms several oxides.

In which change is oxidation taking place?

- A**  $\text{VO}_2 \rightarrow \text{V}_2\text{O}_3$   
**B**  $\text{V}_2\text{O}_5 \rightarrow \text{VO}_2$   
**C**  $\text{V}_2\text{O}_3 \rightarrow \text{VO}$   
**D**  $\text{V}_2\text{O}_3 \rightarrow \text{V}_2\text{O}_5$

14 If anhydrous copper(II) sulfate is added to water, which colour change is observed?

- A blue to pink
- B blue to white
- C pink to blue
- D white to blue

15 Element X is in Group I of the Periodic Table.

Which row shows the type of oxide and whether element X is metallic or non-metallic?

	type of oxide	metallic or non-metallic
<b>A</b>	acidic	metallic
<b>B</b>	acidic	non-metallic
<b>C</b>	basic	metallic
<b>D</b>	basic	non-metallic

16 Three liquids, P, Q and R, are added to a mixture of hydrochloric acid and Universal Indicator solution.

The following observations are made.

- P the colour of the indicator turns purple.
- Q the colour of the indicator does not change.
- R there is effervescence and the indicator turns blue.

What are P, Q and R?

	P	Q	R
<b>A</b>	sodium carbonate solution	water	sodium hydroxide solution
<b>B</b>	sodium hydroxide solution	water	sodium carbonate solution
<b>C</b>	water	sodium carbonate solution	sodium hydroxide solution
<b>D</b>	water	sodium hydroxide solution	sodium carbonate solution

17 Which property is **not** characteristic of a base?

- A It reacts with a carbonate to form carbon dioxide.
- B It reacts with an acid to form a salt.
- C It reacts with an ammonium salt to form ammonia.
- D It turns universal indicator paper blue.

18 Zinc sulfate is a soluble salt and can be prepared by reacting excess zinc carbonate with dilute sulfuric acid.

Which piece of equipment would **not** be required in the preparation of zinc sulfate crystals?

- A beaker
- B condenser
- C evaporating dish
- D filter funnel

19 An element, X, is a dark grey crystalline solid at room temperature.

It has a melting point of  $114\text{ }^{\circ}\text{C}$  and a density of  $4.9\text{ g/cm}^3$ .

When heated gently it forms a purple vapour.

Where in the Periodic Table is X found?

													A
B													
												C	
													D

20 J and K are two elements from the same period in the Periodic Table.

The table gives some properties of J and K.

	J	K
appearance	shiny grey	dull yellow
electrical conductivity when solid	good	poor
malleability	malleable	brittle

Which statement about J and K is correct?

- A J forms an acidic oxide.
- B J is found to the left of K in the Periodic Table.
- C K forms positive ions when it reacts.
- D K is more metallic than J.

21 The table gives information about four elements.

Which element is a transition metal?

	electrical conductivity	density in $\text{g/cm}^3$	melting point in $^{\circ}\text{C}$
A	good	0.97	98
B	good	7.86	1535
C	poor	2.33	1410
D	poor	3.12	-7

22 Hydrogen and helium have both been used to fill balloons.


Which property of helium makes it the preferred choice to hydrogen?

- A easily compressed into a gas cylinder
- B forms monatomic molecules
- C lower density
- D unreactive

23 Which statement is true for **all** metals?

- A Their atoms lose one or more electrons when they react.
- B They are brittle.
- C They do not conduct electricity when solid.
- D They melt at low temperatures when they are heated.

24 The diagrams show what happens when three different metals are added to water.



What are X, Y and Z?

	X	Y	Z
<b>A</b>	calcium	copper	potassium
<b>B</b>	copper	calcium	potassium
<b>C</b>	potassium	calcium	copper
<b>D</b>	potassium	copper	calcium

25 The table show three uses of aluminium and a reason why aluminium is used for that purpose.

	use	reason
1	aircraft manufacture	high tensile strength
2	overhead electricity cables	low density
3	food containers	resistance to corrosion

Which reasons explain the use?

- A 1, 2 and 3
- B 1 and 2 only
- C 1 and 3 only
- D 2 and 3 only

26 Which conditions are necessary to make mild steel from iron?


- A add calcium oxide and blow oxygen through it
- B heat with calcium oxide
- C heat with carbon and limestone
- D heat with nickel and chromium

27 Which statements about water are correct?

- 1 Household water may contain salts in solution.
- 2 Water for household use is filtered to remove soluble impurities.
- 3 Water is treated with chlorine to kill bacteria.
- 4 Water is used in industry for cooling.

- A 1, 2, 3 and 4
- B 1, 2 and 3 only
- C 1, 3 and 4 only
- D 2, 3 and 4 only

28 The diagram shows the flame produced from burning a hydrocarbon, acetylene, in a welding torch.



Which gas is X?

- A hydrogen
- B methane
- C nitrogen
- D oxygen

29 Carbon monoxide is an air pollutant produced when petrol is burned in a car engine.

Why is carbon monoxide considered to be an air pollutant?

- A It causes climate change.
- B It causes the corrosion of buildings.
- C It is a significant greenhouse gas.
- D It is poisonous.


30 Which compound is **not** a fertiliser?

- A ammonium sulfate,  $(\text{NH}_4)_2\text{SO}_4$
- B calcium hydroxide,  $\text{Ca}(\text{OH})_2$
- C potassium chloride,  $\text{KCl}$
- D urea,  $\text{CO}(\text{NH}_2)_2$


31 In which reaction is carbon dioxide **not** produced?

- A complete combustion of petrol
- B hydrochloric acid reacting with magnesium
- C respiration
- D thermal decomposition of limestone

32 The apparatus shown is set up and left for a week.



Which diagram shows the level of the water at the end of the week?




33 Unwanted vegetation is sometimes placed in a bin where it decays to form compost. This compost can be used to fertilise soils.

Which gas is likely to be present in a higher percentage inside the bin than in the air outside the bin?

- A carbon monoxide
- B methane
- C oxygen
- D sulfur dioxide


34 A student is asked to draw a diagram showing the uses of limestone.



Which numbered lines show a correct use of limestone?

- A 1, 2 and 3
- B 1 and 2 only
- C 1 and 3 only
- D 2 and 3 only

35 What are the names of the compounds shown in the reaction scheme below?



	W	X	Y	Z
<b>A</b>	ethane	ethene	ethanol	ethanoic acid
<b>B</b>	ethane	ethene	ethanoic acid	ethanol
<b>C</b>	ethene	ethane	ethanol	ethanoic acid
<b>D</b>	ethene	ethane	ethanoic acid	ethanol

36 Which row describes the formation of a polymer?

	monomer	polymer
<b>A</b>	ethane	poly(ethane)
<b>B</b>	ethane	poly(ethene)
<b>C</b>	ethene	poly(ethane)
<b>D</b>	ethene	poly(ethene)

37 Which row shows the correct use of a fraction obtained by the fractional distillation of petroleum?

	fraction	use
<b>A</b>	bitumen	making waxes and polishes
<b>B</b>	fuel oil	aircraft fuel
<b>C</b>	kerosene	fuel for ships
<b>D</b>	naphtha	making chemicals


38 Ethanol can be formed by

- 1 fermentation
- 2 reaction between steam and ethene

Which of these processes uses a catalyst?

	1	2
<b>A</b>	✓	✓
<b>B</b>	✓	x
<b>C</b>	x	✓
<b>D</b>	x	x

39 The structures of four compounds are shown.



Which are members of the same homologous series?

- A W, X, Y and Z
- B W and X only
- C W, Y and Z only
- D X and Z only

40 During the process of cracking hydrocarbons, an ..... 1 ..... is converted into an ..... 2 .....

The presence of an ..... 3 ..... can be shown by a visible reaction with ..... 4 .....

Which words complete gaps 1, 2, 3 and 4?

	1	2	3	4
<b>A</b>	alkane	alkene	alkene	bromine
<b>B</b>	alkane	alkene	alkene	steam
<b>C</b>	alkene	alkane	alkane	bromine
<b>D</b>	alkene	alkane	alkane	steam

**DATA SHEET**  
**The Periodic Table of the Elements**

		Group													
I	II	III	IV	V	VI	VII	0								
		1 <b>H</b> Hydrogen 1							4 <b>He</b> Helium 2						
7 <b>Li</b> Lithium 3	9 <b>Be</b> Beryllium 4							20 <b>Ne</b> Neon 10							
23 <b>Na</b> Sodium 11	24 <b>Mg</b> Magnesium 12	27 <b>Al</b> Aluminium 13	28 <b>Si</b> Silicon 14	31 <b>P</b> Phosphorus 15	32 <b>S</b> Sulfur 16	35.5 <b>Cl</b> Chlorine 17	40 <b>Ar</b> Argon 18								
39 <b>K</b> Potassium 19	40 <b>Ca</b> Calcium 20	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36								
85 <b>Rb</b> Rubidium 37	88 <b>Sr</b> Strontium 38	64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	127 <b>I</b> Iodine 53	131 <b>Xe</b> Xenon 54								
133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	59 <b>Ni</b> Nickel 28	59 <b>Co</b> Cobalt 27	103 <b>Rh</b> Rhodium 45	105 <b>Pt</b> Platinum 78	204 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth 83								
226 <b>Ra</b> Radium 88	227 <b>Ac</b> Actinium 89	56 <b>Fe</b> Iron 26	55 <b>Mn</b> Manganese 25	101 <b>Ru</b> Ruthenium 44	106 <b>Pd</b> Palladium 46	207 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		48 <b>Ti</b> Titanium 22	45 <b>Sc</b> Scandium 21	91 <b>Zr</b> Zirconium 40	92 <b>Nb</b> Niobium 41	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury 80								
		51 <b>V</b> Vanadium 23	52 <b>Cr</b> Chromium 24	101 <b>Ru</b> Ruthenium 44	106 <b>Pd</b> Palladium 46	204 <b>Pb</b> Lead 82	208 <b>Po</b> Polonium 84								
		59 <b>Co</b> Cobalt 27	56 <b>Fe</b> Iron 26	103 <b>Rh</b> Rhodium 45	106 <b>Pd</b> Palladium 46	207 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	209 <b>Bi</b> Bismuth 83	210 <b>Po</b> Polonium 84								
		70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	115 <b>In</b> Indium 49	119 <b>Sn</b> Tin 50	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	122 <b>Sb</b> Antimony 51	126 <b>Te</b> Tellurium 52	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		84 <b>Kr</b> Krypton 36	85 <b>Rb</b> Rubidium 37	127 <b>I</b> Iodine 53	131 <b>Xe</b> Xenon 54	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		89 <b>Y</b> Yttrium 39	90 <b>Zr</b> Zirconium 40	137 <b>Ba</b> Barium 56	138 <b>La</b> Lanthanum 57	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		93 <b>Nb</b> Niobium 41	94 <b>Mo</b> Molybdenum 42	140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		97 <b>Ir</b> Iridium 77	98 <b>Pt</b> Platinum 78	144 <b>Nd</b> Neodymium 60	145 <b>Pm</b> Promethium 61	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		101 <b>Ru</b> Ruthenium 44	102 <b>Rh</b> Rhodium 45	146 <b>Sm</b> Samarium 62	147 <b>Eu</b> Europium 63	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		104 <b>Ru</b> Ruthenium 44	105 <b>Rh</b> Rhodium 45	150 <b>Sm</b> Samarium 62	151 <b>Eu</b> Europium 63	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		106 <b>Pd</b> Palladium 46	107 <b>Ag</b> Silver 47	152 <b>Eu</b> Europium 63	153 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		108 <b>Ag</b> Silver 47	109 <b>Cd</b> Cadmium 48	154 <b>Sm</b> Samarium 62	155 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		112 <b>Cd</b> Cadmium 48	113 <b>In</b> Indium 49	156 <b>Sm</b> Samarium 62	157 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		114 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium 49	158 <b>Sm</b> Samarium 62	159 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		116 <b>Cd</b> Cadmium 48	117 <b>In</b> Indium 49	160 <b>Sm</b> Samarium 62	161 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		118 <b>Cd</b> Cadmium 48	119 <b>In</b> Indium 49	162 <b>Sm</b> Samarium 62	163 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		120 <b>Cd</b> Cadmium 48	121 <b>In</b> Indium 49	164 <b>Sm</b> Samarium 62	165 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		122 <b>Cd</b> Cadmium 48	123 <b>In</b> Indium 49	166 <b>Sm</b> Samarium 62	167 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		124 <b>Cd</b> Cadmium 48	125 <b>In</b> Indium 49	168 <b>Sm</b> Samarium 62	169 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		126 <b>Cd</b> Cadmium 48	127 <b>In</b> Indium 49	170 <b>Sm</b> Samarium 62	171 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		128 <b>Cd</b> Cadmium 48	129 <b>In</b> Indium 49	172 <b>Sm</b> Samarium 62	173 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		130 <b>Cd</b> Cadmium 48	131 <b>In</b> Indium 49	174 <b>Sm</b> Samarium 62	175 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		132 <b>Cd</b> Cadmium 48	133 <b>In</b> Indium 49	176 <b>Sm</b> Samarium 62	177 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		134 <b>Cd</b> Cadmium 48	135 <b>In</b> Indium 49	178 <b>Sm</b> Samarium 62	179 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		136 <b>Cd</b> Cadmium 48	137 <b>In</b> Indium 49	180 <b>Sm</b> Samarium 62	181 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		138 <b>Cd</b> Cadmium 48	139 <b>In</b> Indium 49	182 <b>Sm</b> Samarium 62	183 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		140 <b>Cd</b> Cadmium 48	141 <b>In</b> Indium 49	184 <b>Sm</b> Samarium 62	185 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		142 <b>Cd</b> Cadmium 48	143 <b>In</b> Indium 49	186 <b>Sm</b> Samarium 62	187 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		144 <b>Cd</b> Cadmium 48	145 <b>In</b> Indium 49	188 <b>Sm</b> Samarium 62	189 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		146 <b>Cd</b> Cadmium 48	147 <b>In</b> Indium 49	190 <b>Sm</b> Samarium 62	191 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		148 <b>Cd</b> Cadmium 48	149 <b>In</b> Indium 49	192 <b>Sm</b> Samarium 62	193 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		150 <b>Cd</b> Cadmium 48	151 <b>In</b> Indium 49	194 <b>Sm</b> Samarium 62	195 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		152 <b>Cd</b> Cadmium 48	153 <b>In</b> Indium 49	196 <b>Sm</b> Samarium 62	197 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		154 <b>Cd</b> Cadmium 48	155 <b>In</b> Indium 49	198 <b>Sm</b> Samarium 62	199 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		156 <b>Cd</b> Cadmium 48	157 <b>In</b> Indium 49	200 <b>Sm</b> Samarium 62	201 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		158 <b>Cd</b> Cadmium 48	159 <b>In</b> Indium 49	202 <b>Sm</b> Samarium 62	203 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		160 <b>Cd</b> Cadmium 48	161 <b>In</b> Indium 49	204 <b>Sm</b> Samarium 62	205 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		162 <b>Cd</b> Cadmium 48	163 <b>In</b> Indium 49	206 <b>Sm</b> Samarium 62	207 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		164 <b>Cd</b> Cadmium 48	165 <b>In</b> Indium 49	208 <b>Sm</b> Samarium 62	209 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		166 <b>Cd</b> Cadmium 48	167 <b>In</b> Indium 49	210 <b>Sm</b> Samarium 62	211 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		168 <b>Cd</b> Cadmium 48	169 <b>In</b> Indium 49	212 <b>Sm</b> Samarium 62	213 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		170 <b>Cd</b> Cadmium 48	171 <b>In</b> Indium 49	214 <b>Sm</b> Samarium 62	215 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		172 <b>Cd</b> Cadmium 48	173 <b>In</b> Indium 49	216 <b>Sm</b> Samarium 62	217 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		174 <b>Cd</b> Cadmium 48	175 <b>In</b> Indium 49	218 <b>Sm</b> Samarium 62	219 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		176 <b>Cd</b> Cadmium 48	177 <b>In</b> Indium 49	220 <b>Sm</b> Samarium 62	221 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		178 <b>Cd</b> Cadmium 48	179 <b>In</b> Indium 49	222 <b>Sm</b> Samarium 62	223 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		180 <b>Cd</b> Cadmium 48	181 <b>In</b> Indium 49	224 <b>Sm</b> Samarium 62	225 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		182 <b>Cd</b> Cadmium 48	183 <b>In</b> Indium 49	226 <b>Sm</b> Samarium 62	227 <b>Gd</b> Gadolinium 64	210 <b>Pb</b> Lead 82	210 <b>Po</b> Polonium 84								
		184 <b>Cd</b> Cadm													