

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

* 179218569

CHEMISTRY 0620/42

Paper 4 Theory (Extended)

February/March 2020

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.


This document has 12 pages. Blank pages are indicated.

IB20 03_0620_42/2RP © UCLES 2020

[Turn over

1 Petroleum is a useful natural resource.

The diagram shows how petroleum can be separated into useful substances.



(a) What is the name of the separation process shown in the diagram?

(b)	Name the fraction leaving at:
	Λ

B[2]

(c) Refinery gas is a mixture of hydrocarbons.

One refinery gas is butane, C_4H_{10} .

(i) Suggest the names of **two** other refinery gases.

and	12	1
 arra	 L-	٠.

(ii) Write the chemical equation for the complete combustion of butane.

[2]
 [4]


(iii) Name the toxic gas produced by the incomplete combustion of butane.

.....[1]

© UCLES 2020 0620/42/F/M/20

(d)	Gas	soline and kerosene are both fuels. They have different properties.
	(i)	Describe the differences in the properties given.
		viscosity of the fuel
		flammability of the fuel
		[2]
	(ii)	What difference in the molecules of gasoline and kerosene causes these differences in properties?
		[1]
(e)	Нус	rogen fuel cells can be used to power vehicles.
	Wri	e the word equation for the overall reaction that takes place in a hydrogen fuel cell.
		[1]
		[Total: 13]

2 Aluminium is extracted from its ore. The ore is converted into pure aluminium oxide, which then undergoes electrolysis as shown.



(a)	(i)	Name an ore of aluminium.	F.4.7
	(ii)	What is meant by the term <i>electrolysis</i> ?	
(b)		minium oxide has a melting point of about 2000 °C, but the electrolysis process operates out 900 °C.	s at
	(i)	Name the compound added to aluminium oxide to reduce the operating temperature.	[4]
	(ii)	Suggest one benefit to the environment of reducing the operating temperature.	נין
	(iii)	Write the ionic half-equation for the reaction taking place at:	
		the negative electrode (cathode)	
	(iv)	Explain why the anodes need frequent replacement.	

(c)	Alu	minium oxide reacts with acids and with alkalis.
	(i)	What term is used to describe an oxide that reacts with acids and with alkalis?
	(ii)	Aluminium oxide reacts with dilute sulfuric acid to form a salt.
	()	State the name and write the formula of the salt formed.
		name
		formula[2]
	(iii)	Aluminium oxide reacts with dilute sodium hydroxide to form a salt and one other product.
		Name the other product.
		[1]
	(iv)	Aluminium hydroxide, $Al(OH)_3$, decomposes when heated to form aluminium oxide and water.
		Write the chemical equation for this reaction.
		[2]
	(v)	Suggest the names of two other aluminium compounds that decompose when heated to form aluminium oxide.
		[2]
		[Total: 19]


	iden	tify the element wh	-		
)	Calc	ium is in Group II a	and chlorine is in	n Group VII of the F	eriodic Table.
				nell electrons and e formulae of the ior	lectron transfer, how calcium ans formed.
			•••••		
)	Grou shov		covalent molec	ules. The boiling po	ints of some Group V chloride
	SHOV	vn.			
	SHOV	vn.	chloride	boiling point/°C]
	SHOV	vn.	chloride NC l_3	boiling point/°C	
	SHOV	vn.			
	SHOV	vn.	NCl ₃		
	SHOV	vn.	NCl_3 PCl_3	71	
			$egin{array}{c} NCl_3 \ PCl_3 \ AsCl_3 \ SbCl_3 \ \end{array}$	71 130 283	
		vn. Suggest the appro	$egin{array}{c} NCl_3 \ PCl_3 \ AsCl_3 \ SbCl_3 \ \end{array}$	71 130 283	
			$egin{array}{c} NCl_3 \ PCl_3 \ AsCl_3 \ SbCl_3 \ \end{array}$	71 130 283 oint of PCl ₃ .	
	(i) ·	Suggest the appro	${ m NC}l_3$ ${ m PC}l_3$ ${ m AsC}l_3$ ${ m SbC}l_3$	71 130 283 oint of PCl ₃ .	e forces between particles.

© UCLES 2020 0620/42/F/M/20

3

(iii) Complete the dot-and-cross diagram to show the electron arrangement in a molecule of PCl_3 .

Show outer electrons only.



[3]

(d) PCl_3 reacts with chlorine, Cl_2 , to form PCl_5 . This reaction is exothermic and reaches an equilibrium.

$$PCl_3(g) + Cl_2(g) \rightleftharpoons PCl_5(g)$$

(i)	Describe two features of an equilibrium.
	[2]
(ii)	State the effect, if any, on the position of this equilibrium when the following changes are made. Explain your answers.
	temperature is increased
	pressure is increased
	[4]
(iii)	Explain, in terms of particles, what happens to the rate of the forward reaction when the reaction mixture is heated.
	LO.

((e)	PC _{l5}	reacts	with	lithium	fluoride,	LiF,	to 1	form	LiPF	

$$PCl_5 + 6LiF \rightarrow LiPF_6 + 5LiCl$$

Calculate the mass of LiF needed to form 3.04 g of LiPF $_{\rm 6}$ using the following steps.

•	Calculate the number of moles of LiPF ₆ formed.
	[M _r : LiPF ₆ , 152]

number of moles =

• Deduce the number of moles of LiF needed.

number of moles =

Calculate the mass of LiF needed.

mass = g

- (f) Lithium fluoride has ionic bonding.
 - (i) What is an ionic bond?

ro:

(ii) Give two physical properties of ionic compounds.

.....

[Total: 28]

Iron is a typical transition element. 4

ı		_		
ı	п	()	п	

- acts as a catalyst forms coloured compounds
- has more than one oxidation state.

(a)		ne one major industrial process that uses iron as a catalyst and name the product made process.	e in
	prod	cess	
	prod	duct made	 [2]
(b)	Whe	en aqueous sodium hydroxide is added to aqueous iron(II) sulfate, a precipitate forms.	
	(i)	What colour is this precipitate?	
			[1]
	(ii)	Write the ionic equation for this reaction. Include state symbols.	
			[3]
(c)		$({ m II})$ sulfate can be converted to iron $({ m III})$ sulfate by potassium manganate $({ m VII})$ at roperature.	om
	(i)	What is the role of potassium manganate(VII) in this reaction?	
			[1]
	(ii)	What condition must be used for this reaction to occur?	
			[1]
,	' ::: \	In terms of electron transfer, what happens to the iron(II) ions in this reaction?	1.1
((iii)		
			[1]
(iv)	State the colour change seen during this reaction.	
		from purple to	[1]
(a)\	Dad		
(a)	Dec	luce the charge on the iron ion in each of these compounds.	
	FeF	3 ······	
	Fe(I	NO ₃) ₃	 [2]
			[4]

[Total: 12]

	5	There	are	two	types	of	poly	ymers.
--	---	-------	-----	-----	-------	----	------	--------

- (a) Addition polymers are made from many identical small units.
 - (i) What is the term used to describe these small units?

(ii) A section of an addition polymer is shown.

Draw the structure of the small unit used to make this addition polymer.

Show all of the atoms and all of the bonds.


(b) Polyamides are condensation polymers.
What does the term *condensation* mean when used to describe this type of polymer?

[2]


© UCLES 2020 0620/42/F/M/20

(c) A polyamide can be made from two different molecules.

A simplified structure of octanedioic acid is shown.



A simplified structure of 1,6-diaminohexane is shown.



(i)	Complete the diagram to show a section of polyamide manufactured from octanedioic acid
	and 1,6-diaminohexane. Include all of the atoms and all of the bonds in the linkages.

				[3]
ii)	State the name of a	synthetic polyami	ide.	
				 [1]
				[Total: 8]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2020 0620/42/F/M/20

publisher will be pleased to make amends at the earliest possible opportunity.

The Periodic Table of Elements

	III	2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
				6	щ	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	Ą	astatine -			
	5			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Тe	tellurium 128	84	Po	molonium —	116		livermorium —
	>			7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209			
	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	ŀΙ	flerovium -
	≡			2	Δ	boron 11	13	Αſ	aluminium 27	31	Ga	gallium 70	49	In	indium 115	84	lT	thallium 204			
										30	Zn	zinc 65	48	g	cadmium 112	80	Я	mercury 201	112	ű	copernicium -
										59	on	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group										28	Z	nickel 59	46	Pd	palladium 106	78	₽	platinum 195	110	Ds	darmstadtium -
يَّق				,						27	ဝိ	cobalt 59	45	格	rhodium 103	77	'n	iridium 192	109	Ĭ	meitnerium -
		- エ	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium –
							1			25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
				_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	Б	tantalum 181	105	op O	dubnium —
					atc	rel				22	j	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	Ŗ	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	88	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium _
	_			က	=	lithium 7	11	Na	sodium 23	19	×	potassium 39	37	ВВ	rubidium 85	22	Cs	caesium 133	87	Ļ	francium -

71	Γn	Iutetium	175	103	۲	lawrencium	I
	Υp					_	
69	H	thulium	169	101	Md	mendelevium	1
89	ш	erbinm	167	100	Fm	ferminm	1
29	웃	holmium	165	66	Es	einsteinium	I
99	۵	dysprosium	163	86	ర్	californium	1
65	q	terbium	159	97	BK	berkelium	1
64	Gd	gadolinium	157	96	Cm	curium	1
63	En	europium	152	92	Am	americium	1
62	Sm	samarium	150	94	Pu	plutonium	I
61	Pm	promethium	I	93	d d	neptunium	ſ
09	pN	neodymium	144	92	\supset	uranium	238
59	Ā	praseodymium	141	91	Ра	protactinium	231
28	Ce	cerium	140	06	드	thorium	232
22	Гa	lanthanum	139	89	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).