

Cambridge IGCSE[™]

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

CHEMISTRY 0620/43

Paper 4 Theory (Extended)

May/June 2021

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 16 pages. Any blank pages are indicated.

IB21 06_0620_43/3RP © UCLES 2021

[Turn over

e the name of the process that is used:	
to produce large molecules from monomers	
	[1]
to separate oxygen from liquid air	
	[1]
to make ethanol from glucose	
	[1]
to separate water from aqueous sodium chloride	
	[1]
to produce aluminium from aluminium oxide in molten cryolite	
	[1]
to separate the products of hydrolysis of long chain carbohydrates	
	[1]
to separate an aqueous solution from an undissolved solid	
to separate an aqueous solution from an unuissolved solid.	[1]
[Total	
	to separate oxygen from liquid air to make ethanol from glucose to separate water from aqueous sodium chloride to produce aluminium from aluminium oxide in molten cryolite to separate the products of hydrolysis of long chain carbohydrates to separate an aqueous solution from an undissolved solid.

1

2 Complete the table to:


- deduce the number of protons, electrons and neutrons in the boron atom and chloride ion shown
- identify the atom or ion represented by the final row.

formula	number of protons	number of electrons	number of neutrons
¹¹ ₅ B		5	
³⁵ C <i>l</i> ⁻	17		
	24	21	30

[Total: 5]

Soai	lum	reacts with fluorine to form sodium fluoride, NaF.	
(a)	Wri	te a chemical equation for this reaction.	
			[2]
			[-]
(b)	Soc	lium fluoride is an ionic compound.	
		nplete the diagram to show the electron arrangement in the outer shells of the ions presendium fluoride.	ent
	Giv	e the charges on both ions.	
	•		
		Na N	
			[3]
(c)	Aqu	leous sodium fluoride undergoes electrolysis.	
	(i)	State what is meant by the term <i>electrolysis</i> .	
			[2]
(ii)	Name the products formed at the positive electrode (anode) and the negative electrode (cathode) when dilute aqueous sodium fluoride undergoes electrolysis.	de
		anode	
		cathode	
		Catrioue	 [2]
(d)	Mol	ten sodium fluoride undergoes electrolysis.	
((i)	Name the products formed at the positive electrode (anode) and the negative electrode (cathode) when molten sodium fluoride undergoes electrolysis.	de
		anode	
		cathode	 [2]
-			r—1
(ii)	Write the ionic half-equation for the reaction at the negative electrode (cathode).	
			[1]

(e) Complete the dot-and-cross diagram to show the electron arrangement in a molecule of fluorine, ${\sf F}_2$. Show the outer electrons only.



[1]

(f) The melting points and boiling points of fluorine and sodium fluoride are shown.

	melting point /°C	boiling point /°C
fluorine	-220	-188
sodium fluoride	993	1695


(i)	Deduce the physical state of fluorine at –195 °C. Use the data in the table to explain your answer.
	physical state
	explanation
	[2]
(ii)	Explain, in terms of structure and bonding, why sodium fluoride has a much higher melting point than fluorine.
	Your answer should refer to the: types of particle held together by the forces of attraction types of forces of attraction between particles relative strength of the forces of attraction.

[Total: 18]

4 Hydrogen iodide, HI, decomposes into iodine and hydrogen. The reaction is reversible.

$$2HI(g) \iff I_2(g) + H_2(g)$$
 colourless gas purple gas colourless gas

A gas syringe containing a mixture of hydrogen iodide, iodine and hydrogen gases was sealed. After reaching equilibrium the mixture was a pale purple colour.



(a)	State what is meant by the term <i>equilibrium</i> .

......[2]

(b) The plunger of the gas syringe is pushed in. The position of equilibrium does not change. The colour of the gaseous mixture turns darker purple.

The temperature remains constant.

$$2HI(g) \iff I_2(g) + H_2(g)$$
 colourless gas purple gas colourless gas

(i) Explain why the position of equilibrium does **not** change.

	•••••		
Suggest why the colour of the	naseous miyture turns	darker nurnle ever	n though the

[1]

(ii) Suggest why the colour of the gaseous mixture turns darker purple even though the position of equilibrium does not change.

.....[1]

(c) The forward reaction is endothermic.

(i) State what happens to the position of equilibrium when the temperature is decreased.

[1]

(ii)	State what happens to the rate of the forward reaction and the rate of the backwa reaction when the temperature of the mixture is decreased.	rd
	rate of the forward reaction	
	rate of the backward reaction	
	l	۷]

5	This	question	is	about	salts
J	11113	question	13	about	Sails.

(a)	Salts that are soluble in water can be made by the reaction between insoluble carbonates and
	dilute acids. Zinc sulfate is soluble in water

You are provided with solid zinc carbonate, ZnCO₃, and dilute sulfuric acid, H₂SO₄.

Describe how you would make a pure sample of zinc sulfate crystals.

Your answer should include:

a chemical equation for the reaction.

- practical details
- how you would make sure that all the dilute sulfuric acid has reacted

	[5	5]
Sor	ne sulfates decompose when heated.	
Wh	en hydrated iron(Π) sulfate is heated strongly, sulfur dioxide gas is given off.	
(i)	Describe a test for sulfur dioxide.	
	test	

(ii) Complete the equation for the decomposition of hydrated iron(II) sulfate.

....FeSO₄•7H₂O
$$\rightarrow$$
 Fe₂O₃ + SO₂ + SO₃ +H₂O [2]

[2]

observations

© UCLES 2021 0620/43/M/J/21

(b)

((c)	Some	chlorides	are hy	vdrated.
	. • .	001110	ornonaco	alo II	, ai atoa

When hydrated barium chloride crystals, BaC $l_2 \cdot xH_2O$, are heated they give off water.

$$BaCl_2 \cdot xH_2O(s) \rightarrow BaCl_2(s) + xH_2O(g)$$

A student carries out an experiment to determine the value of x in BaC $l_2 \cdot xH_2O$.

- **step 1** Hydrated barium chloride crystals are weighed.
- **step 2** The hydrated barium chloride crystals are then heated.
- **step 3** The remaining solid is weighed.

I)	Describe how the student can be sure that all the water is given off.
	[2]
	[-]

(ii) In an experiment, 4.88 g of $BaCl_2 \cdot xH_2O$ is heated until all the water is given off. The mass of $BaCl_2$ remaining is 4.16 g.

 $[M_r: BaCl_2, 208; H_2O, 18]$

Determine the value of **x** using the following steps.

Calculate the number of moles of BaCl₂ remaining.

..... mol

Calculate the mass of H₂O given off.

.....g

• Calculate the number of moles of H₂O given off.


..... mol

• Determine the value of x.

x =[4]

[Total: 15]

- 6 This question is about metals.
 - (a) Iron is extracted from its main ore in a blast furnace.



(1)	Coke and Iron ore are added at the top of the blast furnace.
	Name one other substance that is added at the top of the blast furnace.
	[1]
(ii)	Name the substance that leaves the blast furnace at A .
	[1]
iii)	Iron ore is mainly iron(III) oxide, Fe_2O_3 .
	Name a substance that reduces iron(III) oxide to iron in the blast furnace.
	[1]
iv)	Temperatures inside a blast furnace can reach 2000 °C.
	Name two substances that react together, in the blast furnace, to produce this high temperature.
	[1]
(v)	Name two waste gases that leave the blast furnace.
	1

[2]

(b)	Zind	c is extracted from zinc blende.	
	(i)	Name the main zinc compound that is present in zinc blende.	[11]
	(ii)	When zinc is extracted, it is formed as a gas.	[1]
		The gaseous zinc is then converted into molten zinc.	
		State the name of this physical change.	
			[1]
(c)	Nar	me the alloy that contains zinc and copper only.	
			[1]
(d)	Cop	oper has the following properties.	
	•	It has a high melting point. It has a high density. It is a good conductor of electricity. It has variable oxidation states. It forms a basic oxide. It forms soluble salts.	
	(i)	Give two properties from the list in which copper differs from Group I elements	
		1	
		2	[2]
	(ii)	Give two properties from the list in which copper is similar to Group I elements	
		1	
		2	[2]
			[Total: 13]

Ma	any o	rganic compounds contain carbon, hydrogen and oxygen only.
(a)	An	organic compound R has the following composition by mass.
		C, 69.77%; H, 11.63%; O, 18.60%
	Cal	culate the empirical formula of compound R .
		empirical formula =[2]
(b)	Coı	mpound S has the empirical formula CH ₂ O and a relative molecular mass of 60.
	Cal	culate the molecular formula of compound S .
		molecular formula =[2]
(c)	Coı	mpounds T and V have the same molecular formula, $C_3H_6O_2$.
	•	Compound T is an ester.
	•	Compound V contains a –COOH functional group.
	(i)	State the name given to compounds with the same molecular formula but different structures.
		[1]
	(ii)	Name the homologous series that V is a member of.
		[1]

© UCLES 2021 0620/43/M/J/21

7

	(iii)	Draw a structure of compound T . Show all of the atoms and all of the bonds.	
		Name compound T .	
		name	[3]
	(!\	Describes about the of common d. W. Oberes all of the observe and all of the boards	[J
	(iv)	Draw the structure of compound V . Show all of the atoms and all of the bonds.	
		Name compound V .	
		nama	
		name	[2]
(d)		nanol can be produced from long chain alkanes such as decane, $C_{10}H_{22}$, in a two ocess.	o-step
		step 1 step 2 decane → ethene → ethanol	
	For	r each of the two steps: name the type of chemical reaction that occurs write a chemical equation.	
	ste	p 1: decane to ethene	
	typ	e of reaction	
	che	emical equation	
	ste	p 2: ethene to ethanol	
	typ	e of reaction	
	che	emical equation	
			[4]
		[Tota	al: 15]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	=	² He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon -			rutherfordium dubnium seaborgium bohrium hassium meitnerium darmstadtium roentgenium copernicium
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	н	iodine 127	85	¥	astatine -			
	 >																		116		morium -
																					live
	>								phosphorus 31												
	≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	119 119	82	Pb	lead 207	114	F1	flerovium
	≡			2	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	В	cadmium 112	80	Я	mercury 201	112	S	copernicium -
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group	,									28	Z	nickel 59	46	Pd	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium -
Ď										27	ဝိ	cobalt 59	45	格	rhodium 103	77	'n	indium 192	109	¥	meitnerium -
		- エ	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium -
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105	Ор	dubnium —
					ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	፟ጟ	rutherfordium —
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ва	barium 137	88	Ra	radium
	_			က	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	22	S	caesium 133	87	Ŧ	francium -

7.1	Γn	lutetium	175	103	۲	lawrencium	ſ
	Υp	^				_	
69	Tm	thulium	169	101	Md	mendelevium	1
89	Щ	erbinm	167	100	Fm	fermium	1
29	웃	holmium	165	66	Es	einsteinium	1
99	Dy	dysprosium	163	86	ర్	californium	ı
99	Tp	terbium	159	26	Æ	berkelium	1
64	В	gadolinium	157	96	Cm	curium	1
63	En	europium	152	92	Am	americium	1
62	Sm	samarium	150	94	Pu	plutonium	1
61	Pm	promethium	ı	93	δ	neptunium	1
09	ρN	neodymium	144	92	\supset	uranium	238
69	Ā	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	Ч	thorium	232
22	Гa	lanthanum	139	89	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).