## **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**International General Certificate of Secondary Education** 

## MARK SCHEME for the May/June 2014 series

## 0648 FOOD AND NUTRITION

0648/01

Paper 1 (Theory), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

**BBCAMRRIDGE** 

www.PapaCambridge.com

	Page 2	Mark Scheme	Syllabus
		IGCSE – May/June 2014	0648
			S
Mar	rk scheme	es will use these abbreviations	7th
			at a
•	,	separates marking points	·C
•	1	alternatives	· My
•	AVP	alternative valid point	
•	ORA	or reverse argument	

## Mark schemes will use these abbreviations

**AVP** alternative valid point ORA or reverse argument

<u>underline</u> actual word given must be used by candidate

() the word/phrase in brackets is not required but sets the context

indicates the maximum number of marks max

italics used to denote words or phrases from the question

		2.	
Page 3	Mark Scheme	Syllabus	V
	IGCSE – May/June 2014	0648	
	•		

		Answer	Marks	Guidanc Examinel Examinel
1 (	(a)	minerals iodine; phosphorous; sodium	max [2]	
		vitamins vit D/cholecalciferol; vit B; vit A/retinol; vit $B_2$ /riboflavin; vit $B_{12}$ /cobalamin; vit $B_9$ /folate	max [2]	
	(b)	osteoporosis; rickets; osteomalacia/adult rickets; tetany	max [2]	
(	(c)	rickets: soft bones; bent legs; pigeon chest; bow legs; bone deformities; fragile skull		no mark for renaming disease
		osteomalacia: weak bones; easily fractured; painful joints		refer to one disease only
		osteoporosis: brittle bones; easily fractured; decreasing height; porous bones		
		tetany: muscle cramps/spasms	max [2]	
	(d) (i)	vit D/cholecalciferol	[1]	
	(ii)	oily fish/salmon/sardines/cod liver oil; eggs; liver; milk/cheese/yogurt/dairy products; margarine/butter; fortified breakfast cereals/named breakfast cereal; powdered milk/Marvel	max [2]	
	(e)	green <u>leafy</u> vegetables/broccoli/cabbage/brassica vegetables; okra; soya beans/tofu; soya drinks with added calcium; seeds/nuts/brazil nuts/almonds/pecans/walnuts/cashews/pistachios; pulses; bread	max [2]	
	(f) (i)	coating sauce is thicker than pouring sauce; coating sauce uses less milk/liquid; coating sauce clings to foods/coats foods/named example, e.g. cauliflower cheese; <b>ORA</b>	max [2]	
	(ii)	50 g plain flour, 500 ml milk/water/stock	[1] [1]	

Page	4	Mark Scheme		Syllabus Y	
		IGCSE – May/June 2014	064	8 123	
(iii)	sta hea retu gra froi	It fat; add flour and stir; heat gently for 1 min; rch granules soften; roux formed; remove from at; gradually add milk; to form smooth paste; urn to heat; stir constantly; bring to boil; starch inules burst; gelatinise; cook for 2 min; remove m heat; add in grated cheese immediately; do not urn to heat	[5]	2 points = 1 h workable roux met required for full marks	
(g) (i)	pie foo swa	ysical breakdown; teeth tear food into small ces; small enough to swallow; tongue pushes d down throat; saliva moistens food for allowing; no chemical breakdown of fat; no emical breakdown of protein	max [1]	2 points = 1 mark	
(ii)	juic cor dov lac	physical breakdown; glands produce intestinal ce; protein digestion is completed; erepsin; everts peptones; to amino acids; fat further broken wn; by lipase; into glycerol; and fatty acids; tase; breaks down lactose; into glucose and actose	max [3]	2 points = 1 mark	
2 (a)	sm	re expensive than fresh foods; contain additives; all portion size; high in fat; high in sugar; nsumers become deskilled; excessive packaging; rients may be lost and not replaced; lack NSP	max [2]	2 points = 1 mark	
(b)	dov of p	gar absorbed into plaque on teeth; sugar broken wn by microorganisms; sugar turned into acid; pH plaque falls below 5.5; tooth enamel dissolves; ak area is left; cavity develops; whole tooth maged/irreplaceable	max [4]		
(c)	obe	betes: high blood sugar glucose; lack of insulin esity: sugar high in calories; excess adipose sue forms; under skin and around internal organs		refer to 1 disease only  1 mark for naming disease; 2 marks for linked explanation	

coronary heart disease; high blood sugar level leads to diabetes; more than doubles risk of developing CHD; lining of blood vessels becomes thicker;

restricts blood flow; heart works harder

[3]

	Page 5			Syllab	ous
			IGCSE – May/June 2014	064	8 78
	(d)	syr glu mo	tered syrup; cane juice crystals; caramel; carob up; corn syrup; dextran; fruit juice concentrate; cose; golden syrup; mannitol; maltodextrin; lasses; refiner's syrup; sorbitol; sorghum syrup; crose; fructose; maltose; honey; lactose; maple up	max [2]	ous M. A.
	(e)	car	bon, hydrogen, oxygen	[1]	all 3 elements required in any order
	(f)	dex	heat on starch; breaks down starch to dextrin; ktrins are yellow and brown; named ample/apple pie; non-enzymic browning	max [2]	
3	(a)	low hea mo liqu pla cor	at energy can be transferred from one point to other; heat flows from a high temperature to a ver one; until a constant temperature is achieved; at transferred quickly through movement of liquid lecules/liquids; and gas molecules/gas; hot uid expands and rises; cooler liquid takes its ce; cooler liquid heats up; this expands and rises; nvection current established; liquid becomes less use; boiling/steaming/baking	max [6]	up to 2 marks available for a suitable diagram
	(b)	to v ma nar reta	od pressure is abnormally high; causes the heart work harder; exerts pressure on blood vessels; y damage arteries; fat deposits in arteries; rows space for blood flow; salt causes tissues to ain water; contributes to increased blood ssure; may develop heart disease; have a stroke	max [5]	
	(c)	des mil 72° 30	nethod of food preservation; using heat treatment; stroys (pathogenic/souring) bacteria found in k/fruit juice/vegetable juice/beer; heated to 'C; for 15 s; Holder method; heated to 63°C for min; cooled quickly; to below 10°C; to prevent s of nutrients; appearance/taste unaltered	max [5]	
(4)	(a)	call coor call coor mix age	we sunk in middle.  much sugar; too much raising agent; under oked; oven door opened whilst cooking  we risen unevenly.  en shelf not level; cake near oven's heat source  we risen to a peak.  oked too quickly because oven too hot; too much otture in tin; cake on high shelf; too much raising ent  we has hard, sugary crust.  much sugar; didn't use caster sugar	max [4]	all 4 causes required for full marks

Page 6	Mark Scheme	Syllabus	· A
i age o	IGCSE – May/June 2014	0648	20
			80

		1			To the second
	(b)		shaping; proving	[1] [1]	andridge
	(c)		to mix the ingredients; to add strength to the final product; to form gliadin and glutenin proteins; proteins expand and form strands of gluten; kneading aids gluten production; kneading warms and stretches gluten strands; gluten gives bread its texture/creates a springy and elastic dough; if not kneaded enough will not be able to hold pockets of CO <sub>2</sub> /will collapse/result in heavy/dense loaf	max [3]	
	(d)		carbohydrate 4 kcal / 16 kJ; fat 9 kcal / 37 kJ;	[1] [1]	
5	(a)		Safe storage of food flour (dry) container; cool; sealed; cheese wrapped in refrigerator/1–5°C; potatoes (dry) dark cupboard; cool; frozen fish wrapped in freezer; –18°C	[4]	
	(b)		diarrhoea; vomiting; fever; abdominal pain; nausea; double vision; headache	max [3]	
	(c)		contains listeria/bacteria/not pasteurised woman may experience 'flu like symptoms/ still birth/miscarriage/pneumonia/meningitis/ blood poisoning; <b>AVP</b>	[1] [1]	
	(d)		wear a hair net; beard net; wash hands thoroughly; dry with paper towel; remove jewellery; cover cuts with blue plaster; cut nails short; clean nails; no nail varnish; clean overall/apron; do not lick fingers; wash hands after blowing nose; wash hands after using toilet; do not pick scabs/spots; do not go to work if ill/suffering from diarrhoea/coughing; AVP	max [3]	2 points = 1 mark
	(e)	(i)	stainless steel; marble; food grade plastic; granite; ceramic	max [1]	
		(ii)	smooth; washable; non-toxic; non-porous: attractive; <b>AVP</b>	max [2]	
	(f)		switch off/isolate appliance; do not touch the person until the appliance has been switched off; push appliance away from the person with dry wood/broom handle; check person is breathing/airway; resuscitate if needed; call for emergency assistance	max [3]	

Page 7	Mark Scheme	Syllabus	· A	ľ
	IGCSE – May/June 2014	0648	200	

6 (a)

nutritional needs of a pregnant woman 2500 calories per day; approximately 35% of calories should come from fat; approximately 55% of calories should come from carbohydrates; approximately 10% of calories should come from protein

iron; to produce all the blood needed to supply nutrition to the placenta; prevent anaemia

vit B<sub>9</sub>/folic acid/folate; prevention of spina bifida

essential fatty acids; linoleic acid/linolenic acid; needed for fetal brain growth

vit D; prevent low birth weight; osteomalacia in the mother

vit  $B_{12}$ ; fetus stores mother's  $B_{12}$  supply to use in first sixth months after birth

calcium; fetus may use calcium from mother's skeleton to supply its own skeleton

NSP; prevention of constipation

reasons for following a vegetarian diet when pregnant believe that vegetarian diet is more healthy; animal fat has cholesterol; associated with CHD; obesity; meat is high in fat; don't want to put on too much weight during pregnancy

recent health scares; BSE/bird 'flu etc.; illness could affect the health of the fetus

cooked and raw meat products often the cause of food poisoning; campylobacter/salmonella/*E.coli*; want to avoid vomiting and diarrhoea during pregnancy

should avoid pâté; contains listeria; liver/liver sausage; too much vit A; can harm fetus

shark meat/marlin/swordfish/excess tuna; contains mercury; can damage fetus' nervous system

cold cured meats/salami/parma ham/chorizo/ pepperoni; may harbour listeria; toxoplasma parasite

sushi; fish may contain small parasitic worms; raw shellfish; bacteria and viruses

all easy to avoid if following vegetarian diet

reasons for not following a vegetarian diet when pregnant may lack vit A/beta carotene; may lack vit D; may lack

2 points = 1 mark

candidate may agree or disagree with the statement but should attempt to justify their thoughts.

must show good understanding for full marks, e.g.:

- three or four reasons for not following a vegetarian diet identified
- · detail of reasons given
- ways of getting the required nutrients safely given
- examples given
- awareness of several possible problems for vegetarian pregnant women shown
- information is specific
- information is usually accurate
- all areas of the question addressed
- uses technical terms appropriately
- sound knowledge of the topic apparent

max [15]

Page 8	Mark Scheme	Syllabus	.0	V
	IGCSE – May/June 2014	0648	100	

calcium; may lack iron; may lack B vits; especially B<sub>9</sub>/folate; B<sub>12</sub>/cobalamin; may lack fat; essential fatty acids; may lack protein; may lack HBV protein; may lack iodine

may find a vegetarian diet monotonous

intake of NSP may be too high; may interfere with absorption of minerals

ways to ensure that pregnant women following a vegetarian diet get sufficient nutrients

may be able to eat HBV protein foods from animals; if ovo-lacto vegetarian; eggs/milk/cheese/yoghurt; must still follow safety advice about eggs and cheese

can complement or pair protein foods; essential amino acids missing from one are supplied by the other; combine HBV and LBV proteins in same meal; e.g. egg fried rice; combine LBV protein foods in same meal; cereals/nuts/pulses; beans on toast; eat soya products for HBV protein; tofu/soya milk/soya flour/tempeh/TVP; eat quorn; quorn mince/burgers/fillets; vit A/beta carotene; eat carrots/green vegetables; margarine; vit D; added to margarine; available from sunlight; calcium; from dairy products/pulses/nuts/green leafy vegetables; iron; green leafy vegetables/pulses/dried fruit/cocoa; B vits; bread/yeast extract/wholegrain cereals; iodine; vegetables grown near the sea; fat; vegetable oil/nuts/dairy

**OR** 

refrigerator preservation:

(b) advantages

> food stored between 1°C and 5°C; bacterial growth inhibited but not prevented; most homes have a fridge; can refrigerate leftovers for use the next day; shelving allows storage of a large quantity of food at one time; different areas of fridge help to preserve different types of food; crisper tray for salad; excellent for extending the life of food with short shelf life

disadvantages

can only store foods for short periods/a few days; can't store an autumn harvest until the following spring

fridge does not add flavour: does not add colour: does not improve appearance; does not add nutritional value

microorganisms are not killed and will multiply when food is removed from fridge; food is not sealed in the fridge;

candidate may agree or disagree with the statement but should attempt to justify their thoughts.

must show good understanding for full marks, e.g.:

- three or four reasons for using other methods of preservation identified
- · detail of reasons given
- · reasons justified
- at least four other types of

2 points = 1 mark

Page 9	Mark Scheme	Syllabus	.0	V
	IGCSE – May/June 2014	0648	100	

fridge can make some foods dry out, e.g. bread; syneresis not prevented by refrigeration; flavours and smells of different foods can merge and some food can taste tainted; some foods cannot be stored in the fridge, e.g. bananas; go brown quickly; foods are so cold that their flavour is temporarily inhibited; expensive to run; initial cost of fridge high; fridge is not portable; food remains in the home or workplace

reasons for preservation add variety to the diet; make foods available out of season; make use of a glut of food; use food when it is cheap; store for later use

make a different product out of the food; strawberries into strawberry jam/cauliflower into piccalilli

other methods of preservation addition of a chemical preservative; pickling/salting/ jamming; flavour changed/enhanced; food is versatile/ becomes a new product

reduction of temperature; freezing; to inhibit microbial and enzyme activity

drying; to inhibit microbial growth; food is lightweight; portable

irradiation; destruction of microorganisms

heating; bottling; sterilisation; pasteurisation; to destroy microorganisms and enzyme activity

importance of other methods of preservation to consumers

consumers like choice; fresh chilli can be stored in fridge; dried chilli will last months and can be stored in a bag/cupboard

consumers want "perfect" looking food; irradiation prevents "eyes" growing on potatoes

consumers do different activities; camping/survival/ armed forces; want portable/lightweight food in small packets; cannot carry fridge around

milk is important to consumers; untreated milk would be a danger to many groups of people; children/elderly/ sick; heat treatment vital; fridge useful after the heat treatment

increase in convenience foods relies on a variety of preservation methods to give variety to consumer; dehydrated noodles/frozen meals/canned sponge

preservation discuss detail

- awareness of why preservation is needed show
- information is specific
- information is usually accurate
- all areas of the question addressed
- uses technical terms appropriately
- sound knowledge of the topic apparent

max [15]

Page 10	Mark Scheme	Syllabus \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	IGCSE – May/June 2014	0648
	gs; freezer is very convenient/consumers rely on foods for quick meals; fish fingers and chips	ambride
	consumers grow own produce; need a way of	