



CANDIDATE NAME

CENTER NUMBER

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

						m	W. Pape	Cal		
_	 _	E INTERN Ite of Seco	_		INATIC	ONS		Mbr	dge.co.	T
				CANDIDA NUMBER						ı

MATHEMATICS (US)

0444/23

Paper 2 (Extended)

October/November 2013

1 hour 30 minutes

Candidates answer on the Question Paper.

Additional Materials: Geometrical instruments

READ THESE INSTRUCTIONS FIRST

Write your Center number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

CALCULATORS MUST NOT BE USED IN THIS PAPER.

All answers should be given in their simplest form.

If work is needed for any question it must be shown in the space provided.

The number of points is given in parentheses [] at the end of each question or part question.

The total of the points for this paper is 70.



Formula List

For the equation

$$ax^2 + bx + c = 0$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

www.PapaCambridge.com

Lateral surface area, A, of cylinder of radius r, height h.


Lateral surface area, A, of cone of radius r, sloping edge l.

Surface area, A, of sphere of radius r.

Volume, V, of pyramid, base area A, height h.

Volume, V, of cone of radius r, height h.

Volume, V, of sphere of radius r.



$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$A = 2\pi rh$$

$$A=\pi rl$$

$$A = 4\pi r^2$$

$$V = \frac{1}{3}Ah$$

$$V = \frac{1}{3}\pi r^2 h$$

$$V = \frac{4}{3}\pi r^3$$

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

$$Area = \frac{1}{2}bc \sin A$$


1

For miner's ...

Work out the total time that Christa spent in music lessons. Give your time in hours.

Answer	 h	[2]
11.10.110.	 	L

2 Three of the vertices of a parallelogram are at (4, 12), (8, 4) and (16, 16).



Write down the co-ordinates of two possible positions of the fourth vertex.

3 Solve the equation 1 + 2x = -15.

Answer
$$x = \dots [2]$$


4 Solve the equation.

$$x^{\frac{1}{3}} + 1 = 5$$

$$Answer x =$$
 [2]

4

5



Write down the domain and range of the function shown in the graph.

Answer domain

range[2]

www.PapaCambridge.com

- **6** Write
 - (a) 60 square meters in square centimeters,

Answer(a) cm² [1]

(b) 25 meters per second in kilometers per hour.

Answer(b) km/h [2]

7 In 2012 the cost of a ticket to an arts festival was \$24. This was 20% less than the ticket cost in 2011.

Calculate the cost of the ticket in 2011.

8 The solutions of the equation $x^2 - 6x + d = 0$ are both integers. d is a prime number.

Find *d*.

$$Answer d = \dots [3]$$

9 m varies directly as the cube of x. m = 200 when x = 2.

Find m when x = 4.

Answer
$$m =$$
 [3]

10 (a) Expand and simplify $(a+b)^2$.


For miner's s.

Answer(a) [2]

(b) Find the value of $a^2 + b^2$ when a + b = 6 and ab = 7.

Answer(b)[1]

11



Find AB.

 $Answer\ AB = \qquad [3]$

12	(a)	Write down the amplitude and period of the graph of $y = 2\sin x$.						
		Answer(a) amplitude =						
		period = [2]						
	(b)	The graph of $y = 2\sin x$ is stretched by a factor of 2 with the x-axis invariant.						
		Write down the equation of the new graph.						
		$Answer(b) y = \dots [1]$						
13								
10								
	(a)	Write down the order of rotational symmetry of the rectangle.						
		Answer(a)[1]						

© UCLES 2013 [Turn over

(b) Construct, using a straight edge and compass only, one of the lines of symmetry of the

[2]

rectangle.

14 Write the answer to the following calculations in scientific notation.


(a) 600×8000

www.PapaCambridge.com

(b) $10^8 - 7 \times 10^6$

Answer(b) [2]

15



NOT TO **SCALE**

The vertices of the rectangle ABCD lie on a circle center O. MN is a line of symmetry of the rectangle. AC is a diameter of the circle and angle $ACD = 42^{\circ}$.

Calculate

(a) angle CAM,

Answer(a) Angle CAM = [2]

(b) angle *DCM*.

Answer(b) Angle DCM = [2]

16 (a) Simplify $(64q^{-2})^{\frac{1}{2}}$.


www.PapaCambridge.com

(b)
$$5^7 \div 5^9 = p^2$$

Find p.

$$Answer(b) p = \dots [2]$$


17



- (a) Draw the rotation of triangle T through 90° anticlockwise about the point (0, 1). [2]
- (b) Describe fully the single transformation that maps triangle T onto triangle U.

Answer (b)

18 The diagram shows the entrance to a tunnel. The circular arc has a radius of 6 m and center O. AB is horizontal and angle $AOB = 120^{\circ}$.



During a storm the tunnel filled with water, to the level shown by the shaded area in the diagram.

The shaded area is equal to $c\pi + d\sqrt{3}$.

Find the values of c and d.


$Answer\ c =$		

$$d =$$
 [4]

www.PapaCambridge.com

19 A gardener measured the lengths of 50 green beans from his garden. The results have been used to draw this cumulative frequency diagram.

For miner



Work out

(a) the median,

Answer(a) cm [1]

(b) the number of green beans that are longer than 26 cm,

Answer(b) [2]

(c) the inter-quartile range,

Answer(c) cm [2]

(d) the probability that a green bean chosen at random is more than 14 cm long.

Answer(d) [2]

Question 20 is printed on the next page.

© UCLES 2013 [Turn over

20
$$f(x) = 2x + 3$$
 $g(x) = x^2$

(a) Find f(g(6)).

Answer(a	ı)	[2]

Fr. miner.

(b) Solve the equation g(f(x)) = 100.

Answer(b)
$$x =$$
 or $x =$ [3]

(c) Find $f^{-1}(x)$.

Answer(c)
$$f^{-1}(x) =$$
 [2]

(d) Find $f(f^{-1}(5))$.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.