Name

www.PapaCambridge.com

## CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

## PHYSICAL SCIENCE

0652/02

Paper 2

October/November 2003

1 hour

Candidates answer on the Question Paper. No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a soft pencil for any diagrams, graphs, tables or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

## Answer all questions.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [ ] at the end of each question or part question. A copy of the Periodic Table is printed on page 12.

For Examiner's Use					
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
Total					

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

		2	E
(a)	(i)	Describe how a sodium atom, Na, forms a sodium ion, Na <sup>+</sup> .	and
		[	1]
	(ii)	Describe how a chlorine atom, Cl, forms a chloride ion, Cl <sup>-</sup> .	
		[	1]
	(iii)	Hence describe how sodium chloride is formed from sodium and chlorine.	
(b)	) In	terms of covalent bonding, explain how chlorine forms diatomic molecules, $\operatorname{C}\!{l}_2$ .	
		[	2]

A scientist is studying the electromagnetic radiation received from a star. The graph 2 2.1 shows the intensity of the radiation of different wavelengths.

intensity of radiation




Fig. 2.1

The wavelength of visible light ranges from 0.45 to 0.75 micrometres, the shaded region on the graph.

(a)	In what regions of the electromagnetic spectrum are the points <b>H</b> and <b>S</b> ?	
	R	
	S	.[2]
(b)	How does the speed in a vacuum of the radiation at <b>R</b> and at <b>S</b> compare?	
		.[1]
(c)	At what wavelength is the intensity of the radiation greatest?	
	micrometres	[1]

For Examiner's Use

	A small child has mixed together the salt and the pepper in the kitchen.
	4
3	A small child has mixed together the salt and the pepper in the kitchen.  Salt is soluble in water. Pepper is not soluble in water.  Describe how to obtain salt and pepper separately from this mixture.
	[4]

Complete the table in Fig. 4.1 for the relative charge and approximate relative mass of a proton, a neutron and an electron.

particle	relative charge	approximate relative mass
proton	+1	
neutron		1
electron		<u>1</u> 2000

Fig. 4.1

[3]

[2]

(a) An athlete wins a trophy for completing a 200 m race in a time of 25 s. Calculate 5 average speed of the athlete. Show your working and state the unit.

in a time of 25 s. Calculate the unit.	For Examiner's Use
speed =	[3]

(b) Fig. 5.1 shows four designs for the trophy, P, Q, R and S. The position of the centre of mass of each trophy is marked with an X.




Fig. 5.1

Stat	•	trophy would be the most stable.	
			[3]
(a)	State <b>two</b> propertie element.	es of iron which explain why this metal is described as a	transition
	property 1		
	property 2		[2]
(b)	State <b>two</b> methods	used to prevent iron rusting.	
	method 1		
	method 2		

6

www.PapaCambridge.com Fig. 7.1 shows an experiment to measure the half-life of an isotope of protactinium 7 decays by emission of beta-particles.




Fig. 7.1

(a)	(i)	Explain what is meant by the term isotope.
		[2]
	(ii)	Name a suitable detector.
		[1]
	(iii)	Explain why this method could not be used for a liquid that emits alpha-particles.
		[2]
(b)	In t	stactinium has a half-life of 1 minute.  he experiment the initial count rate was 480 Bq.  culate the count rate after 3 minutes. Show your working.
		count rate = Bq. [3]
(c)	In a	a further experiment the background count rate was considered.
	Exp	plain what is meant by the term background count rate.
		[2]

- Two students investigate the speed of reaction of zinc with dilute hydrochloric acid. 8
  - (a) One student finds that adding water to dilute the acid makes the reaction slower.


	The state of the s	
	7 Ex	For :aminer's
Two	students investigate the speed of reaction of zinc with dilute hydrochloric acid.	Use
(a)	One student finds that adding water to dilute the acid makes the reaction slower.	
	students investigate the speed of reaction of zinc with dilute hydrochloric acid.  One student finds that adding water to dilute the acid makes the reaction slower.  Use the kinetic particle theory of matter to explain why the reaction is slower when the acid is more dilute.	Se.co.
	[2]	
(b)	The other student finds that warming the acid makes the reaction faster.	
	Use the kinetic particle theory of matter to explain why the reaction is faster when the acid is warmer.	
	[2]	

		the state of the s	
		8	
(a)		erms of molecular structure, explain why butane is described as a sarocarbon.	Camb
/b\		main use of butons is a fuel in the form of liquotical natroleum and	[1]
(b)		main use of butane is a fuel in the form of liquefied petroleum gas.	
	(i)	When butane is burnt completely in excess air, only two substances are formed	d.
		Name these two substances.	
		substance 1	
		substance 2	[2]
	(ii)	Explain why butane can be described as a <i>clean</i> fuel when burnt completely.	
			[2]

10 Fig 10.1 shows a bimetal strip before and after being heated.

Suggest a use for such a circuit.

(ii)



				11011						
					Fig. 10.	1				
(a)	Explair	n why the	strip be	nds whe	n it is heat	ed.				
		•••••								
										[2]
(b)	Fig. 10	).2 shows	a simila	ır strip in	a circuit.					
				ļ				S		
					Fig. 10.	2				
	(i) E	xplain wh	y the lan	np flashe	s on and	off when s	switch <b>S</b>	is closed	l.	
		•••••							• • • • • • • • • • • • • • • • • • • •	
										[3]

11 (a) Use the following words to complete the table in Fig. 11.1.

Each word may be used once, more than once or not at all.

C	onductor	high	insulato		low	
		density at room temperature		conduct of electri	-	
	metals					
	non-metals	n-metals				

Fig. 11.1

[2]

(b) Gold occurs naturally as an element.

Iron is obtained from its ore by heating with carbon.

Aluminium must be obtained from its ore by electrolysis which requires considerable energy.

In terms of the reactivity of these metals, explain these facts.
[2]

**12** Fig. 12.1 shows a circuit designed to determine the resistance of a wire. However, the voltmeter has been omitted.




Fig. 12.1

(a)	(i) (ii)	Complete the diagram to show how the voltmeter should be connected.  Explain why the variable resistor is included in the circuit.	
(b)		wire is replaced by a wire made from the same material and of the same length, wice the diameter.	
	Sta	te how the resistance of the wires would compare.	
			64.1

	<b>Elements</b>
DATA SHEET	The Periodic Table of the

							Group	dn									
_	=										=	2	>	>	=>	0	
						1 <b>T</b> Hydrogen										4 <b>He</b> Helium	
Lithium Lithium 23 Na Sodium	Beryllium 4 24 Mg Magnesium 12										11 B Boron 5 27 A1 Auminium 13	Carbon 6 Carbon 8 Silicon 14	Nitrogen 7 311 <b>P</b> Phosphorus 15	16 Oxygen 8 32 <b>S</b> Sulphur	19 Fluorine 9 35.5 <b>C1</b> Chlorine	20 Ne Neon 10 Ar Argon 18	
Potassium 85 Rb Rubidium 7	Ca Calcium 20 88 88 Strontium 38	Scandium Titanium 21 89 91 <b>Xr</b> Yrtrium 21 21 39 40	Vanadium 23 93 Nb Niobium 41	52 Cr Chromium 24 Moybdenum 42	Manganese 25 TC Technetium 43	56 Fe Iron 26 101 Ru Ruthenium 44	Cobalt Cobalt 27 103 Rhodium 45	Nickel 28 Nickel 28 Pd Pd Palladium 46	Cu Copper 29 108 Ag Silver 47	2 Zinc 30 112 Cd Cadmium 48	70 <b>Ga</b> Gallium 31 115 <b>In</b> Indium 49	73 <b>Ge</b> Germanium 32 119 <b>Sn</b> Tin	75	Selenium 34 128 Te Tellurium 52	80 Bromine 35 127 I I I I I I I I I I I I I I	Krypton 36 Krypton 36 Xenon 54	12
Caesium	137 <b>Ba</b> Barium 56	La Hafrium 57 * 72	Ta Ta Tantalum 73	184 <b>W</b> Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>Os</b> Osmium 76	192 <b>Ir</b>	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	Hg Mercury	204 <b>T 1</b> Thallium 81	207 <b>Pb</b> Lead 82	209 Bismuth 83	Po Polonium 84	At Astatine 85	Radon 86	
<b>Fr</b> Francium	Francium Radium Actinium 88 Actinium 88 89-71 Lanthanoid series	Actinium + 1 series	140	141	44 Z	<u> </u>	150	152	157	159	162	165	167 7	169	173	175	
)0-103  -	0.103 Actinoid series	3 series 9 - relative atomic mass	Cerium 58	Praseodymium 59	ž 09	Ε	Samarium 62	Europium 63	Gadolinium 64	Terbium 65	Dysprosium 66	Holmium 67	Erbium 68	Thulium 69	Ytterbium 70	Lutetium 71	My.
∑é	× ×	X = atomic symbol b = proton (atomic) number	<b>Th</b> Thorium	Pa Protactinium 91	238 <b>U</b> Uranium 92	Np Neptunium 93	<b>Pu</b> Plutonium 94	Am Americium 95	Curium 96	<b>BK</b> Berkelium 97	Californium 98	ES Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	Nobelium 102	Lay L	W. Pa
			The v	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).	one mole	of any ga:	s is 24 dn	ז at room	ı tempera	ture and	pressure	(r.t.p.).			Tide co	Camb	Cambridge.co.
														2			

The volume of one mole of any gas is  $24\,\mathrm{dm^3}$  at room temperature and pressure (r.t.p.).