

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

www.PapaCambridge.com

NUMBER
PHYSICA Paper 3 (
Candidate

PHYSICAL SCIENCE

0652/32

Paper 3 (Extended)

October/November 2013

CANDIDATE NUMBER

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

UNIVERSITY of CAMBRIDGE **International Examinations** 1 A metre rule is clamped to a ramp. Fig. 1.1 shows the experimental set up.




Fig. 1.1

- The ramp is tilted and a toy car is held at the top of the ramp.
- The car is given a gentle push and it moves down the ramp.
- The positions of the car after successive time intervals of 0.20 s are shown.
- (a) (i) Read off the positions of the front of the car after each time interval.

Record the values, to the nearest centimetre, in Table 1.1.

Calculate the total distance travelled after each time interval and complete the table.

Table 1.1

time/s	0.0	0.20	0.40	0.60	0.80
position/cm	99				
total distance travelled/cm	0				

[2]

(ii) On the grid in Fig. 1.2, draw a distance/time graph for the car's journey.

/cm




Fig. 1.2

[2]

[Turn over © UCLES 2013

(b) The graph in Fig. 1.3 shows a speed/time graph for the car on a similar journey.




Fig. 1.3

Use the graph to determine the acceleration of the car.

Do your working in the box.

acceleration = ____ unit ____

2 (a) Table 2.1 shows the number of sub-atomic particles in several different atomions.

iner's

Complete Table 2.1 by writing in the symbol of each atom or ion. Include the charge on each ion. The first one has been completed for you.

Table 2.1

number of protons	number of electrons	number of neutrons	symbol
3	3	4	Li
9	10	10	
11	10	12	
15	15	16	

[2]

(b) The symbol for an iron(III) ion is Fe³⁺.

The symbol for an oxide ion is O^{2-} .

Deduce the formula for the compound iron(III) oxide.

_____[1]

www.PapaCambridge.com

Table 3.1 gives information about four elements in Group 0 (noble gases) of the Table.

Table 3.1

element	electron arrangement	density of gas in kg/m³	melting point/°C	boiling point/°C
helium	2	0.17	-272	-269
neon	2.8	0.84	-248	-246
argon	2.8.8	1.67		-186
krypton	2.8.18.8	3.50	-157	-152

(a)	Describe the trend in boiling point down Table 3.1, from helium to krypton.	
		[1]
(b)	Predict the melting point of argon. C	[1]
(c)	A balloon is filled with one of the noble gases.	
	The material of the balloon increases the average density of the filled balloon $0.45\mathrm{kg}/\mathrm{m}^3.$	by
	The density of air at 25 °C is 1.18 kg/m ³ .	
	In order for the balloon to rise in air, its average density must be less than that of air.	
	State which of the noble gases could be used to fill this balloon so that it will rise in at 25 °C and explain your answer.	air
	noble gas	
	explanation	
		[2]

3

www.PapaCambridge.com

[3]

4 Fig. 4.1 shows the structure of a thermocouple thermometer.




Fig. 4.1

	_
(a)	Wires 2 and 3 are made from the same material.
	Suggest suitable materials from which the three wires could be made.
	wire 1
	wires 2 and 3 [2]
(b)	Junction 1 is placed in a cup of warm water and junction 2 is placed in melting ice.
	Describe and explain what is observed.
	[3]
(c)	An engineer uses a thermocouple to investigate the temperature at one point in a jet engine. He takes measurements from the time that the engine is first switched on until it reaches a steady temperature.
	Give two reasons why a thermocouple is a suitable thermometer to use.
	Give an explanation for one of your reasons.
	reason 1

© UCLES 2013 [Turn over

explanation

nond and graph

5 Fig. 5.1 shows the arrangement of atoms in two forms of carbon, diamond and graph




Fig. 5.1

Table 5.1 gives information about some of the properties of diamond and graphite.

Table 5.1

	diamond	graphite
hardness	10	2
melting point/°C	4227	3927
electrical conductivity	low	high

)	USE	e ideas about the structure of diamond and grapfille to explain the	
	(i)	difference in hardness,	
			[2]
	(ii)	difference in electrical conductivity,	
			[2]
((iii)	high melting points.	
			[2]

www.PapaCambridge.com (b) Carbon compounds are the basis of organic chemistry. An example is the conmethane, CH₄. Methane has covalent bonding. At room temperature, methane is a gas. Explain why methane has a very low boiling point. (c) Plants make carbon compounds by the process of photosynthesis. In this process plants react carbon dioxide with water to make glucose, C₆H₁₂O₆, and oxygen, O₂. (i) Write a balanced equation for photosynthesis. (ii) Photosynthesis is an endothermic process. Explain how plants obtain the energy for photosynthesis.

6 Air traffic control uses radar ranging to track an aircraft. A radar transmitter sends pulse of microwaves. The waves reflect back from an aeroplane and are detected by radar station.

iner's

Fig. 6.1 shows how the system works.




Fig. 6.1

(a) Fig. 6.2 shows the screen of a cathode ray oscilloscope (c.r.o.) at air traffic control.




Fig. 6.2

The time-base of the c.r.o. is set at 0.05 ms/division.

(i)	Suggest	why	the	reflected	pulse	has	а	smaller	amplitude	than	the	transmitted
	pulse.											

[41

(ii) Calculate the time between the emission and detection of the pulse.

(iii) Calculate the distance of the aeroplane from the transmitter. (speed of microwaves = $3 \times 10^8 \, \text{m/s}$)

1	4				
	The.	10			
	1	Dapac			
	`	10	Ph.	For viner's	
			On	13	
				80	١

		distance =	unit	[2]
(b)	(i)	The microwaves used have a wavelength of 7.5 mm.		
		Calculate the frequency of the microwaves.		
		frequency =	unit	[2]
	(ii)	State one other use of microwaves.		
				[1]

www.PapaCambridge.com A student uses the apparatus in Fig. 7.1 to measure the carbon dioxide given off in this reaction.




Fig. 7.1

The results of this investigation are shown in Table 7.1.

Table 7.1


time/s	0	20	40	60	80	100	120
volume of carbon dioxide/cm ³	0	15	27	35	39	40	40

(a) (i) Plot the results on the grid.

[2]

(ii) Draw a best-fit curve.

[1]



volume of

/cm³

(b)	Stat	te how the student could test the gas to show that it is carbon dioxide.
	test	
	resi	ult[2]
(c)	(i)	After 100 seconds, no more carbon dioxide was given off. Some of the marble chips remained.
		Explain why no more carbon dioxide was given off.
		[41]
		[1]
	(ii)	The volume of carbon dioxide was measured at room temperature and pressure.
		Calculate the mass of calcium carbonate that reacted with the hydrochloric acid. [relative atomic masses, A_r : C, 12; O, 16; Ca, 40]
		The volume of one mole of any gas is 24 dm ³ at room temperature and pressure.
		Show your working in the box.
		mass of calcium carbonate =g [3]
(d)		student repeated the experiment using the same mass of powdered calcium conate instead of marble chips.
	Ske	etch on the grid in (a) the results you would expect from this second experiment.

8 Fig. 8.1 shows the use of transformers in the transmission of electrical energy.




Fig. 8.1

(i)	State the function of each of the two transformers.	
	transformer 1	
	transformer 2	
		[2]
(ii)	Explain why electrical energy is transmitted at very high voltages.	
		•••••
		•••••
		[2]

(a)

(b) Power lines can be made from several strands of copper, with a strand of steel, a shown in Fig. 8.2.

f steel, a For iner's




Fig. 8.2

ibe the metallic structure of copperule material for the transmission of ele	and explain how it makes copper a ctricity.
	[4]
est why a steel strand is included in th	e power-line.
	[1]

Eth	ene	is a hydrocarbon with the formula C_2H_4 .
(a)		w a dot and cross diagram to show the bonding in a molecule of ethene. Include the outer shell electrons of carbon and hydrogen.
		[2]
(b)	Eth	ene can be made from long chain alkanes obtained from crude oil.
	(i)	State the name given to the process used to produce ethene from long chain alkanes.
		[1]
	(ii)	State the two conditions needed for the process.

1 _____

9

	NAM. D	
	17	
Eth	ene is reacted with steam to produce ethanol.	
	$C_2H_4 + H_2O \rightarrow C_2H_5OH$	
(i)	Calculate the mass of ethanol that can be made from each kg of ethene. [relative atomic masses, A_r : H, 1; C, 12; O, 16]	
	Show your working in the box.	

	mass of ethanol =	kg	[2]
(ii)	Name and describe another process that can be used to make ethanol.		

[Turn over © UCLES 2013

Sapa Camil	5
	•
[2]	
[2]	
0 ⁻²⁷ kg,	
3,	
[1]	

Cal
[2]
[2]
l0 ⁻²⁷ kg,
[1]

energy released = _____J [2]

(iii) The output from the sun is approximately $4 \times 10^{26} W$.

www.PapaCambridge.com Estimate the number of fusion reactions which occur each second. You may assume that this is the only type of fusion reaction that occurs in the Sun.

Do your working in this box.	

number of reactions per second = _____ [2]

The Periodic Table of the Elements DATA SHEET

					າ	0				my	Papa Cambridge Com
						U	T	1			apar apar
	0	4 He Helium	20 Ne Neon 10	40 Ar Argon	84 Kr ypton 36	131 Xe Xenon 54	Radon 86		Lu Lutetium	Lr Lawrencium 103	SIMBLE
	₹		19 Fluorine	35.5 C1 Chlorine	80 Br Bromine 35	127 T lodine 53	At Astatine 85		73 Yb Ytterbium 70	Nobelium 102	Se Con
	>		16 Oxygen 8	32 S Sulfur 16	Se Selenium 34	128 Te Tellurium 52	Po Polonium 84		169 Tm Thulium 69	Md Mendelevium 101	
	>		14 Nitrogen 7	31 Phosphorus	75 As Arsenic	122 Sb Antimony 51	209 Bi Bismuth 83		167 Er Erbium 68	Fm Fermium	,
	≥		12 Carbon 6	28 Si Silicon	73 Ge Germanium 32	Sn Tin	207 Pb Lead		165 Ho Holmium 67	Es Einsteinium 99	(r.t.p.).
	=		11 Boron 5	27 A1 Auminium 13	70 Ga Gallium 31	115 In	204 T t Thallium		162 Dy Dysprosium 66	1	oressure (
		ι			65 Zn Zinc 30	Cadmium 48	201 Hg Mercury		159 Tb Terbium 65	BK Berkelium 97	ure and p
					64 Copper 29	108 Ag Silver 47	197 Au Gold 97		Gd Gadolinium 64	Cm Curium 96	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).
dn					59 Nickel	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63		³ at room
Group					59 Co Cobalt 27	103 Rh Rhodium 45	192 Ir Iridium		Sm Samarium 62		is 24 dm
		Hydrogen			56 Iron 26	Ru Ruthenium 44	190 Os Osmium 76		Pm Promethium 61	Np	f any gas
		`			Manganese 25	Tc Technetium 43	186 Re Rhenium 75		Neodymium 60		ne mole o
					Cr Chromium	96 Mo Molybdenum 42	184 W Tungsten 7		Praseodymium 69		ume of or
					51 Vanadium	Niobium 41	181 Ta Tantalum 73		140 Cerium 58	Z32 Th horium	The vol
					48 T Itanium 22	2r Zrzonium 2ronium 40	178 Hf tafnium		47	nass	
					Scandium 2	89 × Yttrium 39	139 La Lanthanum 57 * 72	227 Ac Actinium 1	series ies	a = relative atomic massX = atomic symbolb = proton (atomic) number	
	=		9 Beryllium	24 Magnesium	40 Ca Calcium 2	Sr Strontium 38	137 Ba Barium 56	226 Ra Radium 8	*58-71 Lanthanoid series 190-103 Actinoid series		
	_		7 Lithium 4	23 Na Sodium 11	39 K Potassium	Rubidium 3	133 Cs Caesium 55	Francium 8	38-71 Lar 30-103 Ac	Key X	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.