

CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the October/November 2015 series

0652 PHYSICAL SCIENCE

0652/62

Paper 6 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

© IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0652	62

- 1 (a) sodium hydroxide ;
and nitric acid ;
(any order) [2]
- (b) 1. measuring cylinder / burette / pipette ;
2. burette (accept *graduated* pipette) ; [2]
- (c) (i) Universal indicator / full range indicator ; [1]
(ii) 10–14 inclusive ; [1]
- (d) so there is no indicator present as an impurity ; [1]
- (e) diagram shows suitable container e.g. evaporating dish being heated OR left for some time to allow water to evaporate ; [1]
- (f) diagram shows filter funnel with filter paper and vessel to collect filtrate; crystals and solution labelled and in correct position ; [2]
- [Total: 10]**
- 2 (a) apply a lighted splint / flame **AND** gas ignites / a flame is seen ; [1]
- (b) (i) suitable diagram of CO₂ passing into limewater ;
White ppt / white / milky ; [2]
(ii) carbon dioxide ; [1]
- (c) calcium carbonate / calcium hydrogencarbonate ; [1]
- (d) (i) litmus paper / pH paper / UI (in the vapour) ;
blue to red (blue can be in M1) ;

OR

full range indicator / UI / pH indicator ;
red / orange / yellow ; [2]
(ii) to avoid ejection of hot acid /
to avoid vapour of nitric acid /
to avoid acid touching the paper ; [1]

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0652	62

- (e) connect a gas syringe to the tube/collect in measuring cylinder over water/counting bubbles (in water) ;

find the volume of gas evolved in a fixed time/time taken to give out a certain volume of gas/ number of bubbles in a fixed time/time taken for a certain number of bubbles ; [2]

[Total: 10]

- 3 (a) 0.69 ; 1.1
0.48 ; and 1.2 ; [3]

- (b) (i) points correctly plotted $\pm \frac{1}{2}$ small square (allow one error) ;
straight line drawn ; [2]

- (ii) indication on graph of how data obtained AND at least half of line used ;
correct calculation for triangle method using data from graph ; [2]

- (iii) 0.67/0.7 ; [1]

- (c) (i) the ammeter reading will be off the scale/current greater than 1A/the ammeter may be damaged ; [1]

- (ii) The wire will heat up/(so that) the resistance (of the wire) will be changed ; [1]

[Total: 10]

- 4 (a) (i) 57.4 ; [1]

- (ii) 53.3 ; [1]

- (iii) 4.1 ; allow ecf (ai–aii) [1]

- (b) (i) 1 plot for L = 5 correct to $\pm \frac{1}{2}$ square ;
(ii) Good best fit line;
Line passes through the origin ; [2]

- (c) (i) Indication on graph of how data obtained AND at least half of line used ;
Correct calculation for triangle method using data from graph ; [2]

- (ii) Line drawn above, steeper, straight, not crossing over ; [1]

- (d) Avoidance of parallax described/wait for spring to stop moving [1]

[Total: 10]

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0652	62

- 5 (a) (i) rusty ; [1]
- (ii) the nail has not rusted / no change ; [1]
- (iii) the paint excludes air / oxygen / water / cannot react with air / oxygen / water / prevents oxidation ; [1]
- (b) (i) lighted splint AND pops ; [1]
- (ii) (add aqueous) ammonia / sodium hydroxide AND green precipitate ; [1]
- (iii) yellow / orange / brown / red / brown ; [1]
- (iv) (add aqueous ammonia / sodium hydroxide and) orange / red-brown / brown precipitate ; [1]
- (c) hang mass from iron wire AND steel wire ;
measure deflection / bend / distance with the ruler ;
use wires of same thickness / same length ; [3]
- [Total: 10]**

- 6 (a) (teat) pipette / dropper ; [1]
- (b) (i) A: 16.5 ;
B: 8.0 ;
C: 11.5 ; [3]
- (ii) A }
C } in this order ;
B } [1]
- (c) (anhydrous) copper sulfate / cobalt chloride ;
boiling / freezing point / melting point ; [2]
- (d) (i) a measuring cylinder volume ;
balance / scale(s) mass ; [2]
- (ii) mass ÷ volume ; [1]
- [Total: 10]**