

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



PHYSICAL SCIENCE

0652/22

Paper 2 (Core)

October/November 2015

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 18 printed pages and 2 blank pages.



1 Carbon-12 and carbo	n-14 are	isotopes	of carbor	١.
-----------------------	----------	----------	-----------	----

(a)

(b)

Explain what is meant by the term <i>isotope</i> .
[2]
Carbon-14 can be represented by $^{14}_{6}$ C.
State what the numbers 6 and 14 stand for.
6

(c) Complete Fig. 1.1 to show the electron arrangement in an atom of carbon-14.




Fig. 1.1

[1]

2 Fig. 2.1 shows a beam fixed into a wall at one end. **C** marks the centre of mass of the beam. Point **X** acts as the pivot.




Fig. 2.1

- (a) Draw an arrow to show where the weight of the beam acts and the direction in which it acts. [2]
- (b) A man of mass 80 kg stands on the beam at point Y.
 - (i) Calculate the weight of the man and give the unit. Use $g = 10 \,\mathrm{m/s^2}$.

weiaht	 unit	[2]

(ii) The distance from **X** to **Y** is 6.0 m.

Calculate the moment at point **X** produced by the man when he is at point **Y**.

		_
mamant -	Nm	LO.
moment =	 111111	12

(iii) State and explain how the moment produced at **X** changes as the man walks towards the wall.

BLANK PAGE

3 Use words from the list below to complete Table 3.1.

Each word may be used once, more than once, or not at all.

air brass bromine chlorine
graphite nitrogen steel sulfur

Table 3.1

description	substance
an alloy containing zinc	
a solid non-metallic element	
a gaseous mixture	
an element which is a good conductor of electricity	
a gaseous element used in water purification	

[5]

4 Fig. 4.1 shows a piece of apparatus, viewed from above. Four different metal strips are fixed to a wooden ring.




Fig. 4.1

Fig. 4.2 shows an experiment using the apparatus.

A match head is placed on the end of each metal strip. The strips are then heated at the centre.




Fig. 4.2

Each of the match heads ignites after a different length of time. This is shown in Table 4.1.

Table 4.1

metal strip	time for match head to ignite/minutes
aluminium	4
brass	3
copper	1
iron	8

(a)	Name th	ne form of thermal energy transfer which causes the match to ignite.	
			[1]
(b)	List the	metals in order of the speed at which they transfer thermal energy.	
	fastest		
	slowest		[5]

Soc	lium	chloride, NaC \it{l} , is an ionic compound containing sodium ions and chloride ions.	
(a)	(i)	Explain how a sodium ion is formed from a sodium atom.	
	(ii)	Give the symbol for a chloride ion and the total number of electrons it contains.	
		symbol	
		number of electrons	[2]
(b)		he box, draw a dot and cross diagram to show the electrons in a molecule of hydroride, $HC\mathit{l}.$	ogen
	Incl	ude outer electrons only.	
			[2]
(c)	Soc	dium chloride can be made by reacting hydrogen chloride with an alkali.	
	Nar	me a suitable alkali and the other product or products of the reaction with this alkali.	
	alka	ali	
	othe	er product(s)	
			[2]

© UCLES 2015 0652/22/O/N/15

5

6 Fig. 6.1 shows an illuminated object **O** in front of a plane mirror. Two rays of light are shown leaving object **O**.




Fig. 6.1

(a)	(i)	On Fig. 6.1, mark the position of the image of object O formed by the mirror and label	l it I . [1]
	(ii)	Complete ray 1 showing how it is reflected from the mirror.	[1]
	(iii)	Complete ray 2 showing how it is reflected from the mirror.	[1]
	(iv)	Identify and label, with the letter ${f r}$, the angle of reflection that ray ${f 2}$ makes with the mi	irror. [1]
	(v)	Complete the diagram to show how the image ${f I}$ is formed.	[2]
	(vi)	Mark the position of an eye for the image to be seen and label it E.	[1]
(b)		te the relationship between the angle of incidence and the angle of reflection.	
			[1]
(c)	The	e image formed in a plane mirror is upright and the same size as the original object. te one other property of the image.	
			[1]

- 7 Calcium carbonate, CaCO₃, and ammonium sulfate, (NH₄)₂SO₄, may be used by farmers to improve crop yields.
 - (a) Complete Table 7.1 by writing the names of the three other elements present in ammonium sulfate and the relative numbers of atoms of each in the compound. One element is done for you.

Table 7.1

element	relative number of atoms
sulfur	1

				[3]
(b)	Cald	culate the relative molecular mass of c	calcium carbonate, CaCO ₃ .	[0]
	[Rel	ative atomic masses: A _r : Ca, 40; C, 12	2; O, 16]	
		relative aton	nic mass =	[2]
(c)		ny crops grow best in neutral or weakly s to increase their pH.	alkaline soils. Calcium carbonate is a	dded to acidic
	(i)	Suggest the pH number of a weakly a	acidic soil.	
				[1]
	(ii)	State the pH number of neutral soil.		
				[1]

0652/22/O/N/15

https://xtremepape.rs/

© UCLES 2015

8 A student hangs two balloons from the ceiling as shown in Fig. 8.1a.

The student then rubs the two balloons on his jumper. The balloons now hang as shown in Fig. 8.1b.




Fig. 8.1a Fig. 8.1b

(a)	Explain why the balloons are no longer touching.				
	[3]				

(b) A fine mist of water is sprayed near the balloons. The balloons move back so that they are touching each other as shown in Fig. 8.2.




Fig. 8.2

Explain why the balloons move back to this position.				
[2				

Cop	per i	s a transition element.			
(a)	Transition elements are metals.				
	Stat	te one other characteristic of transition elements.			
			[1]		
(b)	Nan	ne a non-metallic element in the same period as copper.			
			[1]		
(c)	Сор	oper is found in the Earth's crust, either as an ore or 'native'.			
	(i)	Name an ore of copper.			
			[1]		
	(ii)	Name another metal which is also found 'native' in the Earth's crust.			
			[1]		
	(iii)	Give a reason why these metals are found 'native'.			

9

(d) A student sets up the apparatus as shown in Fig. 9.1.




Fig. 9.1

She observes the apparatus after one hour.

[2
L —
[1

BLANK PAGE

Eth	yne (acetylene), $\mathrm{C_2H_2}$, is used as a fuel when metals are welded together.			
Eth	yne b	ourns in oxygen to form carbon dioxide and water in an exothermic reaction.			
(a)	(i)	State what is meant by exothermic.			
		[1]			
	(ii)	Write a balanced equation for the burning of ethyne underneath the word equation.			
		ethyne + oxygen $ ightarrow$ carbon dioxide + water			
		[2]			
(b)	(i)	Name the harmful gas that is formed when ethyne burns in a limited supply of oxygen.			
		[1]			
	(ii)	Explain why this gas is harmful.			
		[1]			
(c)	Eth	yne is a member of a homologous series.			
	(i)	State one characteristic of a homologous series.			
		[1]			
	(ii)	Ethene, C ₂ H ₄ , and ethane, C ₂ H ₆ , are members of different homologous series.			
		Explain how ethene and ethane are different in terms of their bonding.			
		[2]			

10

11 A student draws the circuit diagram shown in Fig. 11.1.




Fig. 11.1

(a) He has drawn the wrong symbol for a fuse.

Draw the correct symbol for a fuse in the space below.

[1]

(b) The student constructs the circuit shown in his diagram.

He closes switch **S** and the reading on the ammeter is 3.2 A.

Calculate the resistance of the lamp. Give the unit.

resistance = unit [3]

(c) Fuses of the following ratings are available: 3A, 5A, and 13A.


State which fuse would be most suitable to use in the circuit shown in Fig. 11.1 and give an explanation for your choice.

fuse rating

explanation

_

- (d) The student adds an identical second lamp, in parallel with the original lamp.
 - (i) Complete Fig. 11.2 to show the two lamps connected in parallel in the circuit.



[1]

(ii)	When switch S in the second circuit is closed the fuse blows.
	Explain why the fuse blows.
	[2]

12 The graph in Fig. 12.1 shows the results from an experiment to measure the half life of a radioactive isotope.




Fig. 12.1

(a) Suggest why the points do not lie precisely on the drawn curve.

	•••••	
		[1]
(b)	(i)	Determine the initial activity of the sample.
		[1]
	(ii)	Use your graph to calculate the half life of the isotope. Show on your graph how you determined your answer.

(c)	Radioactive isotopes can be dangerous to health.			
	Give one precaution that should be taken when using radioactive isotopes.			
	[1			

DATA SHEET
The Periodic Table of the Elements

	0	4 He Helium	Neon Neon 10 At Argon 18 Argon 18	84 Krypton 36	Xeron S4 Xeron S4 Xeron S4 Xeron S6 Radon 86 Radon	175 Lutetium 71 260 Lr Lawrenclum 103				
	IIΛ		19 Fluorine 9 35.5 C1 Chlorine	80 Br Bromine	127 I lodine 53 210 At Astatine	Yb Yterbium 70 259 Nobelium 102				
	IN		16 Oxygen 8 32 S Sulfur	Selenium	128 Tellurium 52 209 Po Polonium 84	169 Thulium 69 258 Md Mendelevium 101				
	^		14 Nitrogen 7 31 P Phosphorus 15	75 AS As Arsenic 33	Sb Antimony 51 209 Bismuth 83	Erbium 68 257 Fm Fermium 100				
	ΛΙ		Carbon 6 Carbon 8 Silicon 14	73 Ge Germanium 32	SD TO	165 Holmium 67 252 Einsteinium 99				
	≡		11 B Boron 5 27 A Aluminium 13	70 Ga Gallium 31	115 Ln Indium 49 204 T1 T1 T1 R1	162 Dysprosium 66 251 Cfi Californium 98				
				65 Zn Zinc 30	Cadmium 48 201 Hg Mercury 80	159 Terbium 65 247 BR Berkelum 97				
				64 Copper 29	Ag Silver 47 197 Au Gold 79	Gd Gadolinium 84 247 Cm Curium 96				
Group				59 Nicke l 28	Palladium 46 Palladium 46 195 Pt	152 Europium 63 243 Amm				
Gr			1	59 Co Cobalt 27	103 Rhodium 45 192 Lr Iridium	Samarium 62 244 Putonium 94				
		T Hydrogen		56 Te Iron	101 Ruthenlum 44 190 OS Osmilum 76	Pm Promethium 61 237 Np Neptunium 93				
				Manganese 25	TC Technetium 43 186 Re Rhenium 75	144 Neodymium 60 238 C Uranium 92				
								Chromium 24	96 MOybdenum 42 184 W Tungsten 74	Praseodymium 59 231 Protactinium 91
				51 Vanadium 23	93 Nbblum 41 181 Ta Tantalum	Certum 58 232 24 Thorium 90				
				48 T Trtanium 22	2 Zirconium 40 178 Hafnium	mic mass abol ton) number				
				Scandium 21	89 Y Y Y Y YITHUM 39 Lanthanum 57 227 AC Actinum 89 †	noid series yid series a = relative atomic mass X = atomic symbol b = atomic (proton) number				
	=		Be Beryllium 4 24 Mg Magnesium 12	Calcium	Strontium Strontium Strontium 137 137 Ba Ba Ba Ba Bartum 56 Radium 88	* 58–71 Lanthanoid series † 90–103 Actinoid series a a relative ato Key X = atomic syr				
	_		7 Lithium 3 23 Na Sodium 11	39 R Potassium 19	Rubidium 37 133 CS CS CS CS Francium 57 78 84 84 84 84 84 84 84 84 84 84 84 84 84	* 58–71 † 90–10 Key				

The volume of one mole of any gas is 24dm³ at room temperature and pressure (r.t.p.).

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.