

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



PHYSICAL SCIENCE

0652/31

Paper 3 Theory (Core)

October/November 2021

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 20 pages. Any blank pages are indicated.

DC (KN/CB) 212507/3 © UCLES 2021

[Turn over

1	An aircraft travels a distance of 1000 m along a runway in a time of 25 s. It leaves the ground at
	1000 m and lifts into the air

(a) Calculate the average speed of the aircraft along the runwant

average speed = m/s [2]

(b) The speed—time graph for the aircraft is shown in Fig. 1.1.




Fig. 1.1

	Describe the motion of the aircraft along the runway.
	[2]
c)	The aircraft must travel at a speed of at least 70 m/s before it can leave the ground. This is a higher speed than the average speed given in the answer to (a).
	Explain why the aircraft leaves the ground at 1000 m along the runway and not before.
	[1]

(d) Choose words or phrases from the box to complete the sentences about the aircraft.

You may use each word or phrase once, more than once or not at all.

chemical		electrical	gravitational potential
	kinetic	strain	thermal

As	the	aircr	aft	accel	erates	along	the	runway	/, tł	he	engines	s co	nvert	the
						energy	in the	fuel to .						
ener	energy and energy.													
Whe	n t	he	aircr	aft	leaves	the	groui	nd ar	nd	gets	high	er,	it	gains
	energy. [4]													
													[To	tal: 9]

Chl	orine	is an element in Group VII of the Periodic Table.	
(a)	Stat	te the name of Group VII.	
			[1]
(b)	Stat	te the number of electrons in the outer shell of a Group VII element.	
			[1]
(c)	Nar	ne one element in Group VII which is a solid at room temperature.	
			[1]
(d)	Chl	orine reacts with sodium to form a soluble salt.	
	(i)	State the name and write the formula of this soluble salt.	
		name	
		formula	
			[2]
	(ii)	State the type of bonding in this salt.	
			[1]

2

- **(e)** Hydrogen chloride, HC*l*, is a compound of hydrogen and chlorine.
 - (i) Table 2.1 gives some information about hydrogen and chlorine.

Use the Periodic Table on page 20 to complete Table 2.1.

Table 2.1

element	relative atomic mass	atomic number
chlorine	35.5	
hydrogen		1

	(ii)	Chlorine-35 and chlorine-37 are isotopes of chlorine.	
		Explain why their nucleon numbers are different.	
			[1]
(f)	Cok	palt(II) chloride is used to test for water.	
	Sta	te the colour of cobalt(II) chloride in the presence of water.	
			[1]
		[Total:	10]

[2]

3 A circuit diagram for the headlamps in a car is shown in Fig. 3.1.




Fig. 3.1

			гі	g. 3. i			
(a)	Sta	te one advantage of co	nnecting the	lamps in para	ıllel.		
						[1]
(b)	Eac	h lamp contains a wire	which gets ve	ery hot and g	lows brightly wher	n the switch is closed	
	Nar	ne two types of electron	magnetic radi	iation emitted	by the wire.		
	1						
	2					[2	2]
(c)	(i)	When the potential diff	erence acros	s one of the	lamps is 12V, its r	esistance is 2.4Ω .	
		Calculate the current i	n the lamp.				
				current =		A [2	2]
	(ii)	Complete the following	g sentence us	sing one of th	ese phrases.		
		more than	the	same as	less than		
		The current in the fuse	is		the current i	n one of the lamps. [1]
	(iii)	Draw a ring around a	suitable fuse	e rating.			
		2.6 \(\text{S}	2 10 W	12 V	15A	[1	1]

A fault in the circuit makes a large current flow.	(d)
Describe how the fuse protects the circuit.	
[2	
[Total: 9	

BLANK PAGE

Iron	ı is a	transition metal.	
(a)	Sug	ggest the colour of an ore containing iron oxide.	
			[1]
(b)	Iror	is extracted from its ore by reduction in a blast furnace.	
	Exp	plain what is meant by reduction.	
			[1]
(c)	Car	bon monoxide is also produced in a blast furnace.	
	(i)	State why carbon monoxide is a dangerous substance.	
			[1]
	(ii)	Carbon monoxide reacts with another element to produce carbon dioxide.	
		Write the word equation for this reaction and write the formula of the product.	
		word equation	
		formula of product	
	•		[2]
(d)	Sta	te one effect of releasing large quantities of carbon dioxide into the Earth's atmosphere	€.
		[Total	: 6]

4

_						•	
5	Α	student	has	some	sheets	ΩŤ	card

(a) The total thickness of 50 sheets is 4.8 cm.

Calculate the thickness of one sheet of card.

thickness of one sheet of card = cm [2]

(b) The student cuts a sheet of card into the shape of a bird.

Describe a method for finding the centre of mass.

The bird hangs upright when he attaches a piece of string to a hole above the centre of mass, as shown in Fig. 5.1.




Fig. 5.1

You may dra	w on Fig. 5.1	to help with	your descript	ion.		

(c) The student cuts a different bird shape from the card.

The new bird only hangs upright when a weight of 0.15N is attached 20 cm from the hole, as shown in Fig. 5.2.




Fig. 5.2

Calculate the moment of the 0.15N weight. State the unit.

	mo	oment =	unit	[3]
(d)) Explain what is meant by the moment of a fo	orce about a point.		
				[1]
			[Total	: 9]

6 Table 6.1 describes the particles in a solid.

Table 6.1

	solid	gas
arrangement	regular	
separation	close together	
movement	vibration	

(a)	Complete	Table 6.1	to describe	the particles	in a gas.	

(b) Water can exist as a solid, a liquid or a gas.

Name the solid state and the gas state of water.

solid state	
gas state .	

[2]

(c) Complete Fig. 6.1 by drawing a dot and cross diagram to show the outer electrons in a molecule of water.




Fig. 6.1

[2]

[3]

- (d) Water is made safe to drink in two stages:
 - (i) On Fig. 6.2, name the process in stage 1.




Fig. 6.2

(ii) State why chlorine is added to water to make it safe to drink.

.....[1]

[Total: 9]

[1]

7 A student tests five rods. Each rod is made from a different material.

In the first test he places each rod in an electric circuit and records the brightness of a lamp.

In the second test he places each rod in the core of an electromagnet and records the number of paperclips held by the rod.

In the third test he switches off the electromagnet and records how many paperclips continue to be held by the rod.

The five different rods are made from aluminium, carbon, iron, plastic and steel.

(a) Complete Table 7.1.

Table 7.1

rod material	brightness of lamp	electromagnet on : number of paperclips held	electromagnet off : number of paperclips held
	bright	0	0
	bright	8	7
	bright	8	0
carbon	bright		
	off	0	0

[4]

(b) Fig. 7.1 shows a rod that is permanently magnetised.

Part of four magnetic field lines have been drawn.

Complete the diagram to show the shape of the four field lines.

Draw an arrow on each line to show the direction of the field.




Fig. 7.1

[2]

[Total: 6]

8 Fig. 8.1 shows some of the fractions obtained by the fractional distillation of petroleum.

The different fractions can be separated because they boil at different temperatures.




Fig. 8.1

(a)	(i)	Fraction A boils at the	lowest tempe	erature.			
		Name fraction A.					
							[1]
	(ii)	Name the fraction use	ed to make roa	ad surfaces.			
							[1]
(b)	Ехр	lain how the diagram s	hows that bitu	umen boils at	the highest te	mperature.	
							[1]
(c)	The	compounds present ir	n petroleum ar	e hydrocarbo	ns.		
	Dra	w (rings) around the syr	mbols of the e	elements foun	d in all hydrod	arbons.	[2]
		С	Н	N	0	S	

(d)	Ethe	ene is a compound obtained from fractions of petroleum in a process called cracking.
	Ethe	ene is an alkene. It has a double bond between carbon atoms.
	(i)	State the word used to describe compounds like alkenes which have double bonds between carbon atoms.
		[1]
	(ii)	Explain why ethene is important in the manufacture of poly(ethene).
		[1]

(iii) Fig. 8.2 shows the structure of another compound, methane.



Fig. 8.2

Complete Fig. 8.3 in a similar way to show the structure of ethene.

C C

Fig. 8.3

[2]

[Total: 9]

9 Fig. 9.1 shows a glass block. One side of the block is a mirror.

Part of a ray of light **R** is shown inside the glass block.




Fig. 9.1

- (a) The ray is incident on the side which is a mirror.
 - (i) Draw the path of the ray **after** it meets the side which is a mirror. [1]
 - (ii) Draw the ray extended backwards to show its path **before** it enters the glass block. [2]
- (b) Name the process
 - at surface A
 - at surface B

[2]

(c) Two objects are placed in front of a plane mirror, as shown in Fig. 9.2.

On Fig. 9.2 draw the images formed by the mirror of each object.




Fig. 9.2

[2]

[Total: 7]

Eth	anol,	C ₂ H ₅ OH, is used as a fuel.	
(a)	Nar	me the element in air which reacts with ethanol when it burns.	
			[1]
(b)		te the word used to describe the type of reaction that releases heat (thermal) energy.	
(c)		ogen is the main component of air.	[1]
	(i)	State the percentage of nitrogen in air.	
			[1]
	(ii)	Nitrogen is a diatomic gas.	
		Write the formula of a molecule of nitrogen.	
			[1]
(d)	Eth	anol can be made from sugar.	
	The	enzymes in yeast act as a catalyst in the breakdown of sugar.	
	(i)	Name the process used to produce ethanol from sugar.	
			[1]
	(ii)	State the effect of using a catalyst on the rate of ethanol production.	
		[Total	l: 6]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

10

The Periodic Table of Elements

-		_			_			_			_			_			_			_			_
		IIIA	² He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	×e	xenon 131	98	R	radon				
		IIA			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	At	astatine -				
		N			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ро	polonium –	116	^	livermorium	ı
		>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>B</u>	bismuth 209				
		>			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ъ	lead 207	114	Fl	flerovium	1
		Ш			2	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204				
											30	Zu	zinc 65	48	ပ္ပ	cadmium 112	80	Нg	mercury 201	112	C	copernicium	ı
											29	Cn	copper 64	47	Ag	silver 108	6/	Au	gold 197	111	Rg	roentgenium	ı
	Group										28	Ë	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium	ı
5	Ď				1						27	ဝိ	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	Ħ	meitnerium	ı
)) :			⊤I	hydrogen 1							26	Fe	iron 56	4	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium	ı
											25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	pohrium	ı
						pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium	1
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	д	tantalum 181	105	Вb	dubnium	ı
						atc	ne se				22	i=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿆	rutherfordium	ı
											21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids		
		=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	99	Ba	barium 137	88	Ra	radium	ı
		_			3	:-	lithium 7	#	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	22	S	caesium 133	87	ቷ	francium	ı
_																							

Lu	lutetium	103	lawrencium
Lu	175	L r	-
op Q			
e9	thulium	101	mendelevium
Tm	169	Md	-
.88	erbium	100	fermium
F	167	Fm	-
67	holmium	96	einsteinium
Ho	165	Es	–
66	dysprosium	98	californium
Dy	163	Cf	_
65	terbium	97	berkelium
Tb	159	Bk	-
64	gadolinium	e	curium
Gd	157	Cm	
e3	europium	95	americium
Eu	152	Am	-
Sm	samarium 150	94 Pu	plutonium
Pm	promethium	88	neptunium
	-	88	-
909	neodymium	92	uranium
09	144	U	238
59	praseodymium	91	protactinium
Pr	141	G	231
Çe	cerium	%	thorium
Ce	140	Th	232
57	lanthanum	89	actinium
La	139	Ac	_

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).