

### UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

www.PapaCambridge.com

*	
N	
0)	
IJ	
IJ	
4	
J	
J	
J	
ω	
N	

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	

0625/51 **PHYSICS** 

Paper 5 Practical Test October/November 2013

1 hour 15 minutes

Candidates answer on the Question Paper.

As listed in the Confidential Instructions. Additional Materials:

#### READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of the page.

Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

DC (LEG/SW) 65805/7

© UCLES 2013

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
Total	

This document consists of 9 printed pages and 3 blank pages.




[Turn over

Tapacan,

1 In this experiment, you will investigate the stretching of a spring.

Carry out the following instructions, referring to Fig. 1.1 and Fig. 1.2. Do **not** move the larg load that is on the bench. At the start of the experiment, the spring should not be attached to the forcemeter.



(a) (i) Measure the **unstretched** length  $l_0$  of the spring, in mm.

$$l_0 = \dots mm$$

- (ii) On Fig. 1.1, mark clearly the distance you have measured.
- (iii) Attach the spring to the forcemeter, as shown in Fig. 1.2. The load must remain on the bench.
- (iv) Gently raise the forcemeter until it reads 1.0 N. Clamp the forcemeter in this position.

Record the forcemeter reading F in Table 1.1. Measure, and record in the table, the new length l of the spring.

(v) Calculate the extension e of the spring using the equation  $e = (l - l_0)$ . Record the value of e in the table.


(vi) Repeat steps (iv) and (v) using forcemeter readings of 2.0 N, 3.0 N, 4.0 N and Record all the readings and results in the table.

Table 1.1

F/N	l/mm	e/mm

[4]

**(b)** Plot a graph of e/mm (y-axis) against F/N (x-axis).



[4]

(c) Determine the gradient G of the graph. Show clearly on the graph how you obtained the necessary information.

 $G = \dots [2]$ 

[Total: 10]

[Turn over

Carry out the following instructions, referring to Figs. 2.1, 2.2 and 2.3.




Fig. 2.1





Fig. 2.2






Fig. 2.3

Place the thermometer in the beaker of hot water, as shown in Fig. 2.1.

(a) (i) When the thermometer reading stops rising, record the temperature  $\theta_{\rm H}$  of the hot water.

$$\theta_{\mathsf{H}}$$
 = .....[1]

- (ii) Quickly move the thermometer until the thermometer bulb is in position **A**, just above the beaker, as shown in Fig. 2.2. Immediately start the stopclock.
- (iii) After 30 s, measure the temperature  $\theta$  shown on the thermometer. Record the time t = 30 s and the temperature reading in Table 2.1.
- (iv) Continue recording the time and temperature readings every 30 s until you have six sets of readings.

	5 Table 2.1		MMM. Papa Camb
	Position <b>A</b>	Position <b>B</b>	
t/	$\theta$ /	$\theta$ /	]
			-
			[5]

(b)	Complete	the column	headings i	n the table.
-----	----------	------------	------------	--------------

(c)	Replace the	thermometer	in the	beaker	of hot	water.	When	the	thermometer	reading
	stops rising,	record the ten	nperatu	$\text{Ire } \theta_{H}.$						

$$\theta_{\mathsf{H}} =$$
 .....[1]

- (d) (i) Quickly move the thermometer at least 10 cm away from the beaker to position B, as shown in Fig. 2.3. Immediately start the stopclock.
  - (ii) After 30s, measure the temperature  $\theta$  shown on the thermometer. Record the temperature reading in Table 2.1.
  - (iii) Continue recording the temperature every 30s until you have six readings.

(e)	describe briefly a precaution that you took in order to make the temperature readings reliable.

(f) A scientist is using this experiment as part of research into convection currents of air above hot water.

Suggest two conditions that should be kept constant when this experiment is repeated.

1	 	 	

[2]

[Total: 10]

3 In this experiment, you will investigate the power of lamps in a circuit.

Carry out the following instructions, referring to Fig. 3.1.




Fig. 3.1

(a)	(i)	1.	Switch on. Measure and record the potential difference $V_1$ across lamp 1 and
			the current <i>I</i> in the circuit. Switch off.

<i>V</i> <sub>1</sub> =	 	 	
I =	 	 	[2]

Calculate the power  $P_1$  of lamp 1 using the equation  $P_1 = IV_1$ .

$$P_1 = \dots [1]$$

Disconnect the voltmeter and reconnect it to measure the potential difference (ii)  $V_2$  across lamp 2. Switch on to take the reading and then switch off.

Calculate the power  $P_2$  of lamp 2 using the equation  $P_2 = IV_2$ .

Disconnect the voltmeter and reconnect it to measure the potential difference (iii)  ${\it V}_{\rm 3}$  across lamp 3. Switch on to take the reading and then switch off.

Calculate the power  $P_3$  of lamp 3 using the equation  $P_3 = IV_3$ .

$$P_3 = \dots$$
 [1]

www.PapaCambridge.com

	(iv)	1.	Disconnect the voltmeter. Reconnect the voltmeter to measure the positive difference $V$ across all three lamps. Switch on to take the reading and switch off. $V = \dots$ Calculate the total power $P_{T}$ of the three lamps using the equation $P_{T} = IV$ .
			V =
		2.	Calculate the total power $P_T$ of the three lamps using the equation $P_T = IV$ .
			P <sub>T</sub> =[1]
(b)	A s	tude	ant suggests that $P_{\rm T}$ should be equal to $P_1 + P_2 + P_3$ .
			hether your results support this suggestion and justify your answer by reference esults.
	stat	teme	ent
	just	ificat	tion
			[1]
(c)	(i)	Dra	aw a circuit diagram, similar to that in Fig. 3.1, to show
		• • •	a variable resistor in series with the power supply, the three lamps in parallel with each other between <b>X</b> and <b>Y</b> , the voltmeter connected to measure the potential difference across the lamps. e standard symbols. You are not asked to set up this circuit.
			[2]
	(ii)	Sta	ate the purpose of the variable resistor in this circuit.
		••••	[1]
		••••	[1]

[Total: 10]

4 In this experiment, you will determine the focal length of a converging lens.

Carry out the following instructions, referring to Fig. 4.1.




Fig. 4.1

- (a) Place the lens a distance  $u = 30.0 \,\mathrm{cm}$  from the illuminated object. Move the screen until a sharply focused image of the object is seen on the screen.
  - Measure the distance  $\nu$  between the centre of the lens and the screen.

$$V = \dots [1]$$

(ii) Calculate uv.

(iii) Calculate (u + v).

$$(u+v) = \dots [1]$$

(iv) Calculate the focal length f of the lens using the equation  $f = \frac{uv}{(u+v)}$ .

$$f = \dots [1]$$

(b)	Rep	beat the steps in (a) using $u = 40.0 \mathrm{cm}$ .
		V =
		uv =
		<i>u</i> + <i>v</i> =
		f =[2]
(c)	(i)	Check that $u=40.0\mathrm{cm}$ . Carefully move the screen backwards and forwards to obtain the range of $v$ values for which the image is well focused.
		range of <i>v</i> values = to [1]
	(ii)	From your results in parts (a) and (b), calculate an average value $f_{\rm AV}$ for the focal length of the lens, giving your answer to a suitable number of significant figures for this experiment.
		$f_{AV} = \dots [2]$
	(iii)	State two precautions that you could take in this experiment to obtain reliable results.
		1

[Total: 10]

[2]

## **BLANK PAGE**

www.PapaCambridge.com

# **BLANK PAGE**

www.PapaCambridge.com

12

#### **BLANK PAGE**

www.PapaCambridge.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.