Name

www.PapaCambridge.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

COMBINED SCIENCE

0653/02

Paper 2

October/November 2004

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a soft pencil for any diagrams, graphs, tables or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

The number of marks is given in brackets [] at the end of each question or part question. A copy of the Periodic Table is printed on page 20.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	

(a) Blood contains red cells, white cells and platelets.

(ii) What is the function of platelets?

	Way.	
	2 For Examiner's	
Blo	od contains red cells, white cells and platelets.	
(i)	Describe how you can recognise red blood cells, apart from their colour, if you a looking at a blood sample using a microscope.	
	[1]	

.....[1]

(b) Fig. 1.1 is an outline of the human double circulatory system.




Fig. 1.1

(i)	On the diagram,	
	write the letter O where the blood becomes oxygenated;	
	write the letter A on a vein which carries deoxygenated blood.	[2]
(ii)	The oxygenated blood goes back to the heart before it travels to the other parts the body. Suggest why this is an advantage to the body.	of
		.[2]

(iii)	People who smoke cigarettes take carbon monoxide into their lungs. The monoxide diffuses into their blood and combines with haemoglobin inside the blood cells.	5
	Explain why this can be harmful to a person's health.	4
	[2]	

Petroleum (crude oil) is processed to make a very large number of important product. Table 2.1 shows information about some of the fractions obtained from petroleum during process of fractional distillation.

Table 2.1

fraction	boiling range /°C	number of carbon atoms per molecule
petroleum gas	less than 20	1 to 4
gasoline	70 to 120	5 to 10
kerosene	120 to 170	10 to 16

(a) One of the compounds in petroleum gas is methane. The displayed formula of methane is shown below.

(1)	State the number of chemical bonds shown in the formula of methane.
	[1]
(ii)	Which type of chemical bonding is found in methane?
	[1]
(iii)	Using methane as an example, describe one difference between an atom and a molecule.
	[1]

(b) The formula of another compound found in petroleum is shown in Fig. 2.1.




Fig. 2.1

	(i)	Name the fraction in Table 2.1 in which this molecule is most likely to be found.
		[1]
	(ii)	Suggest one important use of the compound made of molecules like the one shown in Fig. 2.1.
		[1]
(c)	can	ne of the compounds in petroleum are processed into different compounds which then be converted into polymers. Polymers are used to make articles such as tic bottles for drinks.
	(i)	What name is given to small molecules which react to produce polymers?
		[1]
	(ii)	Suggest one advantage of using plastic rather than glass bottles for holding drinks.
		[1]
	(iii)	One method of disposing of unwanted plastic bottles is to burn them. A scientist studied the gases produced when a plastic bottle underwent complete combustion. She found that the only products of combustion were carbon dioxide and water.
		Suggest which two elements were combined in the polymer molecules in the plastic bottles.
		Explain your answer.
		elements
		explanation
		[3]

www.PapaCambridge.com (a) A solid is made up of particles. In Fig. 3.1 one particle has been drawn. Draw 3 more particles to show the arrangement of particles in a solid.




Fig. 3.1

[2]

(b) Fig. 3.2 shows a block of solid copper.




Fig. 3.2

The block has a mass of 212 g.

Calculate the density of the block using this formula.

density =
$$\frac{\text{mass}}{\text{volume}}$$

Show your working and state the units of your answer.

.....[3]

(c)	The block has a weight of 2.12 N and it is raised vertically by 3 m.	Co
	Calculate the work done when raising this block.	
	Show your working and state the formula that you use.	
	formula used	
	working	
	Working	
	J	[2]
(d)	After the block is raised, it has gained energy. Which form of energy is gained?	
		[

4 Fig. 4.1 shows an insect-pollinated flower.




Fig. 4.1

Give the letter of the part of the	flower which	
attracts insects to the flower;		
contains the female gametes.		[2]
Describe how this flower could be	pe pollinated.	
		.[3]
	attracts insects to the flower; contains the female gametes. Describe how this flower could be	Give the letter of the part of the flower which attracts insects to the flower;

(c) Apple trees are grown for their fruit. They have insect-pollinated flowers. Farmer place hives of honey bees near the trees when the trees are flowering.

www.PapaCambridge.com Table 4.1 shows the yield of apples from a tree where a hive was placed nearby, and also from a similar tree where this was not done.

Table 4.1

tree	fruit yield/kg
hive placed nearby	23
no hive placed nearby	3

	Suggest an explanation for these results.	
		.[3]
(d)	Describe how you could test an apple for the presence of reducing sugars.	
		[2]

[2]

The full chemical symbol for the element magnesium is shown below. 5

 $^{24}_{12}Mg$

www.PapaCambridge.com Draw a diagram of one atom of magnesium showing how all of the electrons are (a) (i)

(ii)	Using the Periodic Table on page 20, name the element whose atoms have fewer protons than a magnesium atom.	two
		.[1]
(iii)	Is the element you have named in (ii) reactive or unreactive?	
	Explain your answer.	
		[1]

44			
2. D		For	'e
WWW. Papa	5	Use	3
	TO	2	
		OG.	1
			OM

(b) The list below shows some metals arranged in order of their reactivity. The element carbon has also been included.

sodium (most reactive)
calcium
magnesium
aluminium
carbon
lead
copper (least reactive)

A student investigates redox reactions between carbon and the oxides of some of the metals in the list. The experiments he carries out are shown in Fig. 5.1.




Fig. 5.1

State two mixtures shown in Fig. 5.1 in which the metal oxide will be reduced.

		[1]
(c)	The	metal oxides in (b) are ionic compounds.
	(i)	Describe, in terms of electrons, the difference between a sodium atom and a sodium ion.
		[1]
	(ii)	Explain why the sodium ions and the oxide ions in sodium oxide bond together.

(iii) Write a word equation for the reaction in which sodium oxide is formed from sodium.

[1]

.....[2]

6 (a) A Geiger counter is used to investigate a radioactive source.

The Geiger counter is clamped in position and the count rate measured.




Fig. 6.1

The radioactive source is clamped facing the Geiger counter as shown in Fig. 6.1, and the count rate is measured again.

The count rate is measured twice more, once with a sheet of paper placed between **X** and **Y** and then with a 4 mm thick sheet of aluminium placed between **X** and **Y**.

The results are shown in Table 6.1.

Table 6.1

experiment		counts per minute
1	with no source present	12
2	with source only as shown in Fig. 6.1	196
3	with source and sheet of paper placed between X and Y	72
4	with source and a 4 mm thick sheet of aluminium placed between X and Y	72

(i)	Explain why the Geiger counter gave a reading when no source was present.	
		[1]
(ii)	Calculate the count rate due to the source.	
	counts per minute	 [1]

	4	
	The count rate calculated in (ii) is not the total radioactivity emitted by the Explain this statement.	1
(iii)	The count rate calculated in (ii) is not the total radioactivity emitted by the	Co
	Explain this statement.	3
		[1]
(iv)	In experiment 3, some of the radiation emitted by the source was stopped by the sheet of paper.	he
	Suggest the type of radiation that was stopped.	
		[1]
(v)	Name the other type of radiation that is emitted by the source.	
	Explain your answer.	
		[2]
(vi)	State one precaution needed when handling radioactive materials.	
		[1]
b) An	atom of radon-220 decays by emitting an alpha particle.	
(i)	What is an alpha particle?	
		[1]
(ii)	State two properties of an alpha particle.	
	1	
	2	[2]
c) En	ergy can be released from atoms during both nuclear fission and nuclear fusion.	-
•	scribe what happens to the nuclei of atoms during	
(i)	nuclear fission,	[1]
(ii)	nuclear fusion.	
(11)	nucleal fusion.	
		[ו]

	For
	Examiner's
٩	11

[2]

- Fig trees grow in tropical rainforests. Fig trees provide food for monkeys and birds toucans. These animals may be eaten by eagles.
- www.PapaCambridge.com (a) (i) Construct a food web showing the feeding relationships between these four organisms.

	(ii)	What term is used to describe all the organisms in this food web, other than the fitrees?	g
		[1	1]
(b)	Pho	otosynthesis takes place in the leaves of the fig trees.	
		carbon dioxide + water \rightarrow glucose + oxygen	
	Ехр	lain how photosynthesis transfers energy from sunlight into chemical energy.	
		[2	2]
(c)	Des	scribe the role of decomposers in an ecosystem such as a tropical rainforest.	
		[2	2]
(d)		pical rainforests in many parts of the world are being destroyed by logging. Give tw eesons why the conservation of tropical rainforests is important.	0
			21

www.PapaCambridge.com (a) A student used the apparatus shown in Fig. 8.1 to study the reaction between 8 hydrochloric acid and copper carbonate.




Fig. 8.1

(b)

(c)

(i)	State and explain what is observed in the test-tube containing limewater.
	[2]
(ii)	Name the salt produced when dilute hydrochloric acid reacts with copper carbonate.
	[1]
The	equation below shows what happens when copper carbonate is heated.
	$CuCO_3 \to CuO + CO_2$
	Yee describes this reaction as combustion but her friend Aysha says this is incorrect that the reaction is an example of thermal decomposition.
Ехр	lain which student is correct.
	[2]
Mar	ny carbonates, such as calcium carbonate and sodium carbonate, are white solids.
Sug	gest whether or not copper carbonate is also likely to be a white solid.
Ехр	lain your answer briefly.

www.PapaCambridge.com (a) An experiment is carried out to find out which of two teapots emits more 9 radiation. Teapot X is black and dull. Teapot Y is silvery and shiny. The two teapots otherwise identical.

Fig. 9.1 shows teapot Y.



Fig. 9.1

Both teapots are filled with the same amount of boiling water.

	(i)	State two ways, other than by emitting infra-red radiation, by which energy is lost from both teapots.
		1
		2[2]
	(ii)	The water in teapot Y cools more slowly than the water in teapot X .
		Explain why this happens.
		[1]
	(iii)	A cover made of wool or other material is often placed over a teapot to help to keep the contents hot for longer.
		Explain one way by which the cover slows down the rate of cooling of a pot of hot water.
		[2]
b)		a-red radiation and visible light are two regions of the electromagnetic spectrum. me one other region of the electromagnetic spectrum and state a use for it.
	reg	ion
	1100	121

17 BLANK PAGE www.PapaCambridge.com

18

BLANK PAGE

www.PapaCambridge.com

19

BLANK PAGE

www.PapaCambridge.com

EET f the		Elements
DATA SHI The Periodic Table o	DATA SHEET	Periodic Table of

48 51 Titamium Vanadium 22 Sr Nb 22 33 34 40 178 181 Hf Tanalum 140 Cerium 58 ymbol Thorium 178 178 140 Cerium 58 Ymbol Thorium 178 178 140 Cerium 188 140 Cerium 140								Group	dno									
1	_	=										≡	≥	>	5		0	
11 12 14 15 15 15 15 15 15 15							T Hydrogen											
Tile	4	9 Be																
Tile		24 Mg agnesium										27 A1 Aluminium 13	28 Si Silicon	31 Phosphorus	32 S Sulphur	35.5 C Chlorine		
Zr Nbb Modernam TC Run Rhodium Rhodium TC Run Rhodium Apg CCd In SD SD SD TT SD TT SD TT SD TT SD <	8	40 Ca salcium 2′	52	8	Chromium	Mn Manganese		59 Co Cobalt 27	59 Nicke l 28	64 Copper	65 Zn Zinc	70 Ga Gallium 31	73 Ge Germanium 32	75 AS Arsenic	Selenium	80 Br Bromine	84 Kr ypton 36	2
H	88	Sr rontium	4	4	96 Mo Molybdenum 42	Tc Technetium	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46		112 Cd Cadmium 48	115 In Indium 49		122 Sb Antimony 51	128 Te Tellurium	127 I lodine	131 Xe Xenon 54	20
140	26	137 Ba Barium 5	* 72	22	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir	195 Pt Platinum 78		201 Hg Mercury 80	204 T1 Thallium 81		209 Bi smuth 83	Po Polonium 84	At Astatine 85	Radon 86	I
Ce Pr Nd Pm Sametium Europium Gadolinium Terbium Dysprosium Holmium Erbium Ferbium Ferbium <td>88</td> <td>226 Ra sadium 89</td> <td></td> <td>ı</td>	88	226 Ra sadium 89																ı
a a = relative atomic mass 232 238 Np Pu Am Cm BK Cf Es Fm Fm Institution Protectinium Neptunium Putonium Putonium <t< td=""><td>71 Lantl 103 Act</td><td>hanoid ser inoid serie</td><td>ies ss</td><td>140 Ce Cerium</td><td>Pr Praseodymium 59</td><td>Neodymium 60</td><td>Pm omethium</td><td>Sm Samarium 62</td><td>152 Eu Europium 63</td><td>157 Gd Gadolinium 64</td><td>159 Tb Terbium 65</td><td>162 Dy Dysprosium 66</td><td>165 Ho Holmium 67</td><td>167 Er Erbium 68</td><td>169 Tm Thullum 69</td><td>173 Yb Ytterbium 70</td><td>175 Lu Lutetium 71</td><td></td></t<>	71 Lantl 103 Act	hanoid ser inoid serie	ies ss	140 Ce Cerium	Pr Praseodymium 59	Neodymium 60	Pm omethium	Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thullum 69	173 Yb Ytterbium 70	175 Lu Lutetium 71	
		a = rela: X = ator b = prote	tive atomic mass nic symbol on (atomic) numbe)6	Pa Protactinium 91	238 C Uranium			Am Americium 95	Cm Curium 96	BK Berkelium 97	Cf Californium 98	Ensteinium 99	Fm Fermium 100	Md Mendelevium 101	Nobelium	Lr Lawy 10°	· Par

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).