



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

www.PapaCambridge.com

1 hour 15 minutes

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		
COMBINED SO	CIENCE		0653/22	
Paper 2 (Core)		October/Noveml	nber 2013	

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 19 printed pages and 1 blank page.



Aductivity For iner's

1 (a) Fig. 1.1 shows apparatus that can be used to test the electrical conductivity materials contained in the beakers **Q**, **R** and **S**.






Fig. 1.1

(i) The contents of beakers **Q** and **S** are tested for electrical conductivity by lowering the electrodes into the beakers.

Predict and explain the results.

beaker Q	
prediction	
explanation	
beaker S	
prediction	
explanation	[3]

A layer of an orange solid appears on the surface of the negative electrode.

Name the gas that forms and the substance in the orange layer.

gas	
orange layer	[2]

(iii) State the name of the process described in (ii).

(b) Fig. 1.2 shows names and molecular structure diagrams of some compounds containing carbon.

Draw straight lines to match the structures with names. One line has been drawn as an example.




Fig. 1.2

[2]

(c) Fig. 1.3 shows the structure of one molecule of a type of compound called (chlorofluorocarbon).

Fig. 1.3

(i)	State the chemical formula of the molecule whose structure is shown in Fig. 1.3.						
		[1]					
(ii)	Explain whether or not the molecule in Fig. 1.3 is an example of a hydrocarbon.						
		[1]					

[4]

2 (a) Use the words or phrases below to complete the sentences.

				The state of the s	
		5		MAN, Day	
Use the words o	r phrases below to o	complete the senter	nces.	TO THE POST OF THE	or iner's
amplitudes	frequencies	slows down	speed	speeds up	
Each word or ph	rase can be used o	nce, more than onc	e, or not at all.		COM
(i) Light		when it travels	from air to gla	98	

(i)	Light	 when it travels	from air to	glass.

- (ii) In the electromagnetic spectrum, the waves are arranged in order of
- (iii) 20 Hz to 20 000 Hz is the approximate human range of audible
- (iv) The _____ of sound waves determines the loudness of the sounds.

(b) Fig. 2.1 shows a demonstration of sound transmission using a bell jar.





Fig. 2.1

As the air is removed from the bell jar, the ringing sound from inside the bell jar gets quieter. When all the air has been removed, the bell cannot be heard.

Explain these observations.	
	[3]

3 (a) Fig. 3.1 shows cross-sections of a root and a stem.






Fig. 3.1

- (i) On Fig. 3.1, use label lines to indicate the positions of the xylem and phloem on the diagram of the stem. [2]
- (ii) Describe the functions of xylem and phloem.

xylem	
phloem	
	•••

[4]

(b) The roots of most plants have root hairs near their tips.

www.PapaCambridge.com Researchers grew two types of plants, A and B, in soil with different concentrations phosphate ions. They measured the mean number of root hairs in a small area of the roots, and also the mean length of the root hairs.


Table 3.1 shows their results.

Table 3.1

type of plant	phosphate concentration	mean number of root hairs per unit area	mean length of root hairs/micrometres
۸	low	1.26	175
A	high	1.70	149
В	low	1.41	225
В	high	1.85	52

(1)	root hairs in type A plants.
	1
	2
	[2]
<i>(</i> 11)	
(ii)	Compare the effect of adding phosphate ions to the soil for type A plants and for type B plants.
	[2]
(iii)	Explain why a reduction in the length of its root hairs could reduce the rate of growth of a plant.
	[3]

- Sodium hydrogencarbonate, NaHCO₃, is a white solid compound which is soluble in
- www.PapaCambridge.com (a) A student adds some sodium hydrogencarbonate to a beaker which containes aqueous solution of full range indicator (Universal Indicator).



When the sodium hydrogencarbonate dissolves, the solution changes colour from green to blue.

(i)	State and explain briefly how the pH of the mixture changes when the sodium hydrogencarbonate dissolves.
	ro.
	[2]
(ii)	The student then adds excess dilute hydrochloric acid to the blue solution.
	Apart from an increase in volume, state two observations that are made when the acid is added.
	1
	2
	[2]

(b) Fig. 4.1 shows apparatus a teacher uses to demonstrate the heating of hydrogencarbonate.




Fig. 4.1

The solid is heated strongly for a few minutes.


- The cobalt chloride paper changes colour from blue to pink.
- A gas bubbles out through the limewater, turning it cloudy.

After the reaction, a white solid, sodium carbonate, remains in the large test-tube.

i)	Explain produce	d.					dioxide	
			 					[2]

(ii) A student places a piece of paper into a solution of sodium hydrogencarbon.

www.PapaCambridge.com She removes the paper and allows it to dry. She notices that crystals of soil sodium hydrogencarbonate are left on the paper.



The student found that it is now difficult to set fire to the paper.

	[2]
Use the results of the experiment in Fig. 4.1 to difficult to get the paper to burn.	o suggest why the student finds i

5 (a) Fig. 5.1 shows a bicycle with two lights **A** and **B** at the front.




Fig. 5.1

Fig. 5.2 shows the circuit used to power the two lights.




Fig. 5.2

(i) State the name given to this type of circuit arrangement.

[1]

(ii) To calculate the resistance of light **A**, the current flowing through it and the voltage across it must be measured.

On Fig. 5.2, using the correct symbols, draw an ammeter and a voltmeter correctly connected to make these measurements. [4]

© UCLES 2013 [Turn over

www.PapaCambridge.com

((iii)	The resistance of light ${\bf A}$ in the circuit is 5Ω and the resistance of light ${\bf B}$ is 1. Calculate the combined resistance of the two lights.	S. C.
		Calculate the combined resistance of the two lights.	3
		State the formula that you use and show your working.	•
		formula	
		working	
		Ω [2]
(b)	The 300	e bicycle was made from a block of aluminium alloy of mass $9000\mathrm{g}$ and volume $100\mathrm{cm}^3$.	Э
	Cal	culate the density of aluminium in g/cm³.	
	Sta	te the formula that you use and show your working.	
		formula	
		working	
		g/cm ³ [2]
(c)	The	e bicycle is ridden by a cyclist. The cyclist is cooled by sweating.	
	Exp	plain, in terms of particles, how sweating cools his body.	
			••
	•••••		1

6 Fig. 6.1 shows the male reproductive system.




Fig. 6.1

(a)	Nar	ne the parts labelled A , B and C .
	Α.	
	В.	
	С.	[3]
(b)		infection may block the tube labelled B . If the tube on the other side is also blocked, man may be unable to have children.
	Exp	olain why.
		[2]
(c)	HIV	/AIDS is a disease that can be passed on by sexual intercourse.
	(i)	What does HIV stand for?
		[1]
	(ii)	State one way in which a man with HIV/AIDS can avoid passing it to another person.
		[1]

www.PapaCambridge.com

7 (a) The elements chlorine, bromine and iodine are found in Group 7 of the Periodic

[1]

www.PapaCambridge.com (i) Complete Table 7.1 by writing the physical state (solid, liquid or gas) at room temperature (20 °C) of the elements.

Table 7.1

element	physical state
bromine	
iodine	

(ii)	Explain why an iodine atom is larger and heavier than a bromine atom.
	[2]
(iii)	An aqueous solution containing chlorine is added to a colourless solution of potassium iodide.
	chlorine solution colourless solution of potassium iodide
	Describe and explain briefly what is observed in this reaction.
	observation
	explanation

my	
15	
Explain why a dilute solution of chlorine is usually added to drinking water before supplied to homes.	For iner's
	Se. CON
	13
Helium is a gas found in Group 0 of the Periodic Table.	
Some helium is added to a flask containing chlorine and left for a few days.	
Predict and explain whether the flask now contains a mixture of the two elements or a compound.	
	Explain why a dilute solution of chlorine is usually added to drinking water before supplied to homes. [2] Helium is a gas found in Group 0 of the Periodic Table. Some helium is added to a flask containing chlorine and left for a few days. Predict and explain whether the flask now contains a mixture of the two elements or a

- 8 (a) Fig. 8.1 shows a car moving along a road.
- www.PapaCambridge.com (i) Draw and label arrows on Fig. 8.1 to show the directions of the driving and friction forces acting on the car.




	Fig. 8.1
(ii)	State one source of friction on the moving car.
	[1]
(iii)	The driving and friction forces are balanced.
	Explain what is meant by the phrase forces are balanced.
	[1]
(iv)	Describe the movement of the car when these forces are balanced.
	[1]
(v)	Apart from the driving and friction forces there are other forces acting on the car.
	Name one of these forces.
	[1]
(b) (i)	The car travels a distance of 400 m down a hill in 25 seconds.
	Calculate the average speed of the car.
	State the formula that you use and show your working.
	formula
	working

[2]

_____m/s

(ii)	The car is going faster at the bottom of the hill than it was at the top.	Can	For
	State the type of energy which the car has gained.	110	Tital
(iii)	State the type of energy which the car will have lost as it travels down the hill.		Se. Co
		[1]	

© UCLES 2013 [Turn over

(a) Fig. 9.1 shows a food web in the Antarctic Ocean. 9




		Fig. 9.1	
	(i)	State the term used for organisms such as the microscopic green plants that make their own organic nutrients.	е
		[1]
	(ii)	Name one organic nutrient that is made by the green plants.	
		[1]
	(iii)	State what is shown by the arrows in the food web.	
		[1]
(b)	Fis	hing boats catch large quantities of krill in the Antarctic Ocean.	
	Sug	ggest how this could affect the numbers of the organisms in the food web in Fig. 9.1	۱.
		[2	2]
(-)	Th.		: _
(C)	1116	ere is concern that global warming will damage the environment in the Antarct	"

Ocean.

Name two gases that contribute to global warming.

[2]

BLANK PAGE

www.PanaCambridge.com

DATA SHEET

					2	20				my.	Dana Cambridge	
c	0	Heium	20 Ne Neon	40 Ar Argon	84 Kr Krypton 36	131 Xe Xenon	Radon 86		175 Lu Lutetium 71	Lr Lawrencium 103	*Cambri	-
5	= \		19 F Fluorine	35.5 C 1 Chlorine	80 Br Bromine	127 T lodine	Astatine 85		173 Yb Ytterbium 70	Nobelium 102	The state of the s	3.0
5	>		16 Oxygen 8	32 S Sulfur 16	Selenium	128 Tellurium	Po Polonium 84		169 Tm Thulium	Md Mendelevium 101	·	•
>	>		14 N itrogen 7	31 P Phosphorus 15	75 AS Arsenic	122 Sb Antimony	209 Bismuth 83		167 Er Erbium 68	Fm Fermium		
2	≥		12 C Carbon 6	28 Si Silicon	73 Ge Germanium 32	30 Tin	207 Pb Lead 82		165 Ho Holmium 67	Ensteinium	e (r.t.p.).	
Ξ	≡		11 Boron 5	27 A1 Aluminium 13	70 Ga Gallium 31	115 In	204 T thallium		162 Dy Dysprosium 66	Cf Californium 98	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).	
					65 Zn Zinc	Cadmium Cadmium	201 Hg Mercury 80		159 Tb Terbium	BK Berkelium 97	rature and	
					64 Copper	108 Ag Silver	197 Au Gold		157 Gd Gadolinium 64	Cm Curium	om tempel	
Group					59 Nickel	106 Pd Palladium	195 Pt Platinum 78		152 Eu Europium 63	Americium	lm³ at roc	
<u>פֿ</u>			l		59 Co Cobalt	Rhodium 45	192 Ir Indium		Sm Samarium 62	Pu Plutonium 94	as is 24 c	
		1 Hydrogen			56 Fe Iron	Ruthenium 44	190 Os Osmium 76		Pm Promethium 61	Neptunium	e of any g	
					Mn Manganese	Tc Technetium	186 Re Rhenium		144 Nd Neodymium 60	238 C Uranium	one mole	
					Cr Chromium	96 Molybdenum	184 W Tungsten 74		Pr Praseodymium 59	Pa Protactinium 91	volume of	
					51 V Vanadium 23	93 Niobium 41	181 Ta Tantalum		140 Cer ium 58	232 Th Thorium	The	
					48 T Titanium 22	91 Zr Ziroonium	178 Hf Hafnium * 72	+]	a = relative atomic mass X = atomic symbol b = proton (atomic) number		
		ı			Scandium 21	89 ×	139 La	Ac Actinium 89	d series series	 a = relative atomic mass X = atomic symbol b = proton (atomic) numb 		
=	=		9 Beryllium 4	24 Mg Magnesium	40 Ca calcium 20	88 Sr Strontium	137 Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	∞ ×		
	-		7 Lithium 3	23 Na Sodium	39 K Potassium	Rb Rubidium	Caesium 55	Francium 87	*58-711	Key		

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.