



## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

ernational General Certificate of Secondary Education	De.C

NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

**COMBINED SCIENCE** 

0653/32

Paper 3 (Extended)

October/November 2013

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.


This document consists of 20 printed pages.



[Turn over

ductivity of many For iner's

1 Fig. 1.1 shows apparatus that can be used to test the electrical conductivity of macontained in beakers P, Q and R.






Fig. 1.1

(a) The material in beaker **R** is a good electrical conductor.

The materials in beakers  $\boldsymbol{P}$  and  $\boldsymbol{Q}$  are insulators.

Explain these statements in terms of ions.

[3]

(b)		material in beaker <b>R</b> is tested using the apparatus in Fig. 1.1. Bubbles of gather the surface of <b>one</b> of the electrodes.
	(i)	Name the gas that forms. [1]
	(ii)	A layer of an orange solid is formed on the other electrode.
		Explain, in terms of ions, electrons and atoms, what is happening at the surface of this electrode.
		[3]
(c)	Soc	lium chloride is a hard, crystalline solid at room temperature.
	Fig.	1.2 shows a diagram that represents the structure of sodium chloride.
		sodium ion
		chloride ion
		Fig. 1.2
	Exp	lain, in terms of forces, why sodium and chloride particles stay strongly bonded.

© UCLES 2013 [Turn over

(a) Fig. 2.1 shows two means of communication between Singapore and Sydney. 2




Fig. 2.1

Method 1 Microwave signals are sent by satellite.

Method 2 Infra-red waves carrying a signal are sent through an optical fibre cable.

Fig. 2.2 shows an infra-red ray entering an optical fibre.




Fig. 2.2

The infra-red ray travels all the way through the optical fibre.

(i)	Explain why the infra-red ray stays inside the optical fibre. You may draw on diagram if it helps your answer.	the
		10

www.papaCambridge.com (ii) The length of an optical fibre cable between Singapore and Sydney is 6.3 x The speed of infra-red waves in an optical fibre is 2.1 x 10<sup>8</sup> m/s. Calculate the time taken for the signal to travel from Singapore to Sydney. State any formula that you use, show your working and state the unit of your answer. formula working unit unit (iii) The speed at which microwaves travel through space is greater than the speed at which infra-red waves travel through an optical fibre. Suggest why the time taken by infra-red signals is less than the time taken by the microwave signals to travel from Singapore to Sydney.

[Turn over © UCLES 2013

(b) Fig. 2.3 shows a demonstration of sound transmission using a bell jar.





Fig. 2.3

As the air is removed from the bell jar, the ringing sound from inside the bell jar gets quieter. When all the air has been removed, the bell cannot be heard.

tpiain these observations.	
	[2

www.PapaCambridge.com

- Sodium hydrogencarbonate, NaHCO<sub>3</sub>, is a white solid compound which is soluble in 3
- www.PapaCambridge.com (a) A student adds some sodium hydrogencarbonate to a beaker which contains aqueous solution of full range indicator (Universal Indicator).



When the sodium hydrogencarbonate dissolves, the solution changes colour from green to blue.

(i)	State how the pH of the mixture changes when the sodium hydrogencarbonate dissolves.
	[1]
(ii)	The student then adds excess dilute hydrochloric acid to the solution.
	Apart from an increase in volume, state <b>two</b> observations that are made when the acid is added.
	1
	2

(b) Fig. 3.1 shows apparatus a teacher uses to demonstrate the heating of hydrogencarbonate.




Fig. 3.1

The solid is heated strongly for a few minutes.

- The cobalt chloride paper changes colour from blue to pink.
- A gas bubbles out through the limewater, turning it cloudy.


After the reaction a white solid remains in the large test-tube.

	produced.
	[1]
(ii)	The teacher tells her students that
	• sodium hydrogencarbonate has been decomposed (broken down into simpler compounds),
	$\bullet$ the white solid which remains in the large test-tube is sodium carbonate, $\text{Na}_2\text{CO}_3.$
	Construct a balanced symbol equation for the decomposition of sodium hydrogencarbonate.
	ro1

(i) Explain how the observations show that both water and carbon dioxide are

(iii) A student places a piece of paper into a solution of sodium hydrogencarbon

www.PapaCambridge.com She removes the paper and allows it to dry. She notices that crystals of son sodium hydrogencarbonate are left on the paper.



The student finds that it is now difficult to set fire to the paper.

	difficult to get the paper to burn.
	[2]
(iv)	Suggest, with a reason, whether the decomposition of sodium hydrogencarbonate is an exothermic or an endothermic reaction.
	[2]

[Turn over © UCLES 2013

(a) Most plants have root hairs near the tips of their roots.

www.PapaCambridge.com Researchers grew two different types of crop plants, A and B, in soil with different concentrations of phosphate ions. They measured the mean number of root hairs in a small area of the roots, and also the mean length of the root hairs.

Table 4.1 shows their results.

Table 4.1

type of plant	phosphate concentration	mean number of root hairs per unit area	mean length of root hairs/micrometres
۸	low	1.26	175
Α	high	1.70	149
В	low	1.41	225
В	high	1.85	52

(i)	Describe how the addition of phosphate ions to the soil affects the root hairs in Type <b>A</b> plants.
	[2]
(ii)	Compare the effect of adding phosphate ions to the soil for type <b>A</b> plants and type <b>B</b> plants.
	[2]

	(iii)	Predict and explain how a reduction in the length of its root hairs would affigrowth of a plant.
		ro1
		[3]
(b)		mers often add fertilisers containing phosphate ions, potassium ions and nitrate to the soil in which they grow crops.
	Exp lake	lain how careless use of fertilisers can cause harm to living organisms in rivers and es.
		[4]

© UCLES 2013 [Turn over

www.PapaCambridge.com Fig. 5.1 shows a bicycle with a front light A and a rear light B powered by the same by 5




Fig. 5.1

Fig. 5.2 shows how the lights are connected.




Fig. 5.2

(	a\	State the	name given	to this ty	/pe of cir	cuit arrange	ement.

Г1	ľ
 ι.	

(b)	(i)	The resistance of light $\bf A$ is $10\Omega$ and the resistance of light $\bf B$ is $5\Omega$ .  Calculate the combined resistance of the two lights in this circuit.
		Calculate the combined resistance of the two lights in this circuit.
		State the formula that you use and show your working.
		formula
		working
		Ω [3]
	(ii)	The voltage supplied by the battery is 9 V.
		Calculate the current passing through light <b>A</b> .
		State any formula that you use, show your working and state the unit of your answer.
		formula
		working
		unit [2]
(c)	The 300	e bicycle was made from a block of aluminium alloy of mass 9000 g and volume 0 cm <sup>3</sup> .
	Cal	culate the density of aluminium in g/cm <sup>3</sup> .
	Sta	te the formula that you use and show your working.
		formula
		working
		g/cm <sup>3</sup> [2]

© UCLES 2013 [Turn over

Fig. 6.1 shows a fetus in the uterus just before it is born.




Fig. 6.1

- (a) On Fig. 6.1, use the letters **A**, **B** and **C** to label these parts on the diagram:
  - A the placenta
  - **B** amniotic fluid

C.	ne cervix	,

(b)	Describe how the placenta and umbilical cord help to supply the fetus with oxygen.		
	13		

www.PapaCambridge.com

www.PapaCambridge.com (a) Fluorine is one of the halogens in Group 7 of the Periodic Table. Suggest the physical state at room temperature (solid, liquid or gaseous) of fluorine. Explain your answer in terms of the relative size of fluorine molecules in comparison with those of the other halogens.

physical state of fluorine		
explanation		
	[:	2]
•••••		_

(b) Fig. 7.1 shows the structure of one molecule of a type of compound called a CFC (chlorofluorocarbon).

Fig. 7.1

(i)	Name the type of chemical bonds that hold the atoms together in the molecule in Fig. 7.1.
	Explain your answer briefly.
	type of bonding
	explanation
	[2]
(ii)	State the number of electrons in the outer shells of chlorine and fluorine atoms.
	[1]
(iii)	State and explain briefly the number of electrons in the outer shells of the chlorine and fluorine atoms in the molecule shown in Fig. 7.1.
	number of electrons
	explanation
	[2]

[Turn over

7

- 8 (a) Fig. 8.1 shows a car moving along a road.
- www.PapaCambridge.com (i) Draw and label arrows on Fig. 8.1 to show the directions of the driving and friction forces acting on the car.




Fig. 8.1				
(ii)	The driving and friction forces are balanced.			
	Explain what is meant by the phrase forces are balanced.			
	[1]			
(iii)	Describe the movement of the car when these forces are balanced.			
	[1]			
(iv)	The car accelerates.			
	Compare the relative sizes of the driving and friction forces as the speed increases.			
	[1]			
(b) (i)	During part of a journey, a car moves 1km and the driving force is 10000 N.			
	Calculate the work done by the driving force.			
	State any formula that you use, show your working and state the unit of your answer.			
	formula			
	working			
	unit[2]			

(ii) This work is done in 100 s.

Calculate the useful power output from the car's engine during this time.

www.PapaCambridge.com State any formula that you use, show your working and state the unit of your answer.

formula

working

unit	[2
	 ٠.

- (c) The cooling system of the car uses water to remove heat energy from the hot engine. The heated water goes into the radiator. Heat energy is lost from the radiator.
  - (i) Name the part of the electromagnetic spectrum that is involved in the transfer of heat by radiation.

(ii) Fig. 8.2 shows a car radiator.




Fig. 8.2

Explain how the features of the radiator that are shown in Fig. 8.2 increase the rate of cooling of hot water.

[2

[Turn over © UCLES 2013

9 Fig. 9.1 shows an alveolus and a blood capillary in the lungs.




Fig. 9.1

(a)	The arrows labelled 1	and 2 show the	he direction of	diffusion of two	gases
-----	-----------------------	----------------	-----------------	------------------	-------

(i)	Name the gases.
gas	51
gas	<b>2</b> [2]
(ii)	Define the term diffusion.
	[2]
(iii)	Explain how the structure of the wall of the capillary and the wall of the alveolus help diffusion of these gases to take place efficiently.
	101

www.PapaCambridge.com

		19	
(b)	Cig	arette smoke contains many harmful substances.	Can
	(i)	List <b>four</b> harmful components of cigarette smoke.	Cambrio
		1	
		2	
		3	
		4	[2]
	(ii)	Some of the components of cigarette smoke prevent cilia from working properly.	
		Explain how this can lead to an increase in infections of the lungs by bacteria.	

DATA SHEET	The Periodic Table of the Elements
------------	------------------------------------

					າ	0				my	Dana Cambridge Com
		ı				U	T	1			apar a
	0	4 <b>He</b> Helium	20 <b>Ne</b> Neon 10	40 <b>Ar</b> Argon	84 <b>Kr</b> , Krypton 36	131 <b>Xe</b> Xenon 54	Radon 86		Lu Lutetium	Lr Lawrencium 103	Sindhi
	=		19 Fluorine	35.5 <b>C1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>T</b> lodine 53	At Astatine 85		73 <b>Yb</b> Ytterbium 70	Nobelium 102	Se Con
	>		16 Oxygen 8	32 <b>S</b> Sulfur 16	Se Selenium 34	128 <b>Te</b> Tellurium 52	Po Polonium 84		169 <b>Tm</b> Thulium 69	Md Mendelevium 101	
	>		14 <b>N</b> Nitrogen 7	31 <b>P</b> Phosphorus	75 <b>As</b> Arsenic	122 <b>Sb</b> Antimony 51	209 <b>Bi</b> Bismuth 83		167 <b>Er</b> Erbium 68	Erbium Erbium Ermium	Ì
	2		12 Carbon 6	28 <b>Si</b> Silicon	73 <b>Ge</b> Germanium 32	Sn Tin	207 <b>Pb</b> Lead		165 <b>Ho</b> Holmium 67	<b>Es</b> Einsteinium 99	(r.t.p.).
	=		11 Boron 5	27 <b>A1</b> Aluminium 13	70 <b>Ga</b> Gallium 31	115 <b>In</b>	204 <b>T t</b> Thallium		162 <b>Dy</b> Dysprosium 66	1	oressure (
Group		l			65 <b>Zn</b> Zinc 30	Cadmium 48	201 <b>Hg</b> Mercury		159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium 97	ure and p
					64 Copper 29	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold		Gd Gadolinium 64	Cm Curium 96	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).
					59 Nickel 28	106 Pd Palladium 46	195 <b>Pt</b> Platinum		152 <b>Eu</b> Europium 63		³ at room
					59 <b>Co</b> Cobalt Cobalt	103 <b>Rh</b> Rhodium 45	192 <b>Ir</b> Iridium		Sm Samarium 62		s is 24 dm
		Hydrogen			56 Iron	Ru Ruthenium 44	190 <b>Os</b> Osmium 76		Pm Promethium 61	Np	of any gas
		, ,			Manganese 25	Tc Technetium 43	186 <b>Re</b> Rhenium 75		Neodymium 60		e mole c
					Cr Chromium	96 Mo Molybdenum 42	184 <b>W</b> Tungsten 7		Praseodymium 69		ume of or
					51 Vanadium	Niobium 41	181 <b>Ta</b> Tantalum 73		140 <b>Ce</b> Cerium 58	Z32 Th horium	The vol
					48 <b>Ti</b> tanium 22	91 <b>Zr</b> Zirconium 4	178 <b>Hf</b> tafnium			nass	
					Scandium 2	89 <b>×</b> Yttrium 39	139 <b>La</b> Lanthanum 57 * 72	227 <b>Ac</b> Actinium 1	eries ies	<ul><li>a = relative atomic mass</li><li>X = atomic symbol</li><li>b = proton (atomic) number</li></ul>	
	=		9 Beryllium	24 Magnesium	40 <b>Ca</b> Calcium 2	Sr Strontium 38	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium 8	*58-71 Lanthanoid series 190-103 Actinoid series		
	_		7 Lithium 4	23 <b>Na</b> Sodium 11	39 <b>K</b> Potassium	Rubidium 3	133 <b>Cs</b> Caesium 55	Francium 8	38-71 Lar 30-103 Ac	Key X	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.