CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the October/November 2015 series

0653 COMBINED SCIENCE

0653/51

Paper 5 (Practical Test), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



		Cambridge IGCSE – October/November 2015	0653	51
1 (a)) (i	(any) blue/no change ;		[1]
	(ii	colourless/like water/clear; (ignore: stayed the same)		[1]
(b)) tu	rns white/pink AND indicates water is produced/present;		[1]
	(i	turns milky/cloudy/white ppt.;		[1]
	(ii	(indicates) carbon dioxide/CO ₂ ;		[1]
(d)	•	eat produced/temperature increase; ht produced/glows/fire/flame/smoke;		[2]
(e		control/show that water not already present/show that carbon dioxid ready present ;	e not	[1]
(f)	re	spiration ;		[1]
(g)	bı	oggles/hair tied back/Bunsen at safe distance/keep maximum distar urning food/accept other sensible suggestions; gnore: test-tube holders as in diagram)	nce from	[1]
				[Total: 10]
2 (a)) (i	value of time greater than or equal to 10 s; (allow: answers in minutes and seconds)		[1]
	(ii	value within 10% of first value ; both values to nearest second ;		[2]
(b)) (i	Fe ²⁺ value less than both values in (a) ;		[1]
	(ii) Fe ³⁺ value less than both values in (a) AND to nearest second ;		[1]
(c)	•	ey are catalysts ; ne decreased (with addition of metal ion)/rate increased ;		[1]
(d	no co (a	Pliable as within 10% (or other suitable percentage or comment) R ot reliable as greater than 10% difference (or other suitable percentagomment); sinswer must demonstrate an understanding of reliability) gnore: references to accuracy)	e or	[1]

Mark Scheme

Syllabus

Paper

Page 2

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2015	0653	51

(e) add 1 cm3 water / add 5 drops + 1 cm3 starch; (do NOT allow: 0.5 cm³ more of A and 0.5 cm³ more of B) total volume should be same as in (b) / equivalent volume to metal ion / to keep concentrations the same; (mark independently)

[2]

[Total: 10]

- 3 (a) h AND D AND d recorded;
 - h > D > d;

all values to the nearest 0.1 cm;

 d_A calculation correct;

V calculation correct;

V given as whole number;

[6]

(b) (i) $V_{\rm w}$ correctly calculated with working shown, e.g. subtraction of two values; $V_{\rm w}$ is supervisor's value \pm 20 cm³ (can get this accuracy mark without calculation);

[2]

(ii) cup not completely full/measuring cylinder not read at eye level/measuring cylinder not read perpendicularly/measuring cylinder not read from bottom of meniscus/water spilled on transfer/R₂ off scale of measuring cylinder;

[1]

(iii) V_W since difficult to measure h/V_W since d (or D) not inside diameters/ V_W since it is a direct measurement/ V_W since V is an approximation/ V_W is actual measurement whereas V uses a formula;

[1]

[Total: 10]