

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

1779975318

COMBINED SCIENCE

0653/23

Paper 2 (Core)

October/November 2015

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 23 printed pages and 1 blank page.



1 (a) Fig. 1.1 shows the human gas exchange system.




Fig. 1.1

On Fig. 1.1, draw label lines with names to show


the larynx,

the trachea,

a bronchus. [3]

(b) Some people suffer from asthma which affects the bronchioles of the gas exchange system.

Fig. 1.2 shows cross sections of a normal bronchiole and a bronchiole of a person who has asthma.



normal bronchiole

bronchiole of a person with asthma

Fig. 1.2

	The	airflow towards the alveoli is reduced if a person has asthma.
		scribe two features visible in Fig. 1.2 which could reduce the airflow in the bronchiole of person suffering from asthma.
	1	
	2	[2]
(c)		tudy is carried out to compare the breathing of people with asthma with the breathing of lthy people.
	The gro	volumes of air inhaled in one minute are measured and an average is calculated for both ups.
	Bot	n groups of people are tested while resting.
	Res	sults
	ave	rage volume inhaled by a healthy person = 5.8 dm ³ /minute.
	ave	rage volume inhaled by a person with asthma = 12.5 dm ³ /minute.
	(i)	Calculate the average percentage of extra air the person with asthma inhales per minute compared with a healthy person.
		Show your working.
		answer = % [2]
	(ii)	Suggest two ways in which the breathing of an asthmatic person is likely to be different from a normal person's breathing in order to inhale a greater volume of air.

2 Fig. 2.1 shows apparatus used to investigate the temperature changes which occur during some chemical processes.




Fig. 2.1

A citric acid solution can be made by dissolving citric acid crystals in water.

The temperature sensor is placed in the water and the computer starts to log data. After 10 seconds some citric acid crystals are added to the water in a cup. The mixture is stirred until the crystals dissolve.

After another 40 seconds some magnesium ribbon is placed in the solution.

Fig. 2.2 shows the computer display of temperature change for the first 100 seconds.




Fig. 2.2

(a) Complete the following sentences, choosing from the words below.

decreases	exotnermic	oxidation
endothermic	increases	stays the same

As the citric acid dissolves in the water	r the temperature	
This is an	process.	[1]

(b) Fig. 2.3 shows the appearance of the contents of the cup during the experiment.




Fig. 2.3

	Gas bubbles rise from the surface of the magnesium.
	Name the gas produced.
	[1]
(c)	The experiment is repeated using a greater mass of citric acid dissolved in the same mass of pure water. This increases the concentration of the citric acid.
	Describe the effect on the reaction with magnesium caused by increasing the concentration of the citric acid.
	[1]
(d)	By referring to the reactivity series, explain how the results of these experiments would change if copper was used instead of magnesium.

3 Fig. 3.1 shows a girl on a skateboard track.




Fig. 3.1

Fig. 3.2 shows a speed/time graph of the girl as she travels.




Fig. 3.2

(a) (i) Name the force that causes the girl to move down the skateboard track from A to B.

[1	1						ı	1	1	•			I																																																																																																																			-																		
----	---	--	--	--	--	--	---	---	---	---	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

	(ii) The force acting on the girl has a value of 500 N.	
	State the name of the unit whose symbol is N.	[1]
(b)	State the main energy transformations as the girl travels from A to D .	
	from energy	
	to energy	
	to energy.	ſΟ.
		[2]
(c)	Describe the motion of the girl between points	
	A and B ,	
	B and C.	[2]
(d)	Use Fig. 3.2 to calculate the distance travelled by the girl between points B and C .	
	State the formula you use and show your working.	
	formula	
	working	

distance = m [2]

(:)		in small quantities as part of a	a balanced diet. One vitamin is	s vitamin C.
(i)	State what is me	eant by the term <i>balanced diet</i>	:	
<i>(</i> 11)				[
(ii)	Explain why we	need vitamin C in our diet.		
				[
(iii)	Suggest why vit	amin C does not need to be d	igested.	
				[2
) Tabl	le 4.1 gives detai	Is about the vitamin C content	of some fruits.	
		Table 4.1		
	fruit	mass of vitamin C in 100 g fruit/mg	mass of vitamin C in an average portion/mg	
	apple	6	8	
	kiwifruit	98	74	
		00	- 7	
	mango	28	57	
	orange	53	70	
The	orange watermelon	53 10	70 27	
The	orange watermelon recommended of	53	70 27 n C for humans is 60 mg.	C in just on
	orange watermelon recommended of	53 10 laily allowance (RDA) of vitamithe fruits listed in Table 4.1 p	70 27 n C for humans is 60 mg.	C in just on
	orange watermelon recommended of State which of portion.	53 10 laily allowance (RDA) of vitamithe fruits listed in Table 4.1 p	70 27 n C for humans is 60 mg.	C in just on

(ii) Calculate the mass of mango needed to supply a full RDA of vitamin C.

		Snow your working.
		answer = g [2]
(c)	Citr	us fruits provide a good source of vitamin C. However, many of them are weakly acidic.
	(i)	Explain why the acid in the citrus fruits could be harmful for teeth if a lot of fruit is eaten.
		[1]
	(ii)	Describe what a person can do to reduce the effects on the teeth of eating the acidic fruit.
		[1]

5 (a) On Fig. 5.1 draw one line from each property to show whether it describes metals or non-metals.

One line has been drawn for you.

properties

good conductors of electricity




Fig. 5.1

[2]

(b) Fig. 5.2 shows Period 3 of the Periodic Table.

23 24 27 28 31 32 36.5 40 Si S Na Mg Αl P Cl Ar Sodium Aluminium Silicon Sulfur Chlorine Magnesium Phosphorus Argon

Fig. 5.2

Draw an arrow in box A which points towards the metals and away from the non-metals. [1]

© UCLES 2015 0653/23/O/N/15

(c) Table 5.1 shows some observations made after a piece of sodium is dropped into some water containing full-range indicator (Universal Indicator).

Complete Table 5.1 to explain each observation.


Table 5.1

observation	explanation
bubbles of gas	
indicator changes from green to purple	

[2]

- (d) Sodium reacts with chlorine to form sodium chloride.
 - (i) Fig. 5.3 shows diagrams that represent the particles in each substance.

Α






Fig. 5.3

Complete Table 5.2 to show which diagram, A, B or C, represents each substance.

Table 5.2

substance	diagram
chlorine	
sodium	
sodium chloride	

[2]

(11)	formed from sodium and chlorine atoms.	are
(iii)	Describe how the sodium ions and chloride ions are held together.	
		[1]
(iv)	Zinc chloride can be made by reacting zinc with chlorine. Zinc chloride contains half as many zinc ions as chloride ions.	
	State the chemical formula of zinc chloride.	
		[2]

Please turn over for Question 6.

6 Electric power can be generated using the energy of waves on the sea. Fig. 6.1 shows a group of small wave energy converters which are anchored to the sea floor below.




Fig. 6.1

Inside each floating tube there are several generators that convert the wave movement energy into electrical energy.

(a) (i) Each floating container is 30 m long. In Fig. 6.1 each sea wave takes 10 seconds to pass along each floating container from end to end.

Calculate the speed of the waves across the sea.

(ii) A total of 10 waves passed one end of a container in 20 seconds.

Calculate the frequency of the waves. Show your working and state the unit of your answer.

(b) The amplitude of the waves on one day was 0.5 m.

State the vertical distance that each container will move through as a wave passes.

(c) The generators are controlled by radio signals. A radio signal is sent from a control centre 100 km away.

Fig. 6.2 shows an incomplete diagram of the electromagnetic spectrum.

gamma radiation	visible light			
--------------------	---------------	--	--	--

				Fig. 6.2				
	Write	an R in the bo	x for the part o	of the spectrum	where radio w	aves are found	i. [1	1]
(d)	_	e. These gene	•	rs will be impo dvantages ove	• •		• • • • • • • • • • • • • • • • • • • •	
	Give	one advantage	e of wave gene	rators for the s	upply of electri	cal energy.		

(a) In some areas of the world large areas of forest are cleared to use the land for agriculture.

7

		vever, sometimes not all of the trees are cleared from an area. Some of the largest trees left standing and the areas in between them are cleared. This is called partial deforestation.
	(i)	Describe and explain why partial deforestation is better than complete deforestation for the soil in the forest.
		[2]
	(ii)	Describe two advantages of partial deforestation compared with complete deforestation for the animal life in the forest.
		1
		2
		[2]
(b)		ome areas of the world raw sewage is discharged into rivers or lakes. This can cause plems for plants and animals that live in the water.
	(i)	Explain why the sewage reduces the amount of dissolved oxygen in the water.
		[2]
	(ii)	When sewage is added to water it can affect the transparency of the water by making it cloudy.
		Explain why this reduces the growth of aquatic plants.
		[2]

- **8** A student extracts some copper from a sample of copper carbonate.
 - (a) He adds dilute hydrochloric acid to the copper carbonate until it is all dissolved.

Bubbles of carbon dioxide gas appear and a solution of copper chloride is formed.

Fig. 8.1 shows the experiment during and after the reaction.





Fig. 8.1

(i) Write a word equation for the reaction.



[2]

(ii) The student checks that the gas is carbon dioxide.

When the reaction is complete, he collects some of the gas in a pipette.

Fig. 8.2 shows how he collects the gas and then passes it through a solution ${\bf X}$.




Fig. 8.2

State the name of solution X and describe the effect of carbon dioxide on its appearance.
name
effect
[2]

(b) The student places the copper chloride solution that he has made into the electrolysis cell shown in Fig. 8.3.




Fig. 8.3

- (i) Complete Fig. 8.3 by labelling each electrode to show the product formed. [2]
- (ii) Choose from the following phrases to complete the sentences about electrolysis.

a covalent compoun	d an element	a hydrocarbon
а	n ionic compound	a mixture
Copper chloride solution is	the electrolyte because of	copper chloride is
During electrolysis copper	chloride breaks up into sir	mpler substances each of which is
Pure water does not under	go electrolysis because it	is
		[3]

BLANK PAGE

© UCLES 2015 0653/23/O/N/15

9 Fig. 9.1 shows a small electrical immersion heater for heating a drink in a cup.




Fig. 9.1

(a)	As t	he drink is heated, the liquid level in the cup rises slightly.
	Des	cribe what is happening that causes the liquid level to rise.
		[1]
(b)	Stat	e the main method of thermal energy transfer involved in
	(i)	transferring thermal energy from the hot wire inside the electrical heater to the liquid,
		[1]
	(ii)	distributing the thermal energy throughout the liquid.
		[1]
(c)	As t	the drink gets hot, water vapour escapes from the surface of the liquid before the drink s.
	(i)	State the name of this process.
		[1]
	(ii)	Explain why this happens in terms of the molecules in the liquid.
		[2]

10 (a) Fig. 10.1 shows a negatively charged plastic plate mounted on a plastic handle and held by a student.




	Fig. 10.1
	Describe a method of producing a charge on a plastic object.
	[1]
(b)	Fig. 10.2 shows a charged metal plate mounted on a plastic handle.
	Fig. 10.2
	Explain why the handle should be made of plastic rather than metal.

.....[2]

© UCLES 2015 0653/23/O/N/15

(c) Fig. 10.3 shows a circuit diagram for an electric heater, supplied with 12V from a car battery.




Fig. 10.3

(i) When the switch is closed, there is an electric current in the heater.

State the meaning of electric current.

-	
	11
	. ' .

(ii) The heater circuit is changed to include a second identical heater and two switches to switch each heater on independently. The heaters must be connected in parallel to work.

Complete the circuit diagram below to include both heaters and the switches, connected so that both the heaters work and can be switched on independently.

[3]

DATA SHEET
The Periodic Table of the Elements

								Gro	Group								
_	=											=	2	>	5	II/	0
							1 Hydrogen										4 He ium
Lithium 3	4											11 Boron 5	Carbon 6	14 Nitrogen 7	16 Oxygen 8	Huorine 9 35.5	20 Neon 10 A 40
Sodium 11	Magnesium 12											At Aluminium 13	Silicon	Phosphorus 15	Sulfur 16	Chlorine	Argon 18
39 K	Calcium 20	Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	Mn Manganese	56 Fe Iron	59 Co Cobalt 27	59 Nicke l Nickel 28	64 Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 AS Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
Rb Rubidium	Strontium 38	89 Y	2 Z Zirconium	93 Nb Niobium 41	96 Mo Movybdenum 42	Tc Technetium	Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	Cadmium Cad	115 In Indium 49	Sn Tin	Sb Antimony 51	128 Te Tellurium 52	127 T lodine	131 Xe Xenon 54
Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 5	190 OS Osmium 76	192 Tr Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 T t Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83		210 At Astatine 85	222 Rn Radon 86
223 Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89 †	'														
* 58–7 † 90–1	* 58–71 Lanthanoid series † 90–103 Actinoid series	oid series d series		140 Ce Cerium 58	Praseodymium 59	Neodymium 60	Pm Promethium 61	Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	Dy Dysprosium	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	Yb Yttenbium 70	Lutetium 71
Key	в Х а	 a = relative atomic mass X = atomic symbol b = atomic (proton) number 	iic mass ool in) number	232 Th Thorium 90	Pa Pa Protactinium 91		Np Neptunium 93	Pu Pu Plutonium 94	Am Ameridum 95	247 Cm Curium	247 Bk Berkelium 97	251 Californium 98	ES Einsteinium 99	Pm Fm Fermium 100	258 Md	No Nobelium	260 Lr Lawrencium 103

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.