

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
COMBINED SO	CIENCE		0653/33
Paper 3 (Exten	ded)	Oct	tober/November 2016
			1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



1 Fig. 1.1 shows a man using a longbow to fire arrows at a target.






Fig. 1.1

(a)	The man uses a	force of 300 N to	pull the arrow back	k through a dis	tance of 40 cm
-----	----------------	-------------------	---------------------	-----------------	----------------

(i)	Calculate the work done by the man when he draws the arrow back by 40 cm.
	State the formula you use, show your working and include the unit of your answer.
	formula
	working

work done =		unit	[3]	
-------------	--	------	-----	--

(ii) State how much elastic potential energy is stored in the longbow and bowstring before the arrow is released.

(b) The arrow has a mass of 0.1 kg.

The speed of the arrow as it leaves the longbow is 30 m/s.

(i) Calculate the kinetic energy of the arrow as it leaves the longbow.

State the formula that you use and show your working.

formula

working

(ii)	Use your answers to (a)(ii) and (b)(i) to calculate the efficiency of the energy transfer from the longbow to the arrow.
	State the formula you use and show your working.
	formula
	working
	efficiency = % [2]
(iii)	The speed of the arrow as it approaches the target is 25 m/s.
	Suggest why the speed of the arrow is no longer 30 m/s.
	[1]

2 (a) A student investigates the reaction between dilute hydrochloric acid and 0.1 g of different metals. The metal samples used are of identical size and shape.

The apparatus he uses is shown in Fig. 2.1.




Fig. 2.1

He measures how long it takes to collect 25 cm³ of gas made in each of the reactions.

(i)	Name one	other	piece	of	apparatus	that	is	needed	to	investigate	the	speed	of	this
	reaction.													

[1]		.[1	1]	
-----	--	-----	----	--

(ii) The results the student obtains are shown in Table 2.1.

Table 2.1

metal	time to collect 25 cm ³ of gas/s
calcium	10
copper	more than 300
iron	more than 300
magnesium	20
zinc	45

State which metal reacts fastest.	
	[1

(b) The student repeats the experiment for copper and iron.

He uses hydrochloric acid with a greater concentration at a higher temperature.

The results the student obtains are shown in Table 2.2.

Table 2.2

metal	time to collect 25 cm ³ of gas/s
copper	more than 300
iron	30

State and explain the effects of changing the concentration and the temperature of the acid on the speed of the reaction with iron.

	Use ideas about particles in your answer.
	concentration
	temperature
	[4]
(c)	Using the results shown in Table 2.1 and Table 2.2, deduce the order of reactivity of the five metals from most to least reactive.
	most reactive
	least reactive

(d) The student places two other metals into test-tubes A and B, as shown in Fig. 2.2.




Fig. 2.2

There is no change in the contents of test-tube ${\bf A}$, but in test-tube ${\bf B}$ the surface of the lead turns brown.

Explain these observations in terms of the reactivity of metals.

est-tube A	
est-tube B	
	[2]

Please turn over for Question 3.

3 (a) Fig. 3.1 shows a plan of the human circulatory system.




Fig. 3.1

(i)	Explain why the human circulatory system is described as a double circulation.
	[1
(ii)	State the letter and name of the blood vessel with the highest pressure in Fig. 3.1.
	Explain your answer.
	letter and name
	explanation
	[2

(iii)		be how each of the following fe rom parts of the body such as t		to return blood to the
	valves			
	wide lu	ımen		
				[2]
		neasures his pulse rate during different activities. Some of his	readings are shown in Table	•
				7
		activity	number of beats/min	_
		sitting running	68 164	_
		Y	85	_
(i)	while h	n in detail why the muscles of ne is running.		
				[3]
(ii)	Sugge	st an activity for Y . Explain you	r answer.	
	activity	·		
	explan	ation		

[1]

4 Fig. 4.1 shows a simple solar heating system to provide hot water for a house.




Fig. 4.1

- Cold water in copper tubes inside the panel is heated by energy from the Sun.
- The hot water then flows to the hot water tank above.
- Cold water from the tank flows back to the panel.
- A supply of hot water for the house can be taken from the tank.
- (a) The Sun emits energy as electromagnetic radiation, some of which is absorbed by the solar panel.
 - (i) On Table 4.1, in the correct box write the name of the main part of the electromagnetic spectrum which heats the solar panel.

Table 4.1

gamma radiation	ultraviolet				radio waves
--------------------	-------------	--	--	--	----------------

[2]

(ii) The Sun also emits radio waves which take 8 minutes to reach the Earth.

A student says he thinks the radiation that heats the solar panel would take longer than 8 minutes to reach the Earth.

Explain why the student is wrong.

(b)	The	solar panel contains copper tubes through which the water flows.
	(i)	The copper tubes are painted to improve the efficiency of energy absorption by the panel.
		Suggest the colour of the paint that would give the best efficiency. Give a reason for your answer.
		[2]
	(ii)	State the method of thermal energy transfer
		1. from the outside of the copper tubes to the water inside the tubes,
		2. from the hot water in the copper tubes to the hot water storage tank.
		[2]
	(iii)	Explain why the heated water in the copper tubes is able to travel up to the storage tank above the panel without pumping.
		[2]

			IZ	
5	(a)	(i)	Name the main constituent of natural gas.	
			[1]
		(ii)	Complete the sentences below using suitable words or phrases.	
			Coal, natural gas and petroleum are all fuels.	
			Petroleum is a mixture of different compounds and is separated by the process of	
				2
	(b)	Cra	cking is used to break large molecules into smaller molecules.	
		Dur mo	ring cracking a molecule of octane forms one molecule of ethane, $\mathrm{C_2H_6}$, and three ecules of another compound.	ЭЕ
		The	e structure of octane is shown in Fig. 5.1.	
			Key carbon atom hydrogen atom	
			Fig. 5.1	
		Dec	duce the formula of octane and complete the symbol equation for the cracking of octane	
			\rightarrow C ₂ H ₆ + 3 octane	
				2
	(c)	Eth	ane is a hydrocarbon.	
		(i)	State what is meant by the term <i>hydrocarbon</i> .	

(ii)	The formulae of two other hydrocarbons are C_6H_{12} and C_6H_{14} .	
	Deduce which is an alkene. Explain your answer.	
	alkene	
	explanation	
		 [1]
(iii)	Name a reagent that is used in a test to distinguish between alkanes and alkenes. State the observation for each test.	
	reagent	
	alkanes	
	alkenes	

	14
(a)	Describe how the following structures of a wind-pollinated flower differ from those of an insect-pollinated flower.
	the stamen
	the stigma
	[2]
(b)	A student looks at some pollen from a wind-pollinated flower and an insect-pollinated flower under the microscope at the same magnification. Fig. 6.1 shows what she sees.
	slide 1 slide 2
	Fig. 6.1
	State the slide showing pollen from a wind-pollinated flower.
	Explain how this pollen is adapted for wind pollination.

[1]

(c) Another student investigates the rate of transpiration from a leafy twig under different conditions. Fig. 6.2 shows the apparatus he uses.




Fig. 6.2

- He measures how far the air bubble moves upwards in one minute.
- He uses the syringe of water to reset the apparatus.
- The student repeats the experiment under different environmental conditions.
- His readings are shown in Table 6.1.

Table 6.1

conditions	distance moved by bubble in one minute/cm		
dry air at 22°C	1.1		
dry air at 27°C	6.8		
humid air at 22°C			

(i)	Explain w to 27°C.	hy the	e distance	the			temperature	
								[2]

	(ii)	Suggest a possible reading for humid air at 22 °C. Explain your answer.
		reading
		explanation
		[1]
(d)	Fig.	ne ground the plant takes in water at the roots. 6.3 shows the distribution of the tissues in the cross-sections of two similar roots of the ne size.
		root X root Y
		Fig. 6.3
	Sug	gest which root would take in water more quickly.
	root	
	Des	cribe and explain why this root takes in water more quickly.
		[2]
(e)		se roots do not carry out photosynthesis because they are found underground and do not e chlorophyll.
	Des	cribe the role of chlorophyll in photosynthesis.

.....[2]

7 (a) Fig. 7.1 shows a wave generated in a string. One end of the string is fixed to a stand and clamp, while the other end is attached to a vibrator driven by an electric motor.




Fig. 7.1

(i)	The length of the string is 100 cm.
	State the wavelength of the wave motion shown in Fig. 7.1.
	cm [1]
(ii)	State what is meant by the amplitude of the wave.

(b) Fig. 7.2 shows part of the circuit diagram for the circuit used to drive the vibrator.

The frequency of the vibrator depends on the speed of the motor. The speed of the motor depends on the current through the motor.






Fig. 7.2

Complete the circuit diagram by using the symbols for suitable circuit components in the correct places in the circuit to

- 1. control the current through the motor,
- 2. measure the current through the motor.

[3]

- (c) A voltmeter connected across the motor reads 3.0 V. The current through the motor is 2.0 A.
 - (i) Calculate the resistance of the motor.

State the formula you use and show your working.

formula

working

resistance = Ω [2]

(ii)	Calculate the power input to the motor.		
	State the formula you use and show your working	ıg.	
	formula		
	working		
	pow	er =	W [2]

8 During the electrolysis of aluminium oxide, Al_2O_3 , aluminium is produced. This process is shown in Fig. 8.1.





Fig. 8.1

a)	Explain why the electrolysis of aluminium oxide does not take place at room temperature. Use ideas about particles in your answer.
	[2]
b)	Describe what happens to the oxide ions, O^{2-} , during the electrolysis of aluminium oxide.
	[2]
c)	State and explain whether aluminium is oxidised or reduced during electrolysis.
	[1]

(d) The electronic structure of an aluminium atom is shown in Fig. 8.2a.



Al atom Al ion

Fig. 8.2a Fig. 8.2b

Draw the electronic structure of an aluminium ion in Fig. 8.2b. [1]

(e) Predict the type of bonding in a compound formed between rubidium, a Group I element, and fluorine, a Group VII element.

Explain your answer.

bonding	
explanation	
	•••••
	[2]

9 (a) Many human activities can affect the environment.

Draw **one** line from each human activity to its effect. One line is drawn for you.

		human activity		effect	
Г			7	adds sulfur dioxide to the air	
	add	ing fertiliser to rivers			
]]	can cause extinction of land-living animals	
	add	ing mercury to water			
[protects endangered species	
	burr	ning coal and oil			
[can cause eutrophication	
	larg	e scale deforestation			
L				can poison animals in the food chain	
					[3]
(b)		nan activities can cause osphere.	an increase in the c	oncentration of carbon dioxide	in the
	(i)	State one large-scale hur the atmosphere.	man activity that increas	es the concentration of carbon dio	xide in
					[1]
	(ii)	Explain why an increase undesirable.	e in the concentration of	of carbon dioxide in the atmospl	nere is

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Š
_
등
~
┕
<u>•</u>
Ш
4
0
(I)
~
유
w
Ë
ပ
=
2
.0
_
a
<u>п</u>
Φ
ے
F
•

			2	He	helium 4	10	Ne	neon 20	18	Ą	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon				
		\equiv				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	B	bromine 80	53	Н	iodine 127	85	¥	astatine -				
		5				80	0	oxygen 16	16	ഗ	sulfur 32	82	Se	selenium 79	52	<u>e</u>	tellurium 128	8	Ъ	moloulum -	116		livermorium	
		>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209				_
		≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pp	lead 207	114	Fl	flerovium	-
		≡				2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	<i>1</i> L	thallium 204				
									ı			30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	ပ်	copernicium	_
												29	D O	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium	
	Group											28	Z	nickel 59	46	Pd	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium -	
	Gro											27	ဝိ	cobalt 59	45	格	rhodium 103	77	ä	iridium 192	109	¥	meitnerium -	
			_	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium	
												25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium	
							pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -	
					Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>a</u>	tantalum 181	105	g C	dubnium	
							ato	rek				22	j	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	峜	rutherfordium -	
												21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids		
		=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	56	Ва	barium 137	88	Ra	radium	1
		_				3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Вb	rubidium 85	55	Cs	caesium 133	87	Ŧ	francium	
3	2016	3												068	53/	33/0)/N/1	6						

71 Lu	lutetium 175	103	۲	lawrencium -
۶ ۲	ytterbium 173	102	8 N	nobelium -
mL Tm	thulium 169	101	Md	mendelevium -
₈₈ П	erbium 167	100	Fm	fermium -
67 Ho	holmium 165	66	Es	einsteinium –
66 Dy	dysprosium 163	86	Ç	californium -
65 Tb	terbium 159	26	Ř	berkelium -
²² Gd	gadolinium 157	96	Cm	curium
e3 Eu	europium 152	92	Am	americium _
Sm	samarium 150	94	Pn	plutonium –
Pm	promethium –	93	ď	neptunium -
[©] PN	neodymium 144	92	\supset	uranium 238
59 Pr	praseodymium 141	91	Ъа	protactinium 231
Se Oe	cerium 140	06	Ч	thorium 232
57 La	lanthanum 139	89	Ac	actinium _

lanthanoids

actinoids