

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

Paper 4 (Extend		0653/43 May/June 2017 1 hour 15 minutes
CENTRE NUMBER	CANDIDATE NUMBER	
CANDIDATE NAME		

READ THESE INSTRUCTIONS FIRST

No Additional Materials are required.

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 24 printed pages.



[Turn over

1 (a) Use lines to connect the box on the left to different boxes on the right to make correct sentences.

One is done for you. The sentence reads 'Tobacco smoke contains nicotine'.

Draw **three** more lines to make three more correct sentences.

keeps bacteria out of the airway.

increases the concentration of carbon monoxide in the blood.

damages the cilia in the airway.

Tobacco smoke

contains nicotine.

can cure bronchitis.

does not contain tar if a filter tip is present on the cigarette.

causes more mucus to be produced in the lungs.

(b) Fig. 1.1 shows a diagram of an alveolus and a blood capillary.




Fig. 1.1

(i) On Fig. 1.1 draw an arrow to show the net movement of carbon dioxide molecules at the alveolus. [1]

	(ii)	List two features of alveoli that make them a good gas exchange surface.
		1
		2
		[2]
(c)	Оху	gen enters the blood as shown in Fig. 1.1.
	Des	scribe how oxygen is transported from the alveolus to the heart.
		[3]
(d)		eased secretion of adrenaline causes the concentration of blood glucose and pulse rate acrease. This enables an increase in the respiration rate in cells to occur.
	(i)	Describe how an increase in blood glucose concentration enables an increase in the respiration rate in cells to occur.
		[1]
	(ii)	Describe how an increase in pulse rate enables an increase in the respiration rate in cells to occur.
		[1]
		[1]

2 (a) Ethane and octane are obtained from petroleum by fractional distillation.

The structures of a molecule of ethane and a molecule of octane are shown in Fig. 2.1.




		Fig. 2.1	
	(i)	State the formula of octane.	
			1]
	(ii)	Different fractions obtained from petroleum contain different amounts of ethane an octane.	d
		Explain why a fraction formed higher up the fractional distillation column contains more than octane.	е
		Use ideas about molecular size, boiling points and intermolecular attractive forces i your answer.	n
		[3	 3]
(b)		ene molecules are made from large hydrocarbon molecules.	
	Nan	ne this process.	
		[⁻]
(c)	Etha	ane, ethene and octane are hydrocarbons.	
	Ider	tify the type of each of these hydrocarbons.	
	etha	ne	
	ethe	ne	
	octa	ne[2	
		L ^a	- 1

© UCLES 2017 0653/43/M/J/17 (d) Complete the diagram below to show the bonding electrons in a molecule of ethene, $\rm C_2H_4$. Use dots and crosses to represent the electrons.

C C

[2]

3 Fig. 3.1 shows a cyclist riding her bicycle at a constant speed along a road. The arrows labelled **A**, **B**, **C** and **D** show the forces acting on the bicycle.




Fig. 3.1

(a)	(i)	State which letter, A , B , C or D , corresponds to	
(a)	(i)	State which letter, A, B, C or B, corresponds to	
		1. frictional force	
		2. weight	
			[1]
	(ii)	Force A is measured and found to be 1000 N.	
		State whether force B is 1000 N or has a different value.	
		Give a reason for your answer.	
			[1]
(b)	The	cyclist goes downhill at a constant speed of 15 km/h. The road down the hill is 1 km lo	ng.
	Cald	culate the time in seconds for the cyclist to reach the bottom of the hill.	
	Sho	w your working.	

time =s [2]

(c)	The	cyclist and her bicycle have a total mass of 100 kg. She is moving at 4 m/s.
	Cal	culate the kinetic energy of the cyclist and her bicycle.
	Sta	te the formula you use and show your working.
	forn	nula
	wor	king
		kinetic energy =J [2]
(d)		e cyclist works at a rate of $120\mathrm{W}$ as she cycles. She produces a driving force of $25\mathrm{N}$ to we the bicycle.
	The	cyclist and bicycle travel 1000 m in 250 s.
	(i)	Calculate the energy input by the cyclist for this journey.
		Show your working.
		energy input =
	(ii)	Calculate the work done in moving the cyclist and bicycle for this journey.
	(11)	State the formula you use and show your working.
		formula
		working
		work done =

(iii)	Calculate the percentage efficiency of the bicycle.						
	State the formula you use and show your working.						
	formula						
	working						

efficiency =% [2]

© UCLES 2017

Please turn over for Question 4

4 Fig. 4.1 shows what happens to a seed after it is planted. The responses shown by the shoot and root are controlled by plant hormones called auxins.




Fig. 4.1

- (a) Name the response shown by both the root and the shoot in Fig. 4.1.
- **(b)** A second similar seed is germinated and pinned on a vertical board as shown in Fig. 4.2. The apparatus is kept in the dark. The distribution of auxin hormones becomes uneven in the seedling.




Fig. 4.2

(i) Complete Fig. 4.3 to show how the growth of the shoot and root will change over the next few days.




Fig. 4.3

[2]

	(ii)	In terms of the action of auxins, explain your answer to (i) for the shoot only.
		[2]
(c)		I rain is produced as the result of burning fossil fuels. Acid rain can reduce the rate of mination of seeds.
	(i)	Describe how acid rain is produced.
		[2]
	(ii)	Suggest how acid rain reduces germination of seeds.
		[1]

5 (a) The atomic number of magnesium is 12.

Complete Fig. 5.1 to show the electronic structure of a magnesium atom.



Fig. 5.1

(b) A student investigates the reaction between magnesium and dilute hydrochloric acid.

[2]

The student uses the apparatus shown in Fig. 5.2 for the investigation.




Fig. 5.2

Fig. 5.3 shows the mass of the conical flask and its contents during the reaction.




Fig. 5.3

	(i)	Explain why	
		at first the mass decreases,	
		later on the mass does not change.	
			[2]
	(ii)	Complete and balance the symbolic equation for this reaction.	
		Mg + + $\operatorname{MgC}l_2$	[2]
(c) (i)	(i)	State the effect, if any, of using a higher temperature on the rate of a reaction.	
(-)	()	Explain your answer in terms of particle collisions.	
		effect	
		explanation	
			•••••
			[2]
	(ii)	State the effect of using a catalyst on the rate of a reaction.	
		Describe the change, if any, to the catalyst at the end of the reaction.	
		effect	
		change to catalyst	
			[2]

6 Fig. 6.1 shows a man riding a snowmobile across snow and ice at a research station in Antarctica.



Fig. 6.1

(a)	The temperature of the air is -40°C , but the man must keep his body temperature at 37 $^{\circ}\text{C}$.					
	(i)	State the main method of thermal energy transfer from the man through his clothing to the outside.				
		[1]				
(ii)	The man wears several layers of thin clothing which trap air between them, instead of one layer of thick clothing.					
		Suggest one reason for this.				
		[1]				

- **(b)** The snowmobile is driven by a gasoline (petrol) engine. Inside the engine, temperatures reach 800 °C as the fuel burns. The combustion of the fuel forms carbon dioxide and water molecules.
 - (i) State which of the diagrams in Fig. 6.2, **X**, **Y** or **Z**, shows the arrangement of molecules as they are formed in the engine.

Give a reason for your answer.




Fig. 6.2

diagram	
reason	
	[1]

(ii) Fig. 6.3 shows white trails coming out of the engines of an aircraft landing at the research station when the air temperature was -45 °C.




Fig. 6.3

Suggest what these white trails are made of. Give a reason for your answer.

The whi	te trails are	made of	 	 	
reason			 	 	
			 	 	[2]

Anta	arctic	research sta	ations use sat	ellites to relay	communicat	ions to their h	ome bases.	
(i)	Nar	ne the part of	the electrom	agnetic spect	rum used for	satellite comr	nunications.	
								[1]
(ii)							named in (i)	in its
		X-rays		visible light				
				Fig. 6.4				[1]
land	ding.					•		
(i)				•		nds after the	pilot says ove	er the
	Exp	lain why this	happens.					
								[1]
(ii)	Des							[.]
	(ii) The land awa	(ii) Nar (ii) On corr The mar landing. away. (i) The radi Exp	(ii) Name the part of (ii) On Fig. 6.4, put correct place in to the same and the same away. (i) The man hears the radio that the engage Explain why this	(ii) Name the part of the electrom (ii) On Fig. 6.4, put the part of the correct place in the incomplete the correct place in the c	(ii) Name the part of the electromagnetic spect (ii) On Fig. 6.4, put the part of the electromagnetic correct place in the incomplete electromagnetic spect X-rays Visible light Fig. 6.4 The man on the snowmobile uses a radio to talk landing. He can hear the sound of the engines away. (i) The man hears the sound of the engines for radio that the engines have been switched explain why this happens.	(ii) Name the part of the electromagnetic spectrum used for	(ii) Name the part of the electromagnetic spectrum used for satellite community. (iii) On Fig. 6.4, put the part of the electromagnetic spectrum you have correct place in the incomplete electromagnetic spectrum. X-rays	(ii) On Fig. 6.4, put the part of the electromagnetic spectrum you have named in (i) correct place in the incomplete electromagnetic spectrum. X-rays

Please turn over for Question 7

- 7 Fig. 7.1 shows a diagram of the cells in a cross section of a leaf.
 - (a) Most photosynthesis takes place in the palisade cells of the leaf.

Complete the balanced symbol equation for photosynthesis.




Fig. 7.1

- **(b)** On Fig. 7.1
 - (i) draw a line to show a possible path taken by carbon dioxide from point Y to palisade cell Z, [1]
 - (ii) label the tissue that provides water for the leaf. [1]

(c) When the stomata are open there is a net movement of water molecules by diffusion out of the leaf. This is called transpiration.

Fig. 7.2 shows the area around the stoma of the leaf shown in Fig. 7.1.




Fig. 7.2

(1)	Describe how the water molecules get into the space inside the leaf above the stoma, as shown in Fig. 7.2.
	[2]
(ii)	Fig. 7.2 shows a difference in the environment around the leaf in diagram A compared with diagram B .
	Predict whether the rate of transpiration will be greater in A or B .
	Explain your answer.
	[2]

8 (a) The melting points of the first four Group I metals are shown in Table 8.1.

Table 8.1

Group I metal	melting point/°C
lithium, Li	180
sodium, Na	98
potassium, K	64
rubidium, Rb	

Complete Table 8.1 by suggesting the melting point of rubidium, Rb.

[1]

(b) A student investigates the reaction between four metals, A, B, C and D, and the oxides of these metals.

The results of this investigation are shown in Table 8.2.

Table 8.2

motal		metal	oxide	
metal	A oxide	B oxide	C oxide	D oxide
A		/	Х	✓
В	X		Х	1
С	1	1		1
D	Х	Х	Х	

key ✓ reaction

X no reaction

(i) Deduce the order of reactivity of the four metals, from most reactive to least reactive.

 most reactive
 least reactive

[2]

	(ii)	The reaction between metal A and metal B oxide is exothermic.
		Describe the energy transformation which occurs during an exothermic reaction.
		[2]
(c)	Soc	lium, Na, is extracted from sodium chloride, NaCl, by electrolysis, as shown in Fig. 8.1.
		low voltage
		d.c. supply
		Θ
		molten sodium chloride
		Fig. 8.1
	(i)	Name the electrode at which sodium forms.
		[1]
	(ii)	State the gas that is formed during this electrolysis.
		[1]
	(iii)	Explain, in terms of ions, why the sodium chloride must be molten rather than solid during
	\'''	this electrolysis.

9 Fig. 9.1 shows a circuit set up to measure the current in different parts of a circuit.




Fig. 9.1

- (a) When both switches are closed, ammeter ${\bf A_1}$ reads 6A and ammeter ${\bf A_2}$ reads 1.5A.
 - (i) Predict the reading on ammeter A_3 .

Give a reason for your answer.

Reading on A ₃ =A	
reason	
	[1]

(ii) Deduce why different currents are recorded on ammeters ${\bf A_2}$ and ${\bf A_3}$. Give reasons for your answer.

[2

(b)	A vo	A voltmeter is connected across the battery. The reading is 12 V.											
	Swi	tch $\mathbf{S_2}$ is closed, but switch $\mathbf{S_3}$ is left open. Ammet	er A ₁ reads 3 A.										
	The	voltmeter is now connected between points ${\bf X}$ and	d Y . The reading is 3 V.										
	(i)	State the reading on ammeter ${\bf A_2}$.	reading = A [1]										
	(ii)	Deduce the value of resistance $\mathbf{R_1}$.											
		Show your working.											

value of $\mathbf{R_1} = \dots \Omega$ [2]

The Periodic Table of Elements

	III/	2	He	helium 4	10	Ne	neon 20	18	Ą	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	¥	astatine -			
	 				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ъ	polonium –	116		livermorium –
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	2				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ъ	lead 207	114	Fl	flerovium -
	=				2	Ф	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204			
								I			30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	ပ်	copernicium -
											59	Cn	copper 64	47	Ag	silver 108	62	Αu	gold 197	111	Rg	roentgenium -
dn											28	z	nickel 59	46	Pq	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -
Group											27	ပိ	cobalt 59	45	뫈	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		-	I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	¥	hassium
					J						25	M	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						00	SS				24	ර්	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	QN	niobium 93	73	Б	tantalum 181	105	Op	dubnium -
						atol	relat				22	ı	titanium 48	40	Zr	zirconium 91	72	Έ	hafnium 178	104	꿆	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	26	Ва	barium 137	88	Ra	radium -
	_				3	:=	lithium 7	11	Na	sodium 23	19	×	potassium 39	37	Вb	rubidium 85	55	Cs	caesium 133	87	ъ́	francium —

71	Γn	lutetium 175	103	۲	lawrencium	ı
20	Υp	ytterbium 173	102	8	nobelium	ı
69	T	thulium 169	101	Md	mendelevium	ı
89	ш	erbium 167	100	Fm	fermium	ı
29	운	holmium 165	66	Es	einsteinium	1
99	ò	dysprosium 163	86	ర	californium	ı
65	Д	terbium 159	62	Ř	berkelium	1
64	В	gadolinium 157	96	Cm	curium	ı
63	Ш	europium 152	92	Am	americium	1
62	Sm	samarium 150	94	Pu	plutonium	1
61	Pm	promethium -	93	ď	neptunium	1
09	PZ	neodymium 144	92	\supset	uranium	238
29	Ā	praseodymium 141	91	Ра	protactinium	231
58	Ce	cerium 140	06	T	thorium	232
25	Га	lanthanum 139	89	Ac	actinium	1

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.)

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.