

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
COMBINED SO	CIENCE		0653/31
Paper 3 (Core)			May/June 2018
			1 hour 15 minutes
Candidates ans	swer on the Question Paper.		
No Additional N	Materials are required.		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.


A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



© UCLES 2018






1 (a) Substances in food can be identified using test solutions.

Use lines to join each substance with the correct test solution and the colour of its positive result.

One example is done for you.



(b) Fig. 1.1 shows three leaves, P, Q and R.

The leaves are of similar size. They are all taken from the same type of plant on a sunny day.




Fig. 1.1

	(i)	The leaves in Fig. 1.1 are all tested for the presence of starch. P , Q and R are for contain different amounts of starch.	und to
		Use Fig. 1.1 to place the leaves P, Q and R in order of the amount of starch they co	ontain.
		highest amount of starch	
		lowest amount of starch	[1]
	(ii)	Explain your answer to (i).	
			[2]
(c)	The	word equation for photosynthesis is shown.	
` '		carbon dioxide + water — → glucose + oxygen	
	Des	cribe how carbon dioxide and water enter a plant.	
		oon dioxide	
	wat	er	
			[4]
(d)	A st	udent made the following statement.	
		'Plants carry out respiration in their cells only when it is dark.'	
	(i)	State whether you agree with the student's statement and explain your decision.	
			[1]
	(ii)	State one use of the energy released by respiration in plants.	
			[1]

2 (a) A student investigates the reactivity of four different metals.

She places pieces of calcium, copper, iron and zinc separately in dilute hydrochloric acid, as shown in Fig. 2.1.




Fig. 2.1

(1)	Place these four metals in order c	or reactivity, from most to least reactive.
		most reactive
		↓
		least reactive

[2]

(ii) Suggest what happens to the pH number of the acid when it reacts with a piece of metal.

(b) Excess magnesium powder reacts with dilute hydrochloric acid.

During this reaction, a gas and aqueous magnesium chloride solution are produced.

(i) Name this gas.

Гн	1	
 լլ	1	

(ii) State how the unreacted solid magnesium can be removed from the reaction mixture.

141
 .[1]

(iii) State how solid magnesium chloride can be obtained from magnesium chloride solution.

.....[1]

(c) An atom of an isotope of magnesium is represented by:

		$^{25}_{12}$ Mg	
	(i)	State the atomic number and the mass number of this atom.	
		atomic number	
		mass number	[1]
	(ii)	State the number of neutrons in this atom.	[.]
			[1]
d)	Alur	minium is used in overhead power cables.	
	Alur	minium alloys are used in aircraft bodies.	
	(i)	State the physical property of aluminium that makes it suitable for use in power cable	€S.
			[1]

(ii) Explain why aluminium alloys, rather than pure aluminium, are used in aircraft bodies.

3 Fig. 3.1 shows an airship carrying a heavy load.





Fig. 3.1

- (a) The airship and load are floating above the ground.
 - (i) On Fig. 3.1 draw **two** force arrows to show the vertical forces acting on the load. [2]
 - (ii) At one point in its journey, the airship is moving and all the forces acting on the airship are balanced.

Describe the motion of the airship at this time.

	[11

(iii) Name the unit of force.



(b) Fig. 3.2 shows a speed-time graph for part of the journey of the airship.




Fig. 3.2

	(i)	(i) State the speed of the airship at 70 s.	
			m/s [1]
	(ii)	ii) Use terms from this list to complete the statements below.	
		Each term may be used once, more than once or not at all.	
		constant speed decreasing speed increa	asing speed
		Between 0s and 25s the airship travels with	
		Between 25s and 65s the airship travels with	
		Between 80s and 90s the airship travels with	
			[1]
(c)	The	The load is a solid metal cube of density 7000 kg/m ³ . Each side of	the cube measures 0.50 m.
	(i)	(i) Calculate the volume of the metal cube.	
		Show your working.	
			3 147
	(::\		m ³ [1]
	(ii)		
		State the formula you use and show your working.	
		formula	
		working	
		mass =	kg [2]

4 (a) Fig. 4.1 shows apparatus which is used to compare the carbon dioxide content of inspired air with expired air.




Fig. 4.1

The apparatus is designed so that only inspired air goes through flask $\bf A$ and only expired air goes through flask $\bf B$.

A student breathes in and out of the apparatus until the limewater turns milky in one of the flasks.

Complete the sentences.

The limewater turns milky in flask	because
There is no change in the other flask because	
	[2]

(b) Complete Table 4.1 with **more**, **less** or **the same** to show how the composition of expired air differs from the composition of inspired air.

Table 4.1

component of air	change
oxygen	
nitrogen	
water vapour	

[3]

(c)	An	athlete is preparing to run a race. The concentration of adrenaline in his blood increases	j.
	(i)	Complete the following sentence about adrenaline.	
		Adrenaline is a	al 1]
	(ii)	Describe two effects of the increase in adrenaline concentration in the athlete's blood.	
		1	
		2	
			2]
	(iii)	The concentration of adrenaline in the athlete's blood falls after the race.	
		Describe how this happens.	
		Γ	11

5 (a) The process used to produce refinery gas, gasoline and gas oil from petroleum is shown in Fig. 5.1.




Fig. 5.1

(i)	Name this process.	
(ii)	The petroleum is changed in this process. No new chemicals are made. Name this type of change.	[1]
		[1]
(iii)	Petroleum is a mixture of different compounds.	
	State what is meant by the terms <i>mixture</i> and <i>compound</i> .	
	mixture	
	compound	
		[2]

(b)	Ref	inery gas contains ethane, C ₂ H ₆ , a hydrocarbon.	
	(i)	A molecule of ethane contains covalent bonds.	
		Explain how covalent bonds form between non-metallic elements.	
		Use ideas about electrons in your answer.	
			[1]
	(ii)	When ethane burns, water is formed.	
		Describe a chemical test and the positive result for water.	
		test	
		result	
			[2]
	(iii)	When ethane burns, there is a temperature increase.	
		Identify the type of chemical reaction that produces a temperature increase.	
			[1]

6 Fig. 6.1 shows a man watching television. He changes the channel with a remote control. The channel he now watches shows a hot-air balloon high in the sky.




Fig. 6.1

(a) Fig. 6.2 shows an incomplete electromagnetic spectrum.

On Fig. 6.2 write in their correct boxes the names of the parts of the electromagnetic spectrum used for

- television transmission,
- · changing the channel,
- watching the television.

Draw a line to link each use to the correct part of the spectrum you have named. One line has been completed for you.




Fig. 6.2

[3]

(b) Fig. 6.3 shows a hot-air balloon being prepared for flight. A fuel burner produces hot gases. The balloon fills with the hot gases and the balloon rises up into the air.




Fig. 6.3

(i)	State the name of the method of thermal energy transfer from the fuel burner upwards into the balloon.
	[1]
(ii)	When the balloon has been filled with hot gases, it rises up into the air.
	Explain why the fuel burner has to be used again at intervals to keep the balloon fully inflated with hot gases.
	[2]
(iii)	Complete the following sentences about the energy changes that occur.
	As the fuel burns, the stored energy
	in the fuel changes into thermal energy in the gases produced.
	As the balloon rises, it gains energy. [2]
(iv)	Explain why people in the basket underneath the balloon can feel the heat from the fuel burner as the fuel burns.
	[1]

7 (a) Fig. 7.1 shows a food web in a garden.




Fig. 7.1

(i)	Use Fig. 7.1 to name
	the producer,
	the herbivores.
	[2]
(ii)	Using information in Fig. 7.1 draw a complete food chain consisting of only three organisms.
	[2]
b) Th	e caterpillars in the food web in Fig. 7.1 are only present in the garden for three months of
	e caterpliats in the lood web in rig. 7.1 are only present in the garden for three months of expear.
Su	ggest and explain the effect of the disappearance of caterpillars on the number of snails.
	[1]

BLANK PAGE

8 (a) The electrolysis of aqueous copper chloride is shown in Fig. 8.1.

Copper forms on electrode P.




Fig. 8.1

	(i)	Predict the type of bonding between the particles in solid copper chloride.	
			1]
	(ii)	Copper chloride is produced when one atom of copper reacts with two atoms of chloring	e.
		Predict the formula of this compound.	
			[1]
	(iii)	Name electrode P .	
			1]
	(iv)	Name the gas that forms at the other electrode.	
			1]
(b)	Cop	oper compounds are used as catalysts.	
	(i)	Describe what is meant by a <i>catalyst</i> .	
			1]
	(ii)	State the name of the collection of metals in the Periodic Table that includes copper.	

(c) Copper is extracted from copper oxide by heating it with carbon.

(i) Comple	te the word equation for	this reaction.		
copper oxide	+	→	+	
				[2
(ii) Explain	why this reaction is des	cribed as a <i>redox</i> reaction.		

9 Fig. 9.1 shows a small electric cooker with two hot plates.




Fig. 9.1

The cooker is connected to a 240 V supply.

Each hot plate is controlled by a switch and a variable resistor.

Each hot plate can be turned on and off and controlled without affecting the other hot plate.

(a) (i) In Table 9.1 draw the circuit symbols for each component used in the cooker circuit.

Table 9.1


component	fuse	switch	variable resistor
symbol			

[2]

(ii) The two hot plates are connected in parallel, so that each can be controlled separately by a switch and a variable resistor. The whole cooker circuit is protected by a fuse.

The circuit symbol for a heater in the hot plate is: ——	L					-
---	---	--	--	--	--	---

Complete the circuit diagram for the cooker, which has been started for you.



(b)	For this question you may assume that the resistance of each variable resistor in the circuit is
	zero and can be ignored.

(i)	The large hot plate has a resistance of 40Ω	and the small hot plate has a resistance of
	60Ω .	

Draw a circle around the correct value for the combined resistance of the two hot plates.

 $24\Omega \hspace{1cm} 50\hspace{1cm} \Omega \hspace{1cm} 72\hspace{1cm} \Omega \hspace{1cm} 100\hspace{1cm} \Omega \hspace{1cm} [1]$

(ii) Use your chosen answer in (i) to calculate the current from the supply when both hot plates are switched on.

State the formula you use and show your working.

formula

working

current =A [2]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

The Periodic Table of Elements

=	5 -	Ф Н	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	25	Xe	xenon 131	98	R	radon -			
=>				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	At	astatine -			
5				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ро	moloulum -	116		livermorium -
>				7	z	nitrogen 14	15	ட	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	В	lead 207	114	ŀΙ	flerovium -
=				2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	ပ်	copernicium
										29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
										28	ïZ	nickel 59	46	Pd	palladium 106	78	五	platinum 195	110	Ds	darmstadtium -
										27	රි	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	Ħ	meitnerium -
	-]	I	hydrogen 1							26	Fe	iron 56	44	R	ruthenium 101	92	SO	osmium 190	108	Hs	hassium -
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
				_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
			Key	atomic numbe	mic sym	name ative atomic m				23	>	vanadium 51	41	qN	niobium 93	73	Б	tantalum 181	105	Op	dubnium –
					atc	re.				22	i=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	Ŗ	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium -
_				က	=	lithium 7	11	Na	sodium 23	19	\prec	potassium 39	37	Rb	rubidium 85	55	S	caesium 133	87	ቷ	francium -
				III IV V VI VII	III IV V VI VII	II	II	II	III	III IV VI VII VII	III	III IV V VII VIII VIIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII	III IV V V VI VII III IV V V VII III IV V V VII III IV VII III IV V III II	II	III	III IV V VI VI VI VI VI	II	1 1 1 1 1 1 1 1 1 1	11 11 12 12 13 14 14 15 15 15 15 15 15	1	1 1 1 1 1 1 1 1 1 1

_			_		_	_
7.1	Γſ	lutetium 175	103	۲	lawrencium	_
		ytterbium 173			_	_
69	H	thulium 169	101	Md	mendelevium	_
89	щ	erbium 167	100	Fm	fermium	I
29	운	holmium 165	66	Es	einsteinium	I
99	ò	dysprosium 163	86	ŭ	californium	ı
65	Д	terbium 159	97	Æ	berkelium	ı
64	gq	gadolinium 157	96	Cm	curium	ı
63	En	europium 152	92	Am	americium	ı
62	Sm	samarium 150	94	Pn	plutonium	ı
61	Pm	promethium -	93	ď	neptunium	ı
09	PZ	neodymium 144	92	\supset	uranium	238
59	P	praseodymium 141	91	Ра	protactinium	231
58	Ce	cerium 140	06	Ч	thorium	737
22	Гa	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).