

Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

| CANDIDATE NAME | | | |
|-------------------|-------|---------------------|---------|
| CENTRE NUMBER | | CANDIDATE NUMBER | |
| COMBINED SO | YENCE | | 0653/31 |

Paper 3 (Core)

May/June 2019

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 19 printed pages and 1 blank page.



1 (a) Plants make their own food in leaves by the process of photosynthesis.

Fig. 1.1 shows a cross-section of a leaf.





Fig. 1.1

Name cell parts A, B and C shown in Fig. 1.1.

| Α | | |
|---|---|---|
| В | | |
| С | | |
| | ſ | 3 |

(b) Fig. 1.2 shows a cross-section of the central structure of a leaf, known as the midrib.

The vascular bundle is shown in the middle of the midrib in Fig. 1.2.



......[1]


Fig. 1.2

| [1] |
|-----|
| [1] |
| |
| |
| |

(c) Glucose and oxygen are produced by cells in the leaves during photosynthesis.

Plant cells can use these products to carry out respiration.

Complete the word equation for respiration.



(d) State two uses for the energy released by respiration in the bodies of humans.

| 1. | | | ٠. | ٠. | | | | | | ٠. | | | ٠. | | | - | | ٠. | ٠. | | | ٠. | | ٠. | | ٠. | | | ٠. | ٠. | ٠. | | | ٠. | | |
|----|--|------|------|------|------|------|------|------|--------|--------|------|------|------|------|------|--------|------|------|----|------|------|-------|------|--------|----|------|------|--------|------|----|------|----|------|------|----|----|----|------|------|----|------|--|
| 2. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

[Total: 9]

[2]

2 (a) The composition of clean air is shown in Fig. 2.1.




Fig. 2.1

Methane, carbon dioxide and water vapour are three of the other gases.

Identify gas X and gas Y.

| gas) | X | |
|--------------|---|-----|
| gas \ | Υ | |
| 3-1- | - | [2] |

- (b) Methane is the main constituent of a fossil fuel.
 - (i) Name this fossil fuel.

| [1 | 1 | 1 |
|----|---|---|
| | | |

(ii) State the formula of methane. [1]

.....

(iii) State the name of the group of saturated hydrocarbons that includes methane.

| 64.1 |
|------|
| 111 |

- (iv) Identify the products of the complete combustion of methane.
 - and [1]

| (c) | Compound X contains only calcium, carbon and oxygen. |
|-----|-------------------------------------------------------------------------------------------|
| | When it is heated it decomposes to form carbon dioxide and calcium oxide. |
| | Identify compound X. |
| | [1] |
| (d) | Describe a chemical test for water and state the result that shows the presence of water. |
| | test |
| | result |
| | [2] |
| | [Total: 9] |

3 Fig. 3.1 shows a whale swimming underwater.




Fig. 3.1

| (a) | (i) | The force arrows labelled P and Q show the vertical forces acting on the whale. |
|-----|-----|-----------------------------------------------------------------------------------------------|
| | | Name force Q. |

| F 4 7 |
|-------|
| |

- (ii) The whale is swimming at constant depth, using a force R to push itself forward.
 - On Fig. 3.1 draw a force arrow to show the frictional force opposing the motion of the whale, and label it **S**. [1]
- (iii) When force **R** is 500 N, the whale moves at a constant speed of 5.0 km/h. State the value of force **S**.

(iv) Force **R** decreases to 400 N. Force **P** increases.

Describe how these **two** changes affect the motion of the whale.

| (b) | | The whale does work against the friction of the water as it swims at a conconstant depth on a journey. | nstant speed a | nd a |
|-----|------|--------------------------------------------------------------------------------------------------------|------------------|-------|
| | (i) | (i) State the two quantities needed to calculate the work done by the wh | ale on its journ | ey. |
| | | and | | . [2] |
| | (ii) | i) Complete the sequence of energy changes that occur on the whale's | journey. | |
| | | energy in the whale | | |
| | | to energy of the whale | | |
| | | to thermal energy transferre | d to the water. | [2] |
| (c) | The | The whale makes a sound to call to another whale 9000 m away. | | |
| | The | The second whale hears the call 6.0 seconds later. | | |
| | Cal | Calculate the speed of sound in water. | | |
| | Sho | Show your working. | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | speed = | m/s | ; [2] |
| | | | [Total | : 11] |

4 (a) Fig. 4.1 is a diagram of the male reproductive system.




Fig. 4.1

Complete Table 4.1 to show the names and the functions of parts ${\bf A},\,{\bf B},\,{\bf C}$ and ${\bf D}$ shown in Fig. 4.1.

Table 4.1

| letter of structure | name of part | function |
|---------------------|--------------|-----------------------------------------|
| Α | sperm duct | |
| В | | carries urine and semen out of the body |
| С | | production of male gametes (sperm) |
| D | scrotum | |

[4]

(b) Fig. 4.2 shows the changes to the thickness of the uterus lining during the menstrual cycle.




Fig. 4.2

| | (i) | State what happens to the uterus lining during the first five days. | |
|-----|-------|-----------------------------------------------------------------------------|-----|
| | | | [1] |
| | (ii) | Use Fig. 4.2 to determine the number of days in a complete menstrual cycle. | |
| | | number of days = | [1] |
| | (iii) | Suggest why the uterus lining becomes thicker between days 7 and 30. | |
| | | | |
| | | | [1] |
| (c) | Des | scribe the process of fertilisation of a sperm cell and an egg cell. | |
| | | | |
| | | | [2] |

[Total: 9]

5 A student investigates the reactivities of four metals, calcium, magnesium, tin and zinc.

She reacts 1g pieces of each metal separately with excess dilute hydrochloric acid.

She collects and measures the gas from each reaction using a measuring cylinder, as shown in Fig. 5.1.





Fig. 5.1

The time taken to collect 20 cm³ of gas in each experiment is recorded in Table 5.1.

Table 5.1

| metal | time taken/s |
|-----------|---------------|
| calcium | 20 |
| magnesium | 55 |
| tin | more than 300 |
| zinc | 100 |

(a) (i) Deduce the order of reactivity of the four metals, calcium, magnesium, tin and zinc, from most reactive to least reactive.



[2]

| | (ii) | Suggest two change hydrochloric acid. | es that can be made to increase | the rate of reaction of a me | tal with |
|-----|----------|----------------------------------------------|------------------------------------|------------------------------|----------|
| | | 1 | | | |
| | | 2 | | | [2] |
| (b) | (i) | Identify the gas prod | uced when zinc reacts with dilute | e hydrochloric acid. | |
| | | | | | [1] |
| | (ii) | Fig. 5.2 shows some | gases and tests for gases. | | |
| | | The boxes on the lef | t show the gases. The boxes on | the right show the tests. | |
| | | gas | | test | |
| | | ammonia | | glowing splint | |
| | | | | | |
| | | carbon dioxide | | damp red litmus paper | |
| , | | | | | |
| | | oxygen | | limewater | |
| | | | Fig. 5.2 | | |
| | | On Fig. 5.2 draw one | e line from each gas to the test u | sed for the gas. | [2] |
| (c) | The poir | | magnesium, tin and zinc, have h | nigh melting points and high | boiling |
| | Sug | ggest two other physic | cal properties of these metals. | | |
| | 1 | | | | |
| | 2 | | | | |
| | | | | | [2] |

[Total: 9]

6 Fig. 6.1 shows an electrical device used in kitchens to kill insects. Insects can spread disease by contaminating food.




Fig. 6.1

The device is connected to the electricity supply.

- (a) The two fluorescent tubes emit both visible light and ultraviolet radiation. This attracts insects to the device.
 - (i) Fig. 6.2 shows an incomplete electromagnetic spectrum.

| X-rays | micro- waves | radio waves |
|--------|-----------------|-------------|
|--------|-----------------|-------------|

Fig. 6.2

On Fig. 6.2 place visible light and ultraviolet radiation in their correct boxes in the spectrum. [2]

(ii) The level of ultraviolet radiation emitted by the device is kept as low as possible when the device is used where people are present.

| Explain why this precaution is needed. | |
|----------------------------------------|-----|
| | |
| | |
| | [2] |

| (b) | Fig. 6.1 shows a grid of fine wires in front of the two fluorescent tubes. The insects have to fly between the wires as they go towards the light. | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|--|--|
| | A po | otential difference of 2000 V exists between each pair of wires. | | |
| | | en an insect touches a pair of wires, an electrical circuit is completed. An electric current is through the insect. | | |
| | (i) | State what is meant by electric current. | | |
| | | [1] | | |
| | (ii) | The current in the wires when an insect touches them and completes the circuit is 0.5 A. | | |
| | | Calculate the resistance of the insect. | | |
| | | Show your working and state the unit of your answer. | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | resistance = unit [3] | | |
| (c) | Sug | gest one safety hazard when operating any electrical device in a kitchen. | | |
| | | | | |
| | | [1] | | |
| | | [Total: 9] | | |
| | | | | |

7 (a) Cell membranes are partially permeable. They allow small molecules to pass through by diffusion, but not large molecules.

Underline **one** molecule from the list of molecules which can diffuse across a cell membrane.

cellulose fat glycogen oxygen protein [1]

(b) Fig. 7.1 shows a bag which acts like a cell membrane. It is partially permeable.

The bag contains a mixture of glucose and starch solutions. The bag is placed in a beaker of water.




Fig. 7.1

After 30 minutes the water in the beaker is tested for starch and glucose.

The results of these tests are shown in Table 7.1.

Table 7.1

| test solution | molecule tested for | result | final colour of test solution |
|---------------------|---------------------|----------|-------------------------------|
| iodine solution | starch | negative | |
| Benedict's solution | glucose | positive | |

| (i) | Complete Table 7.1 with the final colour of the test solutions. | [2] |
|------|--------------------------------------------------------------------|-----|
| (ii) | State where the starch molecules are at the end of the experiment. | |
| | | [1] |

| | (iii) | Describe what has happened to the glucose molecules during the experiment. |
|-----|-------|--------------------------------------------------------------------------------------------------------|
| | | |
| | | |
| | | [2] |
| | (iv) | Use the information in Table 7.1 to compare the sizes of the glucose molecule and the starch molecule. |
| | | Explain your answer. |
| | | sizes of molecules |
| | | explanation |
| | | |
| | | |
| | | [2] |
| (c) | The | plasma is the component of blood which carries soluble nutrients around the body. |
| | Nar | ne one other substance that is transported by the plasma. |
| | | [1] |
| | | [Total: 9] |

8 (a) An atom of aluminium is represented by the symbol:

| 2 | 7 | Λ | 1 |
|---|---|---|---|
| 1 | 3 | М | l |

| | Stat | te the number of protons and the number of neutrons in this atom. | |
|-----|-------|-----------------------------------------------------------------------------|-----|
| | prot | ons | |
| | neu | trons | [2] |
| (b) | Alur | minium is extracted from aluminium oxide. | |
| | Alur | minium oxide is obtained from the ore bauxite. | |
| | (i) | State the method of extraction used. | |
| | | | [1] |
| | (ii) | State the type of bonding in aluminium oxide. | |
| | | | [1] |
| | (iii) | Suggest one reason, other than cost, why aluminium is recycled. | |
| | | | |
| | | | [1] |
| (c) | Сор | oper forms coloured compounds, but aluminium does not. | |
| | Ехр | lain this observation. | |
| | | | |
| | | | [1] |
| (d) | Сор | oper is extracted from copper oxide by heating with a non-metallic element. | |
| | (i) | Name this non-metallic element. | |
| | | | [1] |
| | (ii) | State whether the copper oxide is oxidised or reduced during this process. | |
| | | Explain your answer. | |
| | | copper oxide is | |
| | | explanation | |
| | | · · · · · · · · · · · · · · · · · · · | |
| | | | [1] |

https://xtremepape.rs/

9 Fig. 9.1 shows a laboratory water-bath used to keep experiments at a constant temperature.




Fig. 9.1

The water is heated by an electric heating element at the bottom of the water-bath.

Fig. 9.2 shows the structure inside the tube of the heating element.




Fig. 9.2

| (a) | The water-bath is filled with cold water at 10 °C. The heating element is turned on to heat the |
|-----|-------------------------------------------------------------------------------------------------|
| | water to 40 °C. |

| (i) | State the electrical property that the powder surrounding the hot resistance wire should have. | | | | | | | |
|------|------------------------------------------------------------------------------------------------|-----|--|--|--|--|--|--|
| (ii) | Explain why the powder filling must be a good thermal conductor. | [1] | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| | (iii) | Describe how the thermal energy is transferred by the water to raise the water temperature to 40 $^{\circ}\text{C}.$ |
|-----|-------|----------------------------------------------------------------------------------------------------------------------|
| | | |
| | | |
| | | [2] |
| (b) | The | electrical circuit in the water-bath contains a switch, a heater and a fuse. |
| | (i) | On Fig. 9.3 complete the circuit diagram for the water-bath, including the symbols for a switch and a fuse. |
| | | o ~ o |
| | | heater |
| | | Fig. 9.3 [2] |
| | (ii) | The current through the heater when switched on is 3A. A 5A fuse is used in the circuit. |
| | , | Explain why a 3A fuse would not be suitable for use in this circuit. |
| | | [1] |
| | | [Total: 7] |

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

| | => | Z H | helium 4 | 10 | Ne | neon 20 | 18 | Ar | argon 40 | 36 | 궃 | krypton 84 | 54 | Xe | xenon 131 | 98 | R | radon | | | |
|-------|----|-----|---------------|---------------|--------------|------------------------------|----|----|------------------|----|----|-----------------|----|----------|------------------|-------|-------------|-----------------|--------|-----------|--------------------|
| | = | | | 6 | ш | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | B | bromine 80 | 53 | Ι | iodine 127 | 85 | At | astatine - | | | |
| | 5 | | | 80 | 0 | oxygen 16 | 16 | S | sulfur 32 | 8 | Se | selenium 79 | 52 | <u>e</u> | tellurium 128 | 8 | Ро | mninolod – | 116 | _ | livermorium - |
| | > | | | 7 | z | nitrogen 14 | 15 | ۵ | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sb | antimony 122 | 83 | E | bismuth 209 | | | |
| | 2 | | | 9 | ပ | carbon 12 | 14 | S | silicon 28 | 32 | Ge | germanium 73 | 20 | Sn | tin 119 | 82 | Pb | lead 207 | 114 | Εl | flerovium |
| | ≡ | | | 2 | Ф | boron 11 | 13 | Αl | aluminium 27 | 31 | Ga | gallium 70 | 49 | In | indium 115 | 84 | 11 | thallium 204 | | | |
| | | | | | | | - | | | 30 | Zn | zinc 65 | 48 | g | cadmium 112 | 80 | Нg | mercury 201 | 112 | ű | copernicium |
| | | | | | | | | | | 29 | Co | copper 64 | 47 | Ag | silver 108 | 62 | Αu | gold 197 | 111 | Rg | roentgenium - |
| Group | | | | | | | | | | 28 | Z | nickel 59 | 46 | Pd | palladium 106 | 78 | പ | platinum 195 | 110 | Ds | darmstadtium - |
| Gro | | | | | | | | | | 27 | ပိ | cobalt 59 | 45 | 뫈 | rhodium 103 | 77 | 'n | iridium 192 | 109 | ₩ | meitnerium - |
| | | - I | hydrogen 1 | | | | | | | 26 | Fe | iron 56 | 44 | Ru | ruthenium 101 | 92 | Os | osmium 190 | 108 | Hs | hassium |
| | | | | | | | | | | 25 | Mn | manganese 55 | 43 | ည | technetium - | 75 | Re | rhenium 186 | 107 | 뮴 | bohrium – |
| | | | | | loq | ass | | | | 24 | ပ် | chromium 52 | 42 | Mo | molybdenum 96 | 74 | > | tungsten 184 | 106 | Sg | seaborgium - |
| | | | Key | atomic number | atomic symbo | name relative atomic mass | | | | 23 | > | vanadium 51 | 41 | qN | niobium 93 | 73 | Б | tantalum 181 | 105 | Ср | dubnium – |
| | | | | | ato | rek | | | | 22 | F | titanium 48 | 40 | Zr | zirconium 91 | 72 | 茔 | hafnium 178 | 104 | 꿒 | rutherfordium - |
| | | | | | | | | | | 21 | လွ | scandium 45 | 39 | > | yttrium 89 | 57–71 | lanthanoids | | 89–103 | actinoids | |
| | = | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | ഗ് | strontium 88 | 56 | Ba | barium 137 | 88 | Ra | radium |
| | _ | | | 8 | := | lithium 7 | 11 | Na | sodium 23 | 19 | × | potassium 39 | 37 | Вb | rubidium 85 | 55 | S | caesium 133 | 87 | ፫ | francium - |

| Lu Z | lutetium 175 | 103 | ۲ | lawrenciur | ı |
|-----------------|---------------------|-----|-----------|--------------|-----|
| ρ Vp | | | | _ | 1 |
| e9 Tm | thulium 169 | 101 | Md | mendelevium | _ |
| ® 正 | erbium 167 | 100 | Fm | ferminm | I |
| 67 H | holmium 165 | 66 | Es | einsteinium | _ |
| 66 Dy | dysprosium 163 | 86 | ర్ | californium | Ι |
| 65 Tb | terbium 159 | 26 | 益 | berkelium | Ι |
| 64 Gd | gadolinium 157 | 96 | CB | curium | I |
| 63 Eu | europium 152 | 92 | Am | americium | _ |
| 62 Sm | samarium 150 | 94 | Pu | plutonium | _ |
| Pm | promethium - | 93 | δ | neptunium | _ |
| 09 PN | neodymium 144 | 92 | \supset | uranium | 238 |
| 59 P | praseodymium 141 | 91 | Ра | protactinium | 231 |
| S8 Ce | cerium 140 | 06 | Ч | thorium | 232 |
| 57 La | lanthanum 139 | 88 | Ac | actinium | 1 |

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).