

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



COMBINED SCIENCE

0653/33

Paper 3 Theory (Core)

October/November 2020

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 20 pages. Blank pages are indicated.

DC (ST/JG) 194548/3 © UCLES 2020

[Turn over

1 (a) Fig. 1.1 shows a diagram of muscle cells.




Fig. 1.1

(i) Complete Table 1.1 for the structures A, B and C.

Table 1.1

structure	name	function
Α		controls which substances pass in and out of the cell
В	cytoplasm	
С		controls the activity of the cell

[3]

(ii) Muscles are needed in humans for one of the characteristics of living organisms.

Name this characteristic.

[1]

(iii) Muscles need energy to work.

The energy is released by a different characteristic of living organisms.

Name this characteristic.

[1]

(b) Anaemia is a medical condition. A person with anaemia has fewer red blood cells than normal.

Suggest why anaemia can cause a person to have less energy.

(c) The heart is made of muscle tissue.

Fig. 1.2 is a diagram of the heart.




Fig. 1.2

- (i) Identify structure **X** on Fig. 1.2.
- (ii) On Fig. 1.2, use a label line and the letter **Y** to identify a structure that prevents the backwards flow of the blood. [1]

[Total: 9]

		nt investigates the rate of reaction between a piece of magnesium and excess dilu oric acid.	te
(a)	Dur	ing this reaction, hydrogen is produced.	
	(i)	Complete the equation for this reaction.	
		+ hydrogen	
	(ii)	Describe the chemical test for hydrogen and state the positive result. test	[2]
		result	 [2]
(b)		reaction between magnesium and dilute hydrochloric acid is exothermic.	
		[[1]
(c)	(i)	Describe the effect of increasing the concentration of the acid on the rate of reaction.	11
	(ii)	Describe the effect of decreasing the temperature of the acid on the rate of reaction.	-
(d)	The	student repeats the experiment but uses a piece of zinc instead of a piece of magnesiun	
,		piece of zinc has the same surface area as the piece of magnesium.	
	Sug	gest the effect that using zinc instead of magnesium has on the rate of the reaction.	
	Exp	lain your answer.	
	effe	ct	
	ехр	lanation	
			 [2]
		[Total:	

© UCLES 2020 0653/33/O/N/20

2

BLANK PAGE

3 Fig. 3.1 shows a climber moving up a rock face.




Fig. 3.1

(a) The mass of the climber is 64 kg.

The gravitational field strength g is 10 N/kg.

(i) Calculate the weight of the climber.

		weight =	N	[1]
	(ii)	State the source of the gravitational field.		
				[1]
(b)	The	climber moves up the rock face from A to B at a constant speed.		
	(i)	State the type of energy the climber has that is due to the climber's motion.		
				[1]
	(ii)	State the type of energy the climber has that increases due to the climber's change position above the ground.	ge	in

(c) The climber takes 120 seconds to move up the rock face from ${\bf A}$ to ${\bf B}$.

The	e climber takes 60 seconds to move up the rock face from B to C .
(i)	Calculate the average speed of the climber for the 12 m climb from A to C .
	average speed = m/s [3]
(ii)	Explain why the useful work done against gravity by the climber moving from B to C is the same as the useful work done against gravity by the climber moving from A to B .
	[1]
(iii)	Explain why the useful power developed by the climber moving from B to C is greater than the useful power developed by the climber moving from A to B .
	[1]
	[Total: 9]

4 (a) Fig. 4.1 shows plant cells as seen with a microscope.




Fig. 4.1

(i) The structure labelled **Z** in Fig. 4.1 contains chlorophyll.

Name the structure labelled **Z** in Fig. 4.1.

[1]

(ii) Complete the word equation for photosynthesis.

+ glucose + [2]

(iii) Glucose is a carbohydrate.

Circle the **three** elements that make up carbohydrates.

calcium carbon hydrogen iron
magnesium nitrogen oxygen
[1]

(b) Glucose from photosynthesis is stored in the part of the leaf where it is made. The glucose is stored as starch.

A student investigates the need for chlorophyll in photosynthesis.

The student:

- uses a plant with leaves that are green and white
- puts the plant in a room with plenty of light
- waits for three days
- tests the leaves for starch.

Fig. 4.2 shows a leaf before and after testing for starch.




Fig. 4.2

	(i)	State the name of the solution used to test for the presence of starch.	
			[1]
	(ii)	The white parts of the leaf do not contain chlorophyll.	
		Explain the results shown in Fig. 4.2.	
			[2]
(c)	Plai	nts reproduce using flowers.	
	Nar	ne the part of the flower that produces pollen.	
			[1]
		[Total:	8]

5 (a) The water tap shown in Fig. 5.1 is made of brass.



Fig. 5.1

Brass is made by mixing molten copper with molten zinc. The mixture is then allowed to cool to form solid brass.

(i)	State how solid copper is changed into molten copper.
	[1]
(ii)	Describe two differences between the arrangement of atoms in solid copper and the arrangement of atoms in molten copper.
	1
	2
	[2]
(iii)	State whether this process of making brass is a chemical change or a physical change.
	Explain your answer.
	change
	explanation
	[1]

(b) Copper is a transition element.

	Sod	lium is a Group I metal.	
	(i)	Describe two physical properties of copper that are not properties of sodium.	
		1	
		2	
	(ii)	Describe one physical property of copper that is also a property of sodium.	[2]
			[1]
(c)	Gro	oup I is on the left of the Periodic Table.	
	Trar	nsition elements are found in the middle of the Periodic Table.	
	Des	scribe the change in the character of elements across a period, from left to right.	
			[1]
		Г	Total: 8

6 (a) Gamma rays are a type of electromagnetic radiation.

Fig. 6.1 shows a space telescope that is used for detecting gamma radiation from distant stars.



Fig. 6.1

Fig. 6.2 shows an incomplete electromagnetic spectrum.

On Fig. 6.2, write gamma radiation in the correct position.

Fig. 6.2

[1]

(b) An astronomer uses a telescope to produce an image of a star.

Fig. 6.3 shows visible light rays from the star entering a thin converging lens in the telescope.

(i) On Fig. 6.3, complete the ray diagram to show how the lens focuses the rays to produce a real image on the screen.




Fig. 6.3

[2]

(ii) State the name of the distance from the lens to the screen in Fig. 6.3.

______[1]

(iii) Light waves from a star slow down as they enter the Earth's atmosphere. This causes them to change direction, as shown in Fig. 6.4.





Fig. 6.4

		State the name of the effect shown in Fig. 6.4.
		[1]
(c)	Star	s can emit radiation at all frequencies of the electromagnetic spectrum.
	(i)	State a useful application of microwave radiation.
		[1]
	(ii)	Explain why stars cannot lose energy by conduction or convection.
		[1]

[Total: 7]

7 (a) Fig. 7.1 shows a picture of a sloth and some information about sloths.



Sloths live in the Amazon rainforest. They feed on the leaves of trees.

Sloths are eaten by an animal called a jaguar.

Fig. 7.1

(i)	Use the information in Fig. 7.1 to construct the food chain for the sloth.
	[2]
(ii)	Complete this sentence about the sloth.
	The sloth is a consumer because it eats the producer. [1]

(b) Rainforests are being destroyed by deforestation.

Fig. 7.2 shows the area of deforestation each year in the Amazon rainforest.




Fig. 7.2

(i) State the year that had the **greatest** amount of deforestation.

[1]

	(ii)	Explain why the trend seen in deforestation between 2004 and 2010 benefits sloths.	
			[2]
(c)	Plar	its in the rainforest take up water and mineral ions from the soil.	
	Fig.	7.3 is a diagram showing some of the cells in the root of a plant.	
	so	il particles rootcell	
		root hair	
		Fig. 7.3	
	(i)	Complete the label on Fig. 7.3 to identify the cells between the root hair and the xyl vessels.	em [1]
	(ii)	Draw one arrow to show the pathway taken by water from the soil into the root.	[1]
	(iii)	Describe how water moves in and out of cells.	
			[2]

[Total: 10]

8 (a) A molecule of methane is represented in Fig. 8.1.




Fig. 8.1

	(i)	Name the type of chemical bond present in this molecule.	
	(ii)	Describe how the bonds in this molecule form.	[1]
		Use ideas about electrons in your answer.	
	(iii)	State the formula of methane.	[1]
(b)	Dur	ing the complete combustion of methane, two gases are produced.	[1]
		A changes blue cobalt(II) chloride paper to pink.	
	Gas (i)	B turns limewater milky. Identify the gas in the air which is required for the complete combustion of methane.	[1]
	(ii)	Identify gas A and gas B .	
		gas A	

(c)	Met	hane is a common component of refinery gas.
	(i)	Name the mixture from which refinery gas is separated.
		[1
	(ii)	Name the process by which refinery gas is separated.
		[1
	(iii)	Identify one use for refinery gas.
		[1
		[Total: 9

9 (a) In the box in Fig. 9.1, draw the arrangement of particles in a gas. One particle has been drawn for you.

Draw 6 more particles.




Fig. 9.1

[1]

(b) Fig. 9.2 shows an extractor fan in the wall of a bathroom. The extractor fan has a small lamp to show when it is switched on.




Fig. 9.2

The extractor fan is used to remove damp (wet) air from the bathroom.

(i) Hot water in the bath makes the air in the bathroom damp.

Name the process that occurs at the surface of the water in the bath to make the air in the bathroom damp.

[1

(ii) Explain why this process cools the remaining water in the bath.

- (c) The circuit for the extractor fan contains:
 - an electric motor to turn the fan
 - the small lamp connected in parallel with the electric motor
 - one switch to control both the electric motor and the small lamp
 - one fuse to protect both the electric motor and the small lamp.

Fig. 9.3 shows an incomplete circuit diagram for the extractor fan.




Fig. 9.3

electric motor

On Fig. 9.3, complete the circuit diagram with:

- the small lamp
- the fuse. [4]
- (d) The resistance of the electric motor is 3000Ω .

The current in the motor is 0.08A.

Calculate the potential difference across the motor. State the unit of your answer.

[Total: 11]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

S
7
ā
Ĕ
듯
_
Ш
4
0
Φ
=
품
<u>~</u>
٠.,
. <u>ບ</u>
ठ
0
Ξ
ø
<u>а</u>
Φ
ع
\vdash

	■	2 -	В П	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	¥	astatine -			
	5				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ро	polonium	116	^	livermorium -
	>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	:E	bismuth 209			
	2				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	90	Sn	tin 119	82	Ъ	lead 207	114	F1	flerovium
	=				2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	ပ္ပ	cadmium 112	80	Нg	mercury 201	112	ت ت	copernicium
											29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -
Group											28	Z	nickel 59	46	Pd	palladium 106	78	പ	platinum 195	110	Ds	darmstadtium -
Gro											27	ဝိ	cobalt 59	45	몬	rhodium 103	77	ŗ	iridium 192	109	¥	meitnerium -
			Г	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
					,						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	В	bohrium –
						loc	ISS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbol	name relative atomic mass				23	>	vanadium 51	41	9 N	niobium 93	73	<u>a</u>	tantalum 181	105	Сb	dubnium –
					10	ato	rela				22	ı=	titanium 48	40	Zr	zirconium 91	72	ቿ	hafnium 178	104	꿉	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ва	barium 137	88	Ra	radium
	_				8	:=	lithium 7	1	Na	sodium 23	19	\prec	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ē	francium -

71	n	lutetium	175	103	۲	lawrenciur	ı
70	γp	ytterbium	173	102	Š	nobelium	ı
69 H	Ξ	thulium	169	101	Md	mendelevium	I
89 L	Ľ	erbium	167	100	Fm	fermium	ı
29	9	holmium	165	66	Es	einsteinium	ı
99	Ś	dysprosium	163	86	ర	californium	ı
99	Q	terbium	159	26	Ř	berkelium	ı
64	9	gadolinium	157	96	Cm	curium	ı
63	EU	europium	152	98	Am	americium	ı
62	Sm	samarium	150	94	Pn	plutonium	ı
61	T E	promethium	I	93	ď	neptunium	I
09	DZ Z	neodymium	144	92	\supset	uranium	238
65 (ŗ	praseodymium	141	91	Ра	protactinium	231
58	e Ce	cerium	140	06	┖	thorium	232
22	g	lanthanum	139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).