

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

2 1 5 6 7 5 6 1 3 3

COMBINED SCIENCE

0653/41

Paper 4 Theory (Extended)

October/November 2020

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 20 pages. Blank pages are indicated.

DC (ST/CT) 194259/4 © UCLES 2020

[Turn over

1 (a) Gas exchange takes place at the gas exchange surfaces of organisms.






Fig. 1.1

(i)	Use Fig. 1.1 to describe what happens at a gas exchange surface.	
		. [2]
(ii)	Name the gas exchange surface in the lungs.	
(iii)	List two features of gas exchange surfaces.	. [1]
(,	1	
	2	[2]

(b) Fig. 1.2 shows a fetus inside a uterus.




Fig. 1.2

	glucose	glycogen	starch	[2]
	amino acids	carbon dioxide	fats	
	Circle two small molecules which	ch diffuse from the	mother to the fetus.	
(iii)	Small molecules that are useful to the fetus.	for the fetus diffuse	e across the placenta	from the mother
				[1]
(ii)	State the function of the amniot	ic fluid.		
				[1]
(i)	State the function of the umbilio	al cord.		

2 Fig. 2.1 is a simplified diagram of the fractional distillation of petroleum.

The formulae of three compounds contained in different fractions are shown.




Fig. 2.1

(a)	Describe the trend in the boiling points of the compounds C ₄ H ₁₀ , C ₇ H ₁₆ and C ₁₇ H ₃₆ .
	Use ideas about the sizes of the molecules and the forces between the molecules to explain your answer.
	trend
	explanation
	[3]
(b)	$\mathrm{C_4H_{10}}$ and $\mathrm{C_7H_{16}}$ are members of the homologous series of alkanes.
	(i) Describe what is meant by a homologous series.

	(ii)	Draw a dot-and-cross diagram to show the bonding in a molecule of carbon dioxide, ${\rm CO_2}$. Show only the outer shell electrons.
		[2]
	(iii)	Carbon dioxide is one of the products of the complete combustion of heptane, $\mathrm{C_7H_{16}}$.
		Complete and balance the symbol equation for the complete combustion of heptane, $\mathrm{C_7H_{16}}.$
		State symbols are not required.
		$C_7H_{16} + $
		[2]
(c)	Car	bon dioxide is a greenhouse gas.
	Stat	te one effect of an increase in the concentration of carbon dioxide in the atmosphere.
		[1]
		[Total: 10]

3 Fig. 3.1 shows a woman travelling on an escalator (a moving staircase).

The escalator moves the woman through a vertical distance of 9.0 m, from a lower level to a higher level.




Fig. 3.1

- (a) Fig. 3.2 shows a speed–time graph for the woman as:
 - she walks on the lower level at a constant speed for 5.0 seconds
 - she travels on the escalator at a constant speed for 20 seconds
 - she steps off the escalator and walks away on the higher level.




Fig. 3.2 0653/41/O/N/20

(i) Use Fig. 3.2 to calculate the distance the woman walks on the lower level.

		distance = m [3]
	(ii)	Use Fig. 3.2 to state the time at which the woman steps off the escalator.
		time = s [1]
	(iii)	On Fig. 3.2, draw an X on the graph to show when the woman is moving with acceleration that is not constant. [1]
(b)	The	woman has a weight of 600 N.
	(i)	Calculate the change in gravitational potential energy (Δ G.P.E.) of the woman in moving through the vertical distance of 9.0 m.
		Δ G.P.E. =
	(ii)	The electric motor for the escalator has a power of 48 kW.
		Calculate the energy supplied by the electric motor in the 20 seconds the woman travels on the escalator.
		energy supplied =
	(iii)	Suggest two reasons why the answer to (b)(ii) is much greater than the answer to (b)(i) .
		1
		2
		[2]
		[Total: 12]

4 Fig. 4.1 shows an external view of the heart.




Fig. 4.1

(a)	On	Fig. 4.1, use a label line and the letter C to identify a coronary artery.	[1]
(b)	Nan	ne the substance in red blood cells that carries oxygen.	
			[1]
(c)	The	heart rate increases during exercise causing the blood to flow more quickly.	
	Ехр	lain why the heart rate increases during exercise.	
			[3]
(d)	(i)	Hormones are transported in blood plasma.	
		Define a hormone.	
			[2]
	(ii)	Name the hormone that causes an increase in heart rate.	
			[1]

[Total: 8]

- 5 (a) Sodium reacts with water to form aqueous sodium hydroxide, NaOH, and hydrogen gas.
 - (i) This reaction is exothermic.

Fig. 5.1 is an energy level diagram for the reaction.

On Fig. 5.1, label the energy level diagram to show the *reactants*, the *products* and the *activation energy*.




Fig. 5.1

[2]

(ii)	During the reaction, the sodium melts.	
	Describe, in terms of particle bonds and energy, what happens when sodium melts.	
		[2]
(iii)	Suggest the pH of the aqueous sodium hydroxide.	
	Give a reason for your answer.	

 $\mbox{(iv)}\quad \mbox{State the formulae of the two ions present in sodium hydroxide.}$

...... and [1]

(b)	Explain why sodium must not be added to dilute hydrochloric acid.
	[1]
(c)	Sodium is extracted from molten sodium chloride by electrolysis.
	Sodium is formed at the cathode.
	Name the product formed at the anode.
	[1]
(d)	Sodium is an element in Period 3 of the Periodic Table.
	Describe the relationship between the number of outer shell electrons and the metallic character of elements across a period.
	[1]
	[Total: 9]

6 Fig. 6.1 shows a girl using a bicycle pump to 'pump up' (add air to) a bicycle tyre.




	Fig. 6.1
(a)	After pumping up the tyre, the pressure of the air inside the tyre is greater than the pressure of the air outside the tyre.
	Describe how the distances between the molecules in the air are different inside the tyre and outside the tyre.
	[1]
(b)	The pressure of the air inside the bicycle tyre is $3.0 \times 10^5 \mathrm{N/m^2}$.
	The total surface area of the inside wall of the bicycle tyre is $0.25\mathrm{m}^2$.
	Calculate the total force exerted by the air inside the bicycle tyre on the inside wall of the tyre.

force = N [2]

(c) Fig. 6.2 shows the structure of the girl's bicycle helmet.




Fig. 6.2

(i)	When the girl is cycling, her head gets hot. The skin on her head sweats.
	Suggest how the structure of the helmet helps the sweat on her head to evaporate.
	[2
(ii)	Suggest a change to the appearance of the helmet that would reduce the amount o radiation absorbed by the helmet.
	Give a reason for your answer.
	[2

(d) Fig. 6.3 shows a bell on the handlebars of the bicycle.




Fig. 6.3

When the girl rings the bell, it emits sound waves of frequency 1320 Hz.

The speed of sound in air is 330 m/s.

Calculate the wavelength of the sound waves emitted.

wavelength = m [2]

[Total: 9]

Dur	ing s	sexual reproduction in flowering plants, both pollination and fertilisation take place.	
(a)	Des	scribe fertilisation in a flower.	
		[2	2]
(b)		. 7.1 shows a diagram of a wind-pollinated flower $old X$ and a diagram of an insect-pollinate ver $old Y$.	ed
		anther anther flower Y	
		Fig. 7.1	
	(i)	Describe how the anthers of X are adapted for wind pollination.	
		·······································	വ
	(ii)	Give two pieces of evidence in Fig. 7.1 that show that Y is an insect-pollinated flower.	د]
	(11)	1	
		2	•••
			2]
(c)	Exp	plain why flowering plants are called <i>producers</i> .	
		_	

7

(d)	Producers are the first trophic level of every food chain.
	Explain why food chains usually have fewer than five trophic levels.
	[2]
	[Total: 10]

Cop	per chloride is produced when dilute hydrochloric acid reacts with copper carbonate.	
(a)	State one other substance that reacts with dilute hydrochloric acid to produce copper chlori	de.
		[1]
(b)	Copper is a transition element. Potassium is a Group I element.	
	(i) State one property of copper that is also a property of potassium.	
	ii) State one property of copper compounds that is not a property of potassium compoun	
(c)	Copper is extracted by heating copper oxide with carbon.	ניו
(0)	A redox reaction occurs.	
	The equation for this reaction is shown.	
	copper oxide + carbon → copper + carbon dioxide.	
	Explain, in detail, why this reaction is a redox reaction.	
		[3]

8

(d) Fig. 8.1 shows the arrangement of copper atoms and zinc atoms in a sample of brass.




Fig. 8.1

Circle words from the list that can be used to describe brass.

alloy	compound	element	mixture	molecule
u j		0.0		

[1]

[Total: 7]

9 Fig. 9.1 shows an electric lawnmower that is used for cutting grass.



Fig. 9.1

The lawnmower operates from a 230 V mains electricity supply.

The circuit in the lawnmower contains:

- an electric motor
- a switch to switch the motor on and off
- a lamp to show when the motor is switched on
- a variable resistor to vary the current in the motor but not the current in the lamp
- a fuse to protect the circuit.
- (a) On Fig. 9.2, complete the circuit diagram for the lawnmower.




Fig. 9.2

[4]

((b)) The	current	in	the	lamp	is	0.25 A	١.
٨	(~	, ,,,,	Carrent		1110	ιαιτιρ	10	0.207	٠.

The potential difference across the lamp is 230 V.

Calculate the resistance of the lamp.

resistance = Ω [2]

[Total: 6]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	₹	2 7	helium 4	10	Ne	neon 20	18	Ą	argon 40	36	궃	krypton 84	54	×e	xenon 131	98	R	radon			
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	¥	astatine -			
	>			8	0	oxygen 16	16	ഗ	sulfur 32	35	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	molonium –	116	^	livermorium
	>			7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209			
	≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	90	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium
	=			2	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
							•			30	Zu	zinc 65	48	g	cadmium 112	80	Ρ̈́	mercury 201	112	S	copernicium
										29	D O	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium
Group										28	Z	nickel 59	46	Pd	palladium 106	78	五	platinum 195	110	Ds	darmstadtium -
Gre				_						27	ဝိ	cobalt 59	45	R	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		-]	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium -
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	Op	dubnium –
					atc	<u>a</u>				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium –
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
				8	:=	lithium 7	1	Na	sodium 23	19	\prec	tassium 39	37	Rb	rubidium 85	55	Cs	aesium 133	87	ь Ш	francium -
	_					=			S			od			2			ŭ			<u>+</u>

71	LU	175	103	۲	lawrencium	I
70	YD	173	102	Š	nobelium	1
69 F	thulium	169	101	Md	mendelevium	ı
89 L	erbium	167	100	Fm	fermium	I
29	Polmium	165	66	Es	einsteinium	ı
99	dysprosium	163	86	ర	californium	ı
65 F	terbium	159	26	鮝	berkelium	ı
4 (gadolinium	157	96	Cm	curium	ı
63	Europium	152	96	Am	americium	1
62	Samarium	150	94	Pn	plutonium	ı
61	promethium	ı	93	S N	neptunium	I
		144	92	\supset	uranium	
59	praseodymium	141	91	Ра	protactinium	231
85 (erium C	140	06	드	thorium	232
57	La lanthanum	139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).