

# **Cambridge IGCSE**<sup>™</sup>

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



**COMBINED SCIENCE** 

0653/33

Paper 3 Theory (Core)

May/June 2021

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

### INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

This document has 24 pages. Any blank pages are indicated.

DC (MB/CB) 208477/3 © UCLES 2021

[Turn over

1	(a)	Nutrition is one of the characteristics of living organisms.	
		Identify the characteristics of living organisms defined as	
		the chemical reactions in cells that break down nutrient molecules and release energy	
		the ability to detect and respond to changes in the environment.	
			[2]
	(b)	Fig. 1.1 shows part of the alimentary canal and associated organs.	




Fig. 1.1

- (i) Draw the letter **X** on Fig. 1.1 to identify the position of the liver. [1]
- (ii) The arrow shows the direction the food moves as it passes into the small intestine.Complete these sentences about what happens in the small intestine.

Large insoluble molecules are broken down by the process of ......

(c) A student investigates nutrition in plants. Sugar is stored as starch in a leaf.

The student puts black paper around a green leaf still attached to the plant. After two days she takes the leaf from the plant and removes the black paper. She then tests the leaf for starch using iodine solution.

Fig. 1.2 shows the results.




Fig. 1.2

	Explain the results seen in Fig. 1.2 for the area that was covered by black paper.	
		[2]
(d)	Different plant tissues in the stem have different functions.	
	Name the tissue that transports sugars in the stem.	
		[1]

(e) Starch and sugar are carbohydrates.

Table 1.1 shows the mass of carbohydrates in some different food types.

Table 1.1

food type	mass of carbohydrate in 100 g of food / g
bread	40
cake	59
cheese	2
lentils	18
rice	25
tomato	3

(i)	Identify the food type that contains the most carbohydrate.	
		[1]
(ii)	A man eats 200 g of bread and 50 g of cheese.	
	Calculate the mass of carbohydrate he eats.	
	mass of carbohydrate =g	[2]
	[Total: 1	11]

# **BLANK PAGE**

2 (a) Fig. 2.1 shows a process used to separate substances in a fossil fuel.




Fig. 2.1

	(i)	Name this process.	
	(ii)	Name the fossil fuel that is separated by this process.	[1]
(b)	Met	thane is the main constituent of another fossil fuel.	[1]
	(i)	Name this fossil fuel.	
			[1]
	(ii)	Complete Fig. 2.2 to show the dot-and-cross diagram of one molecule of methane. Cl	Н

Н Н С Н Н

Fig. 2.2

[2]

(111)	identify a greenhouse gas that is formed by the complete combustion of methane.	
		[1]

(c) Carbon has atomic number 6 and mass number 12. Hydrogen has atomic number 1 and mass number 1.

Complete Table 2.1 to show the number of protons and the number of neutrons in one atom of carbon and in one atom of hydrogen.

Table 2.1

atom	number of protons	number of neutrons
carbon		
hydrogen		

[2]

[Total: 8]

3 (a) Fig. 3.1 shows a man lying down on a sandy beach on a sunny day.




Fig. 3.1

Visible light is one type of electromagnetic radiation emitted by the Sun. The man is also affected by ultraviolet and infrared radiation from the Sun.

Fig. 3.2 shows the electromagnetic spectrum.

X-ra	ys X	visible light		micro- waves	
------	------	------------------	--	-----------------	--

Fig. 3.2

	<b>X</b> is	
	effect	
		[2
(b)	The man stands up. There is a mark in the sand to show where he was lying. When he stands up, his feet make deeper marks in the sand.	
	Explain why the marks are deeper in the sand when he is standing.	

(c) Fig. 3.3 shows the man holding a beach ball.



Fig. 3.3

(i) The ball has a mass of 0.25 kg.
The ball exerts a downward force on the man's hand of 2.45 N.
Calculate the gravitational field strength, *g*.

	9	9 1	,
The man throws the ball vertically upwards Complete the sentences about energy below.		ne air. He catches it as it falls down.	

The ball gains	energy as it moves upwards.
The ball gains	energy as it falls down. [2]

 $\alpha =$ 

(d) The man throws the ball to a friend.

The friend catches the ball 4.2s later.

The distance travelled by the ball is 15m.

Show that the average speed of the ball is 3.6 m/s.

[1]

[Total: 9]

N/ka [2]

**4 (a) (i)** The boxes on the left show different components of blood. The boxes on the right show functions of the components.

Draw one straight line from each component of the blood to its function.

# component of blood function plasma transport oxygen platelets transport hormones red blood cells clotting the blood

(ii) Fig. 4.1 shows both red and white blood cells as seen using a light microscope.

[2]




Fig. 4.1

Identify **one** structure found in white blood cells that is **not** found in red blood cells. Use Fig. 4.1 to help you.

**(b)** Cancer can affect the components of the blood. There are different types of cancer that affect the blood.

Fig. 4.2 shows the percentage of people that survived four different blood cancers, **A**, **B**, **C** and **D** in 1992 and 2008.




Fig. 4.2

(c) Hepatitis is a sexually transmitted infection that can be passed on through body fluids and infected blood.

(i)	One way to prevent the spread of hepatitis is using sterilised needles. State <b>two other</b> ways to prevent the spread of hepatitis.	
	1	
	2	
		[2]
(ii)	Name one other sexually transmitted infection.	
		[1]
	[To	tal: 9]

# **BLANK PAGE**

(a)	Cop	oper is extracted from copper(II) oxide by heating with carbon.	
	(i)	Complete the word equation for this reaction.	
		+ copper +	[2]
	(ii)	Copper(II) oxide is reduced to copper in this reaction. Explain what is meant by the term reduced.	
			[1]
(b)	Bra	ss is a mixture of copper and zinc.	
	(i)	State the name of this type of mixture.	
			[1]
	(ii)	Door keys are sometimes made from brass.	
		Suggest why brass, rather than pure copper, is used to make door keys.	
			[1]

5

(c)	Alu	minium is extracted from aluminium oxide.	
	(i)	The ratio of aluminium atoms to oxygen atoms in aluminium oxide is shown.	
		A <i>l</i> :O 1:1.5	
		Deduce the formula of aluminium oxide.	
			[1]
	(ii)	State the method used to extract aluminium from aluminium oxide.	
			[1]
	(iii)	Suggest why carbon <b>cannot</b> be used to extract aluminium from aluminium oxide. Use ideas about reactivity in your answer.	
			[1]
(d)		oper is a transition element. minium is not a transition element.	
	(i)	Suggest one property of copper that is not shown by aluminium.	
			[1]
	(ii)	Suggest one <b>physical</b> property that is shown by <b>both</b> copper and aluminium.	
			[1]
		[Total·	10

**6 (a)** Table 6.1 shows the melting points and boiling points of six substances.

Table 6.1

substance	melting point /°C	boiling point /°C
ammonia	<b>-78</b>	-33
benzene	6	80
bromine	-7	59
lactic acid	17	122
mercury	-39	357
sulfur	115	445

	(1)	Identify <b>two</b> substances that are liquid at 65 °C.
		and [1]
	(ii)	Identify <b>two</b> substances whose molecules are far apart at 60 °C.
		and [1]
(b)		udent has a liquid-in-glass thermometer without a scale. The student wants to mark a e on the thermometer.
		student puts the thermometer into melting ice, waits for the level of the liquid in the mometer to stop changing, and marks this liquid level as 0 °C.
	(i)	Suggest what the student does in order to decide where to put a mark for 100 °C.
		[1]
	(ii)	Measuring temperature uses a property of the liquid in the thermometer that changes with temperature.
		State the property that is used.
		[1]

(c) Fig. 6.1 shows the student using a mirror to observe a digital thermometer.




Fig. 6.1

(i) On Fig. 6.1 draw a ray to show how the student is able to use the mirror to read the scale on the thermometer.

Include in your drawing:

- the normal
- the angles of incidence (i) and reflection (r).

[3]

(ii) Fig. 6.2 shows the image seen by the student in the mirror.



Fig. 6.2

Describe the characteristic of an image in a plane mirror, as shown in Fig. 6.2.

[1]

7 (a) Fig. 7.1 shows a food web.




Fig. 7.1

(1)	State the principal source of energy for a food web.	
	[	[1]
(ii)	The owl is the top carnivore in this food web.	
	Define the term carnivore.	
	[	[1]
(iii)	Complete the sentence to explain why shrews are classed as secondary consumers this food web.	in
	Shrews are secondary consumers because they eat	,
	which are consumers.	[0]
	I	[2]

(b)	Gra	ss roots take in mineral ions from the soil to make amino acids.
	(i)	State the name of the mineral ions needed to make amino acids.
		[1]
	(ii)	Grasses take in water from the soil through the root hair cells.
		Describe how water moves into root hair cells.
		[2]
		[Total: 7]

(a)		orine and bromine are diatomic non-metals in Group VII of the Periodic Table. orine is above bromine in Group VII.
	(i)	Explain what is meant by diatomic.
		[2
	(ii)	State the trend in the colour and the boiling point of the elements going down Group VI
		colour
		boiling point[1
	(iii)	State why chlorine is used in the treatment of the water supply.
		[1
	(iv)	Describe a chemical test for chlorine and give the observation for a positive result.
		observation
		[2
(b)	Arg	orine reacts with sodium in an exothermic reaction. on, a Group VIII element, is next to chlorine in the Periodic Table. Argon does <b>not</b> reac a sodium.
	(i)	State what is meant by exothermic.
	<b>(::</b> )	
	(ii)	Explain why argon does <b>not</b> react with sodium. Use ideas about electrons in your answer.
		[1
		[Total: 8

8

# **BLANK PAGE**

**9** Fig. 9.1 shows three ammeters, **L**, **M** and **N**, measuring the current in different parts of a circuit containing two cells and three identical lamps, **X**, **Y** and **Z**.




Fig. 9.1

(a) On Fig. 9.2 complete the circuit diagram for the circuit in Fig. 9.1.

[3]

(b) (i) The resistance of each lamp when lit is  $11\,\Omega$ . Calculate the combined resistance of lamps **X** and **Y**.

resistance = .....  $\Omega$  [1]

	(ii)	State which ammeters will show the largest current and the smallest current. Give reasons for your answers.
		largest current
		reason
		smallest current
		reason
		[3]
(c)	The Cal	meter <b>N</b> shows a current of $0.31A$ .  e resistance of lamp <b>Z</b> when lit is $11\Omega$ .  culate the potential difference across lamp <b>Z</b> .  e the unit of your answer.
		p.d. = unit [3]
		[Total: 10]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

S
Ξ
Φ
Ξ
Φ
Ш
4
P
able
9
<u>.</u> ه
$\vdash$
<u>ပ</u>
혓
eri
a
4
The
ᅩ

<b>=</b>	2	Не	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	Rn	radon				
=				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	Αţ	astatine -				
>				8	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ро	molonium —	116	_	livermorium	1
>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209				
≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	Ъ	lead 207	114	Εl	flerovium	ı
=				2	Ω	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204				
										30	Zu	zinc 65	48	පි	cadmium 112	80	Нg	mercury 201	112	ပ်	copernicium	1
										29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium	ı
										28	Z	nickel 59	46	Pd	palladium 106	78	പ	platinum 195	110	Ds	darmstadtium	1
										27	රි	cobalt 59	45	뫈	rhodium 103	77	Ľ	iridium 192	109	₩	meitnerium	1
	-	I	hydrogen 1							26	Ьe	iron 56	44	R	ruthenium 101	92	SO	osmium 190	108	Hs	hassium	1
				,						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	pohrium	1
					loc	ISS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium	1
			Key	atomic number	mic syml	name Itive atomic ma				23	>	vanadium 51	41	qN	niobium 93	73	Б	tantalum 181	105	Op	dubnium	1
					ato	rela				22	ï	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿏	rutherfordium	1
							•			21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids		
=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	လွ	strontium 88	26	Ba	barium 137	88	Ra	radium	1
_				က	=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	ΐ	francium	-
_				III   IV   V   VII	II	II	II	Key         5         6         7         8         9           atomic symbol name relative atomic mass         atomic symbol name relative atomic mass         boron carbon name relative atomic mass         11         IV         VII         VIII           12         12         14         16         17         17         17         17         17	II	III	II	III	III	II	II	III	II	III	III	II	Harmonian   Harm	III

71 Lu	lutetium 175	103	۲	lawrencium -
70 Yb				_
e9 Tm	thulium 169	101	Md	mendelevium –
<sub>88</sub> П	erbium 167	100	Fm	fermium -
0H <sup>29</sup>	holmium 165	66	Es	einsteinium –
°° Dy	dysprosium 163	86	ర	califomium -
65 <b>Tb</b>	terbium 159	97	Ř	berkelium –
64 Gd	gadolinium 157	96	Cm	curium
63 Eu	europium 152	92	Am	americium -
62 Sm	samarium 150	94	Pu	plutonium –
61 Pm	promethium —	93	Ν d	neptunium -
9 09	neodymium 144	92	$\supset$	uranium 238
59 <b>Pr</b>	praseodymium 141	91	Ра	protactinium 231
Se Ce	cerium 140	06	Т	thorium 232
57 <b>La</b>	lanthanum 139	68	Ac	actinium _

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,\mathrm{dm}^3$  at room temperature and pressure (r.t.p.).