

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

1356912991

COMBINED SCIENCE

0653/42

Paper 4 Theory (Extended)

October/November 2021

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 24 pages. Any blank pages are indicated.

DC (CJ/SG) 215744/3 © UCLES 2021

[Turn over

1 (a) Fig. 1.1 is a diagram of a fetus inside the uterus.




Fig. 1.1

On Fig. 1.1, draw a label line and the letter **C** to identify the cervix. [1]

(b) The fetus requires energy and amino acids for growth.

(i) State the name of the process in cells that releases energy.

[1]

(ii) Describe how the fetus obtains amino acids.

A pregnant female takes iron tablets to supplement her diet.
Explain why iron tablets may be needed during pregnancy .
[2]
Table 1.1 shows the names and functions of some organs associated with the alimentary canal of an adult human body.
Complete Table 1.1.

Table 1.1

organ	function	
	uses teeth to break down food into smaller pieces	
large intestine		
	egestion	

[3]

[Total: 9]

(i)	State what is meant by					
(ii)	ii) For each solution, the products formed at the positive and negative electrodes are					
	The student tests the gases.					
	Table 2.1 shows the observations.					
		Table 2.1				
	solution	gas formed at positive electrode	gas formed at negative electrode			
	dilute aqueous sodium chloride	relights glowing splint	'pops' with a lighted splint			
			'pops' with a lighted splint			
(sodium chloride	bleaches damp litmus paper	with a lighted splint			
	Use the observations negative electrodes for	damp litmus paper in Table 2.1 to identify the	with a lighted splint e gases formed at the po			
	Use the observations negative electrodes for	in Table 2.1 to identify the each solution.	with a lighted splint e gases formed at the po			
	Use the observations negative electrodes for	in Table 2.1 to identify the each solution.	with a lighted splint e gases formed at the po			
	Use the observations negative electrodes for Complete Table 2.2 with	in Table 2.1 to identify the each solution. In the names of these gases Table 2.2 name of gas formed at	with a lighted splint e gases formed at the position. name of gas formed at			
	Use the observations negative electrodes for Complete Table 2.2 with solution	in Table 2.1 to identify the each solution. In the names of these gases Table 2.2 name of gas formed at	with a lighted splint e gases formed at the position. name of gas formed at			
	sodium chloride Use the observations negative electrodes for Complete Table 2.2 with solution dilute aqueous sodium chloride concentrated aqueous sodium chloride	in Table 2.1 to identify the each solution. In the names of these gases Table 2.2 name of gas formed at	with a lighted splint e gases formed at the position name of gas formed at negative electrode			

(b)	Molten sodium chloride is electrolysed using inert electrodes.
	Describe how sodium is formed from sodium ions during this electrolysis.
	[3]
(c)	During the electrolysis of molten sodium chloride, sodium is formed.
	During the electrolysis of aqueous sodium chloride, sodium is not formed.
	Explain this difference.
	[2]
	[Total: 10]

3 Two beach balls are floating in the sea.

Fig. 3.1 shows waves moving across the sea underneath the beach balls.




Fig. 3.1

(a)	State the number of wavelengths between the two beach balls.		
			[1]

- (ii) On Fig. 3.1, draw a double-headed arrow (\leftrightarrow or \updownarrow) to show the amplitude of a wave. [1]
- (b) Six waves pass under one beach ball in 40 seconds.
 - (i) Calculate the frequency of the waves.

State the unit of your answer.

(ii) The wavelength of the waves is 18 m.

Use your answer to (b)(i) to calculate the speed of the waves across the sea.

(c)	A sound wave takes 0.22s to travel 72m in air.					
(Circle the time taken for the same sound wave to travel 72 m in water.					
Give a reason for your answer.						
		0.055s	0.22s	0.88s		
	reason					
					 11	

[Total: 8]

4 (a) Fig. 4.1 is a diagram of the gas exchange system in a human.




Fig. 4.1

	(i)	Identify the part labelled P in Fig. 4.1.	
			[1]
	(ii)	On Fig. 4.1, draw a label line and the letter L to identify the larynx.	[1]
(b)	Ехр	ired air contains a different percentage of carbon dioxide to inspired air.	
	Stat	te and explain this difference.	
	diffe	erence	
	exp	lanation	
			[2]

(c) Fig. 4.2 shows cells that line the airways of a non-smoker and a smoker.




Fig. 4.2

Explain now smoking tobacco aπects the function of the cells shown in Fig. 4.2.
Use the information in Fig. 4.2 in your answer.
[3
[
[Total: 7

5 The pH values of four aqueous salt solutions are listed in Table 5.1.

Table 5.1

aqueous salt solution	рН
copper sulfate	4
iron chloride	2
magnesium sulfate	6
sodium chloride	7

(a)	Des	scribe how an aqueous salt solution can be tested to find its pH value.	
			[2]
(b)	(i)	Identify the most acidic aqueous salt solution listed in Table 5.1.	
		Explain your choice.	
		solution	
		explanation	
			 [1]
	(ii)	State the names of the two aqueous salt solutions listed in Table 5.1 that react with z	
		and	[1]

(c) A student reacts solid copper carbonate with dilute sulfuric acid in four different experiments.

The same mass of copper carbonate is used in each experiment.

Table 5.2 shows the conditions used.

Table 5.2

experiment	size of pieces of copper carbonate	temperature of acid /°C
1	large	20
2	large	40
3	small	20
4	small	40

State which experiment has the highest rate of reaction.

Explain your answer using ideas about colliding particles and activation energy.
experiment
explanation
[4]

		rite is an object from space that travels through the Earth's atmosphere and hits the of the Earth.
(a)	A m	eteorite in space is moving towards the Earth.
	(i)	Before it enters the Earth's atmosphere, the speed of the meteorite is increasing.
		Explain why the speed of the meteorite increases as it moves closer to the Earth.
		[1]
	(ii)	The meteorite has a mass of 45 000 kg.
		Calculate the kinetic energy of the meteorite when it has a speed of $1.7 \times 10^4 \text{m/s}$.
		kinetic energy = J [2]
(b)		meteorite decelerates as it travels through the Earth's atmosphere. The deceleration eases as the meteorite gets closer to the surface of the Earth.
	(i)	Explain why the meteorite decelerates.
		[1]
	(ii)	Suggest why the deceleration increases.
		[1]

6

(c) A scientist wants to identify the type of meteorite.

Fig. 6.1 shows a piece of the meteorite.



Fig. 6.1

(i) The scientist puts the piece of meteorite in a large measuring cylinder containing 2500 cm³ of water.

The water level on the measuring cylinder increases to 3480 cm³.

Calculate the volume of this piece of meteorite.

(ii) Table 6.1 shows the density ranges for three types of meteorite.

Table 6.1

type of meteorite	density range kg/m ³
stony	2110 to 3550
stony-iron	4250 to 4760
iron	7000 to 8000

The piece of meteorite has a mass of 4.52 kg.

Use Table 6.1 and your answer to (c)(i) to identify the type of meteorite.

Show your working.

type of meteorite[4]

[Total: 10]

7 (a) A student investigates the effect of light intensity on the rate of photosynthesis of an aquatic plant submerged in a beaker of water.

During photosynthesis, the aquatic plant produces bubbles of gas.

The student shines a lamp on the aquatic plant from different distances and measures the volume of gas produced in 3 minutes.

Table 7.1 shows the results.

Table 7.1

distance of lamp from aquatic plant /cm	volume of gas produced in 3 minutes /cm ³	rate of gas produced /cm³ per second
50	0.2	
40	0.8	0.004
30	1.6	0.009
20	2.2	0.012
10	2.2	0.012

(i) Calculate the rate of gas produced when the lamp is 50 cm from the aquatic plant.

	cm ³ per second [2]
(ii)	Describe the effect of light intensity on the rate of photosynthesis shown by the results in Table 7.1.
	[2]

(b) The student does a different experiment to investigate the effect of **temperature** on the rate of photosynthesis.

Fig. 7.1 shows a graph of the results.




Fig. 7.1

The process of photosynthesis is controlled by enzymes.

Explain the shape of the graph seen in Fig. 7.1.

Use ideas about enzymes in your answer.	
	[3

(c)	Glucose	is a	product o	f photosy	ynthesis.
-----	---------	------	-----------	-----------	-----------

Complete these sentences about the uses of glucose in a plant.

Choose words from the list.

Each word may be used once, more than once or not at all.

			glycog	en	mesophyll	phloem	
			pro	otein	starch	xylem	
		cose is o sels.	converted	to sucrose	and transported t	o the roots in	
	In th	ne roots, t	he sucros	e is converted	d to	for storage	e. [2]
(d)	Plar	nt shoots	grow towa	rds a light so	urce.		
	(i)	State the	e name of	this tropic res	sponse of plants to	light.	
							[1]
	(ii)	State the	e name of	the chemical	involved in this res	sponse.	
							[1]
							[Total: 11]

BLANK PAGE

		has been a large increase in the concentration of carbon dioxide in the atmos years.	phere over the
(a)	(i)	State the name of one natural process which produces carbon dioxide.	
	411		
	(ii)	Suggest one reason for the large increase in carbon dioxide concentratio 50 years.	n over the last
(b)	Car	rbon dioxide is a greenhouse gas.	[1]
(2)	Sug	ggest why many scientists are concerned about increased concentrations of ses in the atmosphere.	of greenhouse
			[2]
(c)	Sor	me information about carbon dioxide and sea water is shown.	
		Sea water is made of water, dissolved salts and dissolved gases.	
		Carbon dioxide from the atmosphere dissolves in sea water.	
		The carbon dioxide then reacts with water to form carbonic acid.	
	(i)	Use the information to identify a solvent, a solute and a solution.	
		solvent	
		solute	
		solution	[3]
	(ii)	Suggest why many scientists are concerned about increasing amounts of dissolving in sea water.	carbon dioxide
			[1]
			[Total: 8]

© UCLES 2021 0653/42/O/N/21

8

9 Fig. 9.1 shows an electric kettle used to boil water.




Fig. 9.1

- (a) State the boiling point of water, including the correct unit.
 -[1]
- **(b)** When the water in the kettle is boiling, a switch turns off the kettle.

The switch is made of a thin piece of steel joined to a thin piece of brass.

Fig. 9.2 shows the switch when it is cold (turned ON) and when it is hot (turned OFF).



Fig. 9.2

Explain why the switch turns off when it is hot.

(c) Fig. 9.3 shows a label on the kettle.

Model: X-12

Power: 2.4 kW

Voltage: 220 V

Frequency: 50 Hz

Fig. 9.3

(i) Calculate the current from the source when the kettle is turned on.

current = A [3]

- (ii) The electric circuit in the kettle contains a heating element, a lamp and a switch.
 - The heating element has 220 V across it.
 - The lamp has 220 V across it.
 - The switch controls both the heating element and the lamp.

Fig. 9.4 shows an incomplete circuit diagram for the kettle.






Fig. 9.4

On Fig. 9.4, complete the circuit diagram to include the switch and the lamp.

[Total: 9]

[3]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

Elements
ē
em
Ш
οę
<u>0</u>
able
Ë
<u>ပ</u>
riodic
.0
늗
Peric
he
亡

		=	2 :	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
		= >				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	н	iodine 127	85	At	astatine -			
	5	- ^				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ро	molonium —	116	_	livermorium —
	>	>				7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	2	<u> </u>				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	Ъ	lead 207	114	ŀβ	flerovium -
	Ξ	≣				5	М	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	<i>1</i> L	thallium 204			
												30	Zn	zinc 65	48	පි	cadmium 112	80	Нg	mercury 201	112	ű	copemicium
												29	Cn	copper 64	47	Ag	silver 108	6/	Au	gold 197	111	Rg	roentgenium -
a car	dnoib											28	Ë	nickel 59	46	Pd	palladium 106	78	五	platinum 195	110	Ds	darmstadtium -
	Ē											27	ဝိ	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	Ĭ	meitnerium -
			- ;	I	hydrogen 1							26	Fe	iron 56	44	R	ruthenium 101	92	Os	osmium 190	108	Η̈́	hassium
												25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
					Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	Та	tantalum 181	105	Op	dubnium –
							atc	rek				22	j=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	R	rutherfordium -
												21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	99	Ba	barium 137	88	Ra	radium
	-	_				3	:=	lithium 7	11	Na	sodium 23	19	×	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	Ŧ	francium -

71	ŋ	lutetium 175	103	۲	lawrencium -
70	Υp	ytterbium 173	102	Š	nobelium –
69	Tm	thulium 169	101	Md	mendelevium -
89	Щ	erbium 167	100	Fm	fermium -
29	웃	holmium 165	66	Es	einsteinium -
99	ò	dysprosium 163	86	ర	californium -
65	Д	terbium 159	97	Ř	berkelium
64	gq	gadolinium 157	96	Cm	curium
63	En	europium 152	92	Am	americium -
62	Sm	samarium 150	94	Pu	plutonium
61	Pm	promethium -	93	d	neptunium
09	PΝ	neodymium 144	92	\supset	uranium 238
29	P	praseodymium 141	91	Ра	protactinium 231
28	Ce	cerium 140	06	H	thorium 232
25	Гa	lanthanum 139	68	Ac	actinium -

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).