

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

647859490

COMBINED SCIENCE

0653/42

Paper 4 Theory (Extended)

October/November 2022

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 (a) Fig. 1.1 is a diagram of the human heart.




Fig. 1.1

(i) Table 1.1 lists some of the parts labelled in Fig. 1.1.

Complete Table 1.1.

Table 1.1

letter in Fig. 1.1	name of part
В	left
	septum
F	

[3]

(ii) On Fig. 1.1, draw arrows to show the direction of blood flow through the **left** side of the heart.

ı	(iii)	The	heart is	nart of a	a double	circulation	system
۱		, ,,,,,	Hoart is	Dail Oi c	a double	Circulation	3 V S L C I I I

Explain	the	advantages	of a	double	circulation	system.

 •	

.....[

(b) A hospital records the ages of patients with coronary heart disease.

Fig. 1.2 is a bar chart showing the number of patients in each age group.




Fig. 1.2

(i)	Use Fig. 1.2 to identify one age group that has more females with coronary heart disthan males.						
		[1]					
(ii)	Calculate the percentage of patients in the 70–79 age group that are female.						

.....% [2]

[Total: 9]

2 Iron is extracted from hematite in the blast furnace.






Fig. 2.1

(a) (i) The equations for some reactions in the blast furnace are shown.

Complete the balanced equations.

equation 1 C +
$$\rightarrow$$
 CO $_2$ equation 2 + CO $_2$ \rightarrow 2CO equation 3 Fe $_2$ O $_3$ + 3CO \rightarrow + 3CO $_2$

(ii) State the name of the substance shown in Fig. 2.1 that contains $\mathrm{Fe_2O_3}$.

r	41
	ш

(iii) State why the waste gases that leave the blast furnace also contain nitrogen.

• • •
1]

(iv) Carbon monoxide is an air pollutant.

State the name of **one** other air pollutant.

.....[1]

(b)	Stainless steel is an alloy that contains iron.							
	Stai	Stainless steel is used to make cutlery, such as knives and forks.						
	(i)	Describe what is meant by the term alloy.						
		[1]						
	(ii)	Suggest two reasons why the alloy stainless steel, rather than pure iron, is used to make cutlery.						
		1						
		2						
		[2]						

[Total: 9]

3 In 1997, the Thrust Supersonic Car set a world land speed record.






Fig. 3.1

State the letter for the weight of the car. [1]

(b) The record speed of the car is 341 m/s.

(i) Show that 341 m/s is 1228 km/h.

[1]

(ii) The car changes speed from 0 to 341 m/s in 20.0 s.

Calculate the acceleration of the car.

Give the units of your answer.

acceleration = units [3]

(iii)	The mass of the car is 10600 kg.
	Calculate the kinetic energy of the car at the record speed of 341 m/s.
	kinetic energy = J [2]
(iv)	Use your answer to (b)(iii) to calculate the useful power output from the engines of the car as the car accelerates over the 20.0 s.
	power = W [2]
	[Total: 9]

- 4 (a) Water moves from the roots of a plant through the stem to the leaves.
 - (i) Complete Fig. 4.1 to show the pathway of water through the plant.




Fig. 4.1

[2]

(ii) Explain how root hair cells are adapted to their function.

(b) Fig. 4.2 is a graph showing the effect of increasing humidity on transpiration rate in plants.




Fig. 4.2

Explain the shape of the graph between points **A** and **B** shown in Fig. 4.2.

(c)	Describe two differences between the pollen from insect-pollinated flowers and the pollen from wind-pollinated flowers.
	1
	2
	[2]
	[Total: 9]

5 The structures of ethane and ethene are shown in Fig. 5.1.




Fig. 5.1

(a) Put a tick (✓) in **one** box in each row of Table 5.1 to show which description is true for ethane only, which is true for ethene only and which is true for both ethane and ethene.

Table 5.1

	true for ethane only	true for ethene only	true for both ethane and ethene
is a hydrocarbon			
is a saturated compound			
changes the colour of aqueous bromine			

$\Gamma \cap I$	
121	
L—J	

(b) S	State the number	of bonding	electrons	between	the two	carbon	atoms in	ethene
-------	------------------	------------	-----------	---------	---------	--------	----------	--------

Explain your answer.	
number of electrons	

explanation



(c) A student investigates the combustion of ethane, as shown in Fig. 5.2.




Fig. 5.2

The gases produced by the combustion of ethane pass through boiling tube 1 and boiling tube 2.

	(i)	State the change in colour of the cobalt(Π) chloride paper in boiling tube 1.	
		Explain why this change happens.	
		colour changes from to	
		explanation	
			[2]
	(ii)	Explain what happens to the limewater in boiling tube 2.	
			[2]
(d)	Des	cribe the formation of poly(ethene) from ethene.	
	•••••		••••
	•••••		•••••
	•••••		•••••
	•••••		[2]

[Total: 10]

6 Fig. 6.1 shows an electric heater with two heating elements connected to a 240 V supply.




Fig. 6.1

Fig. 6.2 shows the circuit diagram for the heater.




Fig. 6.2

Heating element 1 has a resistance of 72Ω .

Heating element 2 has a resistance of 36Ω .

- (a) The heater is switched on. The variable resistor is set to have zero resistance.
 - (i) Show that the combined resistance of the two heating elements is 24Ω .

[2]

	current =A	[2]
(b)	The resistance of the variable resistor is increased.	
	Explain the effect this has on the total thermal energy output from the heater.	
		[3]
(c)	Fig. 6.3 shows the structure of a heating element.	
	wire wound into a coil	
	000000000	
	Fig. 6.3	
	The wire in heating element 2 is the same length as the wire in heating element 1.	
	The wire in heating element 2 is the same material as the wire in heating element 1.	
	Describe how heating element 2 has a lower resistance than heating element 1.	
		[2]

[Total: 9]

7	(a)	(a) Chemical digestion and mechanical digestion take place in the alimentary canal.						
			ce ticks (\checkmark) in the boxes next to the correct statements a estion.	about chemical and mechanical				
		Both	h types of digestion always form soluble molecules.					
		Both	h types of digestion take place in the mouth.					
		Both	h types of digestion use enzymes.					
		Only	y chemical digestion takes place in the stomach.					
		Only	y mechanical digestion involves no chemical change.	[2]				
	(b)	The	pancreas secretes the enzyme protease.					
		(i)	State the name of one other enzyme secreted by the pa	ncreas.				
				[1]				
		(ii)	State the substrate and product of digestion of the enzyr	me protease.				
			substrate					
			product					

[1]

(c) Fig. 7.1 shows the effect of pH on protease activity.




Fig. 7.1

(i)	Explain why protease activity is zero at pH 10.5.
	[3
(ii)	Use Fig. 7.1 to explain why this protease is from the pancreas and not from gastric juice
	[2
	[Total: 9

8 Lead(II) bromide is electrolysed using inert electrodes, as shown in Fig. 8.1.




Fig. 8.1

(a) Lead forms during the electrolysis.

Table 8.1 shows the melting points of lead(II) bromide and lead.

Table 8.1

	melting point/°C
lead(II) bromide	373
lead	328

л	 Lead(II)	DIOIIIGO	IIIGOL DO	Houtou	Olivigiy	101 1110	, OIO IC	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

Explain why.	
Use ideas about ions in your answer.	
[[2]

	(ii)	Suggest a s	uitable temp	perature for the	electrolysis to	take place.		
		Explain you	r answer.					
		temperature)	°C				
		explanation						
								[1]
	(iii)	State wheth	er lead form	ns as a solid or	as a liquid dur	ing the elec	trolysis.	
		Use Table 8	.1 to explair	n your answer.				
		lead forms a	as a					
		explanation						
								[1]
(b)	Cor	nplete the se	ntences abo	out the electroly	rsis of lead(II)	bromide.		[.]
(- /		words from		,	,			
	You	may use ead	ch word onc	e, more than o	nce or not at a	II.		
		anode		atoms	cathode		gain	
			lose	molecu	les	share		
	Lea	d ions are at	tracted to th	e				
	The	lead ions			elec	trons to forn	n	
	lead	d						
								[2]
(c)			-	e electrolysis o	f lead(II) brom	nide.		
	Stat	te the colour	·					
								[Total: 7]

- 9 (a) The electromagnetic spectrum has seven different regions, including microwaves and X-rays.
 - (i) Fig. 9.1 shows an incomplete electromagnetic spectrum.

On Fig. 9.1, write microwaves and X-rays in their correct places.

✓ increasing frequency									
gamma radiation		visible light							

Fig. 9.1

[2]

(ii) Microwave ovens use microwaves to heat food.

A microwave oven uses microwaves with a frequency of 2.48×10^9 Hz.

The speed of the microwaves is $3 \times 10^8 \, \text{m/s}$.

Calculate the wavelength of the microwaves.

	wavelength =m	[2]
(iii)	X-rays are used for medical imaging.	
	State one danger of X-rays to human health.	
		F41

(b) Fig. 9.2 shows two cups of hot water, A and B.




Fig. 9.2

Both cups:

- are made of the same material
- contain the same volume of hot water at the same temperature
- rest on the same surface in the same surroundings.

(i)	Describe two ways in which both cups of water lose thermal energy to their surrounding	ngs.
	1	
	2	[2]
(ii)	Explain why the water in cup B cools more quickly than the water in cup A .	
		[2]

[Total: 9]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	=	2 He	helium 4	10	Ne	neon 20	18	Αľ	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	Ru	radon			
	=>			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	¥	astatine -			
	5			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ро	polonium	116		livermorium -
	>			7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	Ъ	lead 207	114	lΉ	flerovium -
	≡			2	М	boron 11	13	Αſ	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	<i>1</i> L	thallium 204			
										30	Zu	zinc 65	48	ပ	cadmium 112	80	Hg	mercury 201	112	C	copernicium
										29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -
Group										28	z	nickel 59	46	Pd	palladium 106	78	풉	platinum 195	110	Ds	darmstadtium -
J.Ö										27	රි	cobalt 59	45	뫈	rhodium 103	77	Г	iridium 192	109	M	meitnerium -
		- エ	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium –
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105	Op	dubnium –
					atc	rek				22	j=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿏	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_			က	:=	lithium 7	£	Na	sodium 23	19	¥	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	Ē	francium -

7.1	ŋ	lutetium 175	103	۲	lawrencium	ı
70	Υp	ytterbium 173	102	8	nobelium	I
69	H	thulium 169	101	Md	mendelevium	ı
89	ш	erbium 167	100	Fm	fermium	I
29	웃	holmium 165	66	Es	einsteinium	I
99	ò	dysprosium 163	86	ర	californium	I
99	Д	terbium 159	97	æ	berkelium	ı
64	В	gadolinium 157	96	Cm	curium	ı
63	Ш	europium 152	92	Am	americium	ı
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pm	promethium -	93	d	neptunium	ı
09	ρN	neodymium 144	92	\supset	uranium	238
69	ď	praseodymium 141	91	Ра	protactinium	231
58	Ce	cerium 140	06	Т	thorium	232
22	Га	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).