

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

5 2 3 4 4 0 0 4 5 2

COMBINED SCIENCE

0653/43

Paper 4 Theory (Extended)

October/November 2022

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 (a) Fig. 1.1 is a diagram of a wind-pollinated flower.




Fig. 1.1

(i)	State the names of the parts labelled A and B on Fig. 1.1.
	A
	В
	[2
(ii)	On Fig. 1.1, draw a label line and the letter X to identify the part that produces ovules. [1
(iii)	Describe two adaptations for wind pollination of the flower shown in Fig. 1.1.
	1
	2
	[2

(b) Fig. 1.2 shows a food web.




Fig. 1.2

(i) Use Fig. 1.2 to construct **one** food chain that contains the vole.

[2]

(ii) Identify **one** organism in Fig. 1.2 that is on the third trophic level.

[1]

(iii) Identify **one** organism in Fig. 1.2 that is a primary **and** a secondary consumer.

[1]

(c) Grass photosynthesises.

State the balanced chemical equation for photosynthesis.

[2]

2 The electronic structures of a chlorine atom and a chloride ion are shown in Fig. 2.1.




Fig. 2.1

(a)	Sta	te two differences between the chlorine atom and the chloride ion shown in Fig. 2.1.	
	1		
	2		 [2]
(b)	(i)	Explain how Fig. 2.1 can be used to deduce the proton number of chlorine.	
			[1]
	(ii)	Explain how Fig. 2.1 can be used to deduce the period number of chlorine in the Periodic Table.	he
			[1]
	(iii)	Element X and chlorine are in the same group of the Periodic Table.	
		Element X is less reactive than chlorine.	
		Suggest the identity of element X .	
		Give a reason for your answer.	
		element X	
		reason	
			 [2]

(c) Table 2.1 shows the melting points of chlorine and sodium chloride.

Table 2.1

	melting point / °C
chlorine	-101
sodium chloride	801

Explain the difference in the melting points of chlorine and sodium chloride.
Use ideas about structure and attractive forces in your answer.
[3]
[Total: 9]

3 A new world water speed record was set in 1978 by a specially designed speed boat.

Fig. 3.1 shows forces K, L, M and N acting on the moving boat.




Fig. 3.1

(a)	(i)	State the letter that represents the friction acting on the boat. [1
	(ii)	Force L is 10 000 N. Force N is 8000 N.
		Describe the effect of these forces on the motion of the boat.
		[1

- **(b)** The world record speed of the boat is 142 m/s.
 - (i) Calculate the world record speed of the boat in kilometres per hour (km/h).

(ii) The engine of the boat exerts a force of 15000N to accelerate the boat from rest to its world record speed.

The boat moves a distance of 504 m.

Calculate the work done by the engine on the boat.

Give the unit of your answer.

work done = unit [3]

(c) Fig. 3.2 shows the speed–time graph for the boat doing a practice run.




Fig. 3.2

(i) State the maximum speed of the boat shown in Fig. 3.2.

maximum speed = m/s [1]

(ii) Use Fig. 3.2 to determine the distance the boat moves between 0 and 80 s.

distance = m [3]

[Total: 10]

4 (a) Fig. 4.1 is a diagram of a human heart.




Fig. 4.1

(i)	State the name of part Q and explain how it is linked to coronary heart disease.	
	Q	
	explanation	
		 [2
		L۷
(ii)	Risk factors for coronary heart disease include diet and smoking.	
	State two other risk factors for coronary heart disease.	
	1	
	2	
	4	 [2

(b) Fig. 4.2 shows how physical activity affects heart rate.




Fig. 4.2

(i) Use Fig. 4.2 to calculate the percentage increase in heart rate between 0 and 10 minutes.

	percentage increase in heart rate = % [2]
(ii)	Explain the shape of the graph in Fig. 4.2 between 5 and 10 minutes.
	[3]

[Total: 9]

(a)	Iron	is extracted from hematite in the blast furnace.	
	One	e chemical equation for the extraction of iron in the blast furnace is shown.	
		$\mathrm{Fe_2O_3}$ + 3CO \rightarrow Fe +	
	(i)	Complete the balanced chemical equation.	[2]
	(ii)	Identify the reducing agent in this extraction.	
		Explain your answer.	
		reducing agent	
		explanation	
			[1]
(b)	Iron	rusts when it reacts with oxygen and water to make hydrated iron(III) oxide.	
	(i)	A word equation for the rusting of iron is shown.	
		iron + oxygen + water \longrightarrow hydrated iron(III) oxide	
		Explain why rusting is described as an oxidation reaction.	
			[1]
	(ii)	State one method of rust prevention and describe how this method works.	
		method	
		description	
			[2]

(c)	Iron	reacts with dilute hydrochloric acid in an exothermic reaction.
	(i)	The reaction produces iron(II) chloride.
		State the formula of iron(II) chloride.
		[1]
	(ii)	Explain how a reaction is exothermic.
		Use ideas about bonds in your answer.
		[3]
		[Total: 10]

6 Fig. 6.1 shows an electric toaster used to toast one slice of bread.




Fig. 6.1

Fig. 6.2 shows the circuit diagram for the toaster.




Fig. 6.2

(a) Add a voltmeter to the circuit diagram in Fig. 6.2 to measure the potential difference (p.d.) across the heating element.

Use the correct circuit symbol.

[1]

(b)	The	switch lever is pushed down to switch the toaster on.
	The	temperature control dial adjusts the variable resistor.
	(i)	The resistance of the variable resistor is adjusted to 36Ω .
		The resistance of the heating element is 54Ω .
		Calculate the total resistance in the circuit.
		resistance = Ω [1]
	(ii)	The resistance of the variable resistor is decreased.
		Explain why the thermal energy output from the heating element increases.
		[2]

(c) Fig. 6.3 shows the circuit diagram for a different toaster that has two heating elements connected in parallel.




Fig. 6.3

(i) Heating element 1 has a resistance of 41.0Ω .

Heating element 2 has a resistance of 53.0Ω .

Show that the combined resistance of the two heating elements in parallel is 23.1Ω .

[2]

(ii) The variable resistor is adjusted so that the total resistance in the circuit is 60.0Ω .

The toaster is switched on.

The current in heating element 1 is 2.3A.

Calculate the current in heating element 2.

current = A [3]

[Total: 9]

7 (a) Fig. 7.1 shows cells that line the gas exchange system of humans.




Fig. 7.1

	(i)	Use Fig. 7.1 to explain how tar in tobacco smoke prevents the cells from protecting the gas exchange system.	е
		[3]
	(ii)	Explain how the carbon monoxide in tobacco smoke affects the function of red bloc cells.	bd
		[2]
(b)	The	lungs contain a gas exchange surface. This surface is large and thin.	
	Stat	te two other features of gas exchange surfaces.	
	1		
	2	г	
		L. C.	2]

[Total: 7]

8 Car engines take in air.

Unreacted air and other gases leave the car in the exhaust gases, as shown in Fig. 8.1.




Fig. 8.1

		. 1911	
(a)		air entering a car engine is a mixture of gases which includes nitrogen, oxygen, argo carbon dioxide.	n
	(i)	State which one of these gases is monoatomic.	
		[1]
	(ii)	Air is a mixture. Carbon dioxide is a compound.	
		Explain the difference between a mixture and a compound.	
		[2]
(b)		concentration of oxygen in the air entering a car engine is greater than the concentration xygen in the exhaust gases leaving the car.	n
	Ехр	lain why.	
		[2]
(c)		exhaust gases cause an increase in the concentration of carbon dioxide in thosphere. This causes an enhanced greenhouse effect.	e
	Stat	e one impact of an enhanced greenhouse effect.	
		[1]
(d)	Carl	bon dioxide in the air dissolves in rainwater and causes damage to buildings.	
	Stat	e the name of one other gas that causes the same problem.	
		[1]
		- [Total:	_

9 (a) (i) Fig. 9.1 shows an incomplete electromagnetic spectrum.

(ii)

On Fig. 9.1, write infrared radiation in its correct place.

	4	inc	reasing freque	ncy	
gamma radiation			visible light		

Fig. 9.1 [1]
State the speed of infrared radiation in a vacuum.

(iii) A toaster for toasting bread is one use of infrared radiation.

State **one** other use of infrared radiation.

[1]

(b) Fig. 9.2 shows a type of vacuum flask used for carrying a cold liquid at 5 °C.




Fig. 9.2

The flask is placed in a room. The temperature of the room is 20 $^{\circ}\text{C}.$

(i)	Describe one way that the design of the flask reduces the transfer of thermal energy from the room to the liquid by:
	convection
	radiation.
	[2]
(ii)	Describe how a small amount of thermal energy is transferred from the room to the liquid by conduction .
	Use ideas about vibrations in your answer.
	[2]
	[-]

(iii) A special type of vacuum flask is used to store liquid air at -196 °C.

Table 9.1 shows the boiling points of the main components of liquid air.

Table 9.1

component	boiling point/°C
argon	-186
nitrogen	-196
oxygen	-183

State which component is most likely to form bubbles of gas first.

Give a reason for your answer.

component	
reason	

[Total: 8]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	■ ∧	5	ピ	helium 4	10	Ne	neon 20	18	Ą	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	\				6	Щ	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	¥	astatine -			
	IA				8	0	oxygen 16	16	ഗ	sulfur 32	8	Se	selenium 79	52	<u>e</u>	tellurium 128	28	Ъо	molod –	116		livermorium -
	Λ				7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Βi	bismuth 209			
	\wedge				9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	90	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	≡				2	М	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	ප	cadmium 112	80	Нg	mercury 201	112	S	copernicium
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group											28	Z	nickel 59	46	Pd	palladium 106	78	五	platinum 195	110	Ds	darmstadtium -
G											27	ဝိ	cobalt 59	45	R	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		- :	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
											25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>a</u>	tantalum 181	105	Ср	dubnium –
						ato	rel				22	j=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_				က	:=	lithium 7	11	Na	sodium 23	19	×	potassium 39	37	S S	rubidium 85	55	Cs	caesium 133	87	Ŧ	francium
		•									-											

7.1	Γn	lutetium	175	103	۲	lawrencium	ı
70	Хþ	ytterbium	173	102	9 N	nobelium	1
69	Tm	thulium	169	101	Md	mendelevium	ı
89	Щ	erbium	167	100	Fm	ferminm	ı
29	웃	holmium	165	66	Es	einsteinium	1
99	۵	dysprosium	163	86	ర్	californium	ı
65	Тb	terbium	159	6	Ř	berkelium	ı
64	9 G	gadolinium	157	96	Cm	curium	1
63	En	europium	152	92	Am	americium	1
62	Sm	samarium	150	94	Pu	plutonium	ı
61	Pm	promethium	ı	93	dN	neptunium	ı
09	PZ	neodymium	144	92	\supset	uranium	238
29	Ā	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	모	thorium	232
22	Га	lanthanum	139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).