

# **Cambridge Assessment International Education**

Cambridge International General Certificate of Secondary Education (9–1)

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

# 3 1 2 1 8 2 4 4 8 6

### **CO-ORDINATED SCIENCES**

0973/41

Paper 4 Theory (Extended)

May/June 2019

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 32.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of 30 printed pages and 2 blank pages.



1 (a) The graph in Fig. 1.1 shows the effect of light intensity on the rate of photosynthesis.




Fig. 1.1

(i)	Describe the results shown in Fig. 1.1.	
	[	
	Explain the reasons for the shape of the part of the graph labelled <b>X</b> .	
	[	2

(b) Fig. 1.2 shows a cross-section through a leaf.




Fig. 1.2

	(i)	Describe <b>two</b> features of the leaf shown in Fig. 1.2 that allow efficient gas exchange occur.	e to
		1	
		2	
			 [2]
	(ii)	On Fig. 1.2, use a label line to label an example of a cell that is best adapted photosynthesis.	for
		Include the name of the cell.	[2]
(c)	Sta	te the chemical formulae of the <b>two</b> products of photosynthesis.	
	1		
	2		
			[1]
		[Tota	l: 9]

<b>2</b> (a) Car	rbon is use	d to extra	ct zinc from	ı zinc oxide	. ZnO
------------------	-------------	------------	--------------	--------------	-------

(i)	Write a balanced symbol equation for this reaction.	
		[2]
(ii)	Zinc oxide consists of $Zn^{2+}$ and $O^{2-}$ ions.	
	State which ion is being reduced in this reaction.	
	Explain your answer in terms of the movement of electrons.	
		[1]
(iii)	Explain why carbon <b>cannot</b> be used to extract aluminium from aluminium oxide.	

(b) Aluminium is extracted by the electrolysis of aluminium oxide.

Aluminium oxide consists of  $Al^{3+}$  and  $O^{2-}$  ions.

Fig. 2.1 shows the industrial apparatus used to produce aluminium.




Fig. 2.1

(i) State the name of an ore that contains aluminium.

\_\_\_\_\_\_[1

	(ii)	Explain why aluminium oxide must be in a liquid state for electrolysis to occur.	
	(iii)	Explain why cryolite is mixed with aluminium oxide for use in this electrolysis.	
			נין
	(iv)	Write the ionic half-equation for the reaction occurring at the cathode during electrolysis.	this
			[2]
(c)	Aluı	minium ore is a finite resource, so aluminium must be conserved.	
	(i)	State what is meant by the term <i>finite resource</i> .	
	•		
			[1]
	(ii)	Suggest how aluminium can be conserved.	
			[1]
		[Total:	111
		[ Total:	1

**3** Fig. 3.1 shows a motorcycle with a rear lamp.




Fig. 3.1

(a	) The lam	n has a	resistance	of 30 Q	and is	powered by	v a 12\	/ battery
ν-	, inclain	p nao a	10010141100	0.0055	aria io	poworda b	y a 12 1	Duttory

(i) Show that the current in the lamp is 0.40A.

[1]

(ii) Calculate the power used by the lamp.

Show your working.

power = ..... W [2]

(iii) Calculate the charge that passes through the lamp in 30 minutes.

Show your working.

charge = ...... C [2]

(b) The battery is charged by an a.c. generator.

Fig. 3.2 shows a simple a.c. generator.




Fig. 3.2

- (i) On Fig. 3.2, label the slip rings with the letter R. [1]
  (ii) On Fig. 3.2, label the coil with the letter C. [1]
  (iii) On Fig. 3.2, show the direction of the magnetic field with an arrow (→). [1]
  (iv) The output is an alternating current. Describe the difference between direct current (d.c.) and alternating current (a.c.).
- (c) The motorcycle engine is noisy and emits sound waves that pass through the air.

The sound waves pass through the air as a series of compressions (C) and rarefactions (R).

Fig. 3.3 shows the positions of the compressions and rarefactions as the sound wave passes through the air.



Fig. 3.3

0973/41/M/J/19

[Total: 12]

[Turn over

© UCLES 2019

4 The pie chart in Fig. 4.1 shows the different causes of deforestation in a country.




Fig. 4.1

(a)	Calculate the tot	al percentage of	deforestation of	caused by agriculture.
-----	-------------------	------------------	------------------	------------------------

	%	[1]
--	---	-----

b)	Describe how slash-and-burn agriculture can increase the carbon dioxide concentration the atmosphere.	n ir
		ſΩ

(c)	Describe the undesirable effects of deforestation on soil.
	[3]
(d)	Forests are ecosystems.
	Define the term <i>ecosystem</i> .
	[2]
	[Total: 9]

5 Petroleum is the raw material for the production of many useful substances.

Fig. 5.1 shows processes **A**, **B** and **C** that can be used in the production of ethanol.




Fig. 5.1

(a) Name the processes by drawing one line from each process to its name.

process	name
	catalytic addition
A	
	cracking
В	fermentation
	leimentation
С	fractional distillation
	polymerisation

(b) The formula of ethanol is  ${\rm C_2H_5OH.}$ 

Explain why ethanol is **not** a hydrocarbon.

[2]

(c) Fig. 5.2 shows a camping stove which uses ethanol as the fuel.




Fig. 5.2

Complete combustion of ethanol produces carbon dioxide and water.

The balanced equation for this reaction is shown.

$$C_2H_5OH + 3O_2 \rightarrow 2CO_2 + 3H_2O$$

The stove uses 22g of ethanol to boil 1 dm<sup>3</sup> of water.

(i) Complete steps 1 to 3 to calculate the maximum mass of carbon dioxide produced when boiling 1 dm<sup>3</sup> of water.

Show your working.

[M<sub>r</sub>: carbon dioxide, 44; ethanol, 46]

Step 1

Calculate the number of moles in 22g of ethanol.

number of moles = .....

Step 2

Calculate the number of moles of carbon dioxide produced when 22 g of ethanol burns.

number of moles = .....

Step 3

Calculate the mass of carbon dioxide produced when boiling 1 dm<sup>3</sup> of water.

mass = ......g

[3]

(ii)	A similar	stove	uses	butane	as	the fuel	

Butane produces less carbon dioxide when boiling  $1\,\mathrm{dm}^3$  of water.

Suggest whether using the butane stove or the ethanol stove causes less damage to the environment.

type of stove explanation

[Total: 8]

[2]

# **BLANK PAGE**

6	(a) The v	isible light produ	iced by the he	eadlamps of a	train is part of t	he electromag	netic spectrum.
	• •	Vrite visible light ig. 6.1.	t in the corre	ct position in t	he incomplete	electromagne	tic spectrum in
	gamma		ultraviolet			microwaves	
_				Fig. 6.1			

<b>J</b>								
				Fig. 6.1			[1]	
	(ii)	All electromagn	netic waves tra	vel at the same	e speed.			
		State the speed	d of light in a va	acuum.				
							m/s [1]	ı
(b)		approaching tra						
		speed of sound				i steel is 60001	11/5.	
	(i)	Suggest a value	•	i oi souria triro	ugii water.			
		Explain your an			m / n			
		speed of sound						
		explanation						
							[1]	ĺ
	(ii)	Calculate the tir		oetween a sour	nd travelling 0.	50 km through	air and 0.50 km	ı

time difference = ......s [2]

© UCLES 2019 0973/41/M/J/19

Show your working.

(iii)	The train emits sound waves with a frequency of $500\mathrm{Hz}$ which travel through the air at a speed of $330\mathrm{m/s}$ .
	Calculate the wavelength of these waves.
	Show your working.
	wavelength = m [2]
(iv)	Sound waves are longitudinal waves. Visible light waves are transverse waves.
	Describe the differences between longitudinal and transverse waves in terms of the direction of travel of the waves, and the direction of oscillation or vibration.
	You may draw a diagram if it helps your answer.
	[2]
	[Total: 9]

**7 (a)** A student investigates the effect of temperature on the rate of diffusion of red dye into agar jelly cubes.

The student prepares three cubes of agar jelly A, B and C.

- Each cube is equal in size.
- A is kept at 30 °C, B is kept at 25 °C, C is kept at 20 °C.
- Three separate containers of red dye are also kept at 30 °C, 25 °C and 20 °C.
- Each cube is immersed in red dye equal to its temperature for 10 minutes.
- The cubes are then removed from the dye and cut in half.

Fig. 7.1 shows the cubes cut in half.




Fig. 7.1

Table 7.1 shows the results.

Table 7.1

cube	temperature of cube and dye/°C	diffusion distance (after 10 minutes)/cm	rate of diffusion/ cm per min
Α	30	1.0	
В	25	0.7	0.07
С	20	0.5	0.05

(i) Calculate the rate of diffusion for cube A.

cm per min	[1]
- I	

	(ii)	Use the results in Table 7.1 to describe the relationship between temperature and the rate of diffusion.
		[1]
	(iii)	State <b>one</b> variable, other than the size of the cubes, that should be kept constant in this investigation.
		[1]
(b)	Ехр	lain why the red dye diffuses into the agar jelly.
		[2]
(c)	Mat	erials diffuse in and out of living cells.
	Nan	ne the gas produced by respiration that diffuses <b>out</b> of cells.
		[1]
		[Total: 6]

•	(a)	(1)	masses of the gases nitrogen and chlorine.
			M <sub>r</sub> (nitrogen) =
			M <sub>r</sub> (chlorine) =[1]
		(ii)	Using your answer to (a)(i), state and explain which of these two gases diffuses at the greater rate.
			gas
			explanation
			[1]

**(b)** Chlorine occurs naturally as a mixture of mainly two isotopes, chlorine-35 and chlorine-37.

Complete Table 8.1 to show some information about the atomic structures of these isotopes.

Table 8.1

isotope	number of nucleons	number of protons	number of neutrons	number of electrons
chlorine-35	35	17		
chlorine-37	37	17		

[2]

(c) A student mixes colourless aqueous solutions of chlorine and sodium bromide.

Fig. 8.1 shows the apparatus she uses.




Fig. 8.1

	(i)	A reaction occurs when chlorine solution is mixed with sodium bromide solution.
		Predict and explain the student's observation when these solutions are mixed.
		observation
		explanation
		[2
	(ii)	Write a word equation for the reaction that occurs when these solutions are mixed.
		[2
(d)	The	student adds an orange solution of bromine to a colourless solution of sodium fluoride.
		dict and explain the student's observation when the solution of bromine is added to the tion of sodium fluoride.
	obs	ervation
	exp	anation
		[2

**9** (a) During a mission to the Moon in 1971, an astronaut dropped a feather and a hammer.

The feather and hammer were released from the same height at the same time. Both fell for 1.3s, and landed at the same time.

The acceleration due to gravity on the Moon is 1.6 m/s<sup>2</sup>.

Assume that the Moon has no atmosphere.




Fig. 9.1

[2]

(i) On Fig. 9.1 draw the speed-time graph for the falling feather.

	(ii)	The experiment is repeated on Earth. State <b>two</b> differences in the results obtained.	
		Explain your answers.	
		difference 1	
		explanation	
		difference 2	
		explanation	
			4]
(b)	The	astronaut wears a white suit rather than a black suit.	
	Sug	gest and explain a reason for this.	
		[	2]
(c)	The	astronaut is exposed to more ionising radiation than people who remain on the Earth.	
	Stat	e <b>one</b> harmful effect of ionising radiation on the human body.	
		[	1]
(d)	Alpl	na radiation is one form of ionising radiation.	
` ,	•	sotope of plutonium, $^{239}_{94}$ Pu, decays by alpha emission to produce an isotope of uraniun	n.
		the correct nuclide notation to write a symbol equation for this decay process.	
		_	
	94	$Pu \ \rightarrow \ \dots \ + \ \dots \ $	2]
		[Total: 1	_
		[Total: 1	٠.٦

10 (a) Fig. 10.1 shows a cross-section through a vein when seen under a light microscope.




Fig. 10.1


	(i)	On Fig. 10.1 draw two label lines to identify the:	
		<ul><li>lumen</li><li>wall of the vein.</li></ul>	[2]
	(ii)	Name one structure of veins not visible in Fig. 10.1.	
			[1]
(b)	·	plain why the wall of an artery is much thicker than the wall of a vein.	
(c)	Cor	onary heart disease is caused by a blockage in the coronary arteries.	
	Stat	te <b>two</b> lifestyle factors that <b>increase</b> the risk of coronary heart disease.	
	1		
	2		[2]

(d)	Hor	rmones are released into blood.	
	(i)	Name the hormone that:	
		is released in stressful situations	
		decreases the glucose concentration of the blood.	
			 [2]
	(ii)	Auxin is a plant hormone.	[-]
		State the effect of auxin on plant cells.	
			[1]
		[Total:	10]

11 (a) A student investigates the rate of reaction of calcium carbonate with dilute hydrochloric acid.
The word equation for the reaction is shown.

calcium carbonate + hydrochloric acid → calcium chloride + water + carbon dioxide

Fig. 11.1 shows some of the apparatus he uses.








Fig. 11.1

You may draw on Fig. 11.1 to help your answer.

(i)	Suggest what other equipment he needs and how he would use it to calculate the rate of
	carbon dioxide produced.

IO.
[2]

(ii) He carries out the experiment using dilute hydrochloric acid at 20 °C.

He repeats the experiment at 30 °C.

Fig. 11.2 shows his results.




Fig. 11.2

State and explain the differences between the graphs in terms of the movement of reacting particles.

 	 	 	 	 	 [3]

(b) Lead chloride is an insoluble salt.

Describe a method of making solid lead chloride from reactants chosen from Table 11.1.

**Table 11.1** 

compound	solubility in water
calcium chloride	soluble
calcium nitrate	soluble
calcium sulfate	insoluble
lead carbonate	insoluble
lead nitrate	soluble
lead sulfate	insoluble
magnesium sulfate	soluble
silver chloride	insoluble
sodium chloride	soluble
sodium nitrate	soluble

	reactants and	
	method	
		[4]
(c)	Lead chloride has a melting point of 501 °C.	
	Explain how the structure of lead chloride causes it to have a high melting point.	
		[2]

[Total: 11]

**12** Fig. 12.1 shows a solar-powered golf cart, with solar cells on the roof.




Fig. 12.1

The solar cells produce electrical energy using solar energy. The Sun is the source of this energy.

(a)	Name <b>two</b> energy resources that do <b>not</b> have the Sun as their source of energy.
	1
	2
(b)	During the golf cart's journey, the temperature in the tyres increases.
	The volume of air in the tyres does not change.
	Explain in terms of molecules the effect on the pressure of a gas due to an increase it temperature at constant volume.
	[2

(c) The golf cart often travels across sloping fields so stability is important in its design.

Fig. 12.2 shows the cart on a slope.




Fig. 12.2

The centre of mass of the golf cart is shown by the letter **X**.

State the effect of raising the centre of mass of the golf cart on its stability.

(d) A spectator takes a photograph of a golfer with a camera.

The camera uses a thin converging lens to focus light rays onto the light sensor inside the camera.

(i) Complete the ray diagram in Fig. 12.3 to show this.




Fig. 12.3

g. 12.3 [1]

(ii) The lens is made from glass. Glass has a refractive index of 1.33.

Define refractive index in terms of the speed of light in a vacuum and in glass.

	(iii)	The image produced by the lens on the light sensor is a real image.		
		Describe the difference between a real image and a virtual image.		
				IJ
(e)	Des	scribe in terms of the forces between the atoms why solids have a fixed shape.		
(-)	200	sondo in termo or the terese someon the dieme may conde have a linea chape.		
				••
			[	1]
			[Total: 8	8]

_	oortance of the shape	•		
olain the imp	oortance of the shape	of an enzyme.		
	-	Table 13.1		
			oolour with	
solution	solution	solution	Benedict's solution	
Α	blue-black	blue	red	
В	yellow-brown	blue	blue	
С	blue-black	purple	red	
D	yellow-brown	blue	red	
E	blue-black	blue	green	
	solution  A B C D E	solution  Colour with iodine solution  A blue-black  B yellow-brown  C blue-black  D yellow-brown  E blue-black  e of the solutions A, B, C, D or E or	Table 13.1  Solution Colour with iodine Solution Colour with Biuret Solution  A blue-black blue  B yellow-brown blue  C blue-black purple  D yellow-brown blue  E blue-black blue	Table 13.1solutioncolour with iodine solutioncolour with Biuret solutioncolour with Benedict's solutionAblue-blackblueredByellow-brownblueblueCblue-blackpurpleredDyellow-brownblueredEblue-blackbluegreen

[Total: 6]

# **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

ţ
$\equiv$
ā
ĕ
Φ
Ш
4
0
<u>e</u>
9
용
Ë
O
≐
Q
.0
Ē
Φ
Δ
Φ
ے
ᆮ

	\text{\tinx{\text{\ti}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tex{\tex	2 He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	II/			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	B	bromine 80	53	Н	iodine 127	85	Αt	astatine -			
	<b> </b>			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>P</u>	tellurium 128	84	Ъо	moloui nm –	116		livermorium -
	>			7	Z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	Ъ	lead 207	114	Εl	flerovium -
	=			2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	ပ္ပ	cadmium 112	80	Ρ̈́	mercury 201	112	Ö	copernicium
										59	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -
Group										28	ïZ	nickel 59	46	Pd	palladium 106	78	풉	platinum 195	110	Ds	darmstadtium 
Ş										27	රි	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		- エ	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	H	hassium -
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
				_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Б	tantalum 181	105	Ob	dubnium —
					atc	re				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	Ŗ	rutherfordium —
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium —
	_			က	:=	lithium 7	£	Na	sodium 23	19	¥	potassium 39	37	ВВ	rubidium 85	55	Cs	caesium 133	87	ъ	francium —

71	n	Intetium	175	103	ۓ	lawrencium	ı
70	ΥÞ	ytterbium	173	102	Š	nobelium	ı
69	E	thulium	169	101	Md	mendelevium	ı
89	щ	erbinm	167	100	Fn	fermium	ı
29	웃	holmium	165	66	Es	einsteinium	ı
99	ò	dysprosium	163	86	ర	californium	ı
65	Tp	terbium	159	26	BK	berkelium	1
64	<del>Q</del> q	gadolinium	157	96	Cm	curium	ı
63	En	europium	152	98	Am	americium	ı
62	Sm	samarium	150	94	Pn	plutonium	ı
61	Pm	promethium	ı	93	ď	neptunium	ı
09	ρN	neodymium	144	92	$\supset$	uranium	238
29	Ą	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	드	thorium	232
25	Гa	lanthanum	139	89	Ac	actinium	1

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,\mathrm{dm^3}$  at room temperature and pressure (r.t.p.).