



## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| The state of the s | W. Papac     |
|--|--------------|
| JNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS nternational General Certificate of Secondary Education   | andridge con |
|  |              |

**CANDIDATE NUMBER** 

**CENTRE NUMBER** 

**CANDIDATE** NAME

| l |  |
|---|--|

## **CO-ORDINATED SCIENCES**

0654/22

Paper 2 (Core)

May/June 2013

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.


This document consists of 27 printed pages and 1 blank page.



www.PapaCambridge.com (a) Fig. 1.1 shows some of the elements in Group 1 of the Periodic Table. Li Na K Fig. 1.1 (i) Name the alkali that is produced when potassium reacts with water. [1] (ii) Describe how the rate of reaction between water and the metals in Fig. 1.1 changes as you go down the group. **(b)** Fig. 1.2 shows some of the elements in Group 7 of the Periodic Table. C1Br Ι Fig. 1.2 (i) Describe how the melting point of the elements in Fig. 1.2 changes as you go down the group. \_\_\_\_\_[1] (ii) A solution of potassium bromide is colourless and a solution of chlorine is almost colourless. Describe and explain briefly what would be seen when these solutions are mixed. what would be seen ..... explanation

runk alon For iner's

2 (a) An elephant of mass 5000 kg exerts a constant force to push a tree trunk alon steady speed of 1.5 m/s.



|     |  | te the <b>two</b> quantities that would need to be measured to calculate the work done by elephant. |  |
|-----|--|---|--|
|     |  | and [2]   |  |
|     |  |   |  |
| (b) | The  | e volume of the elephant is 5 m <sup>3</sup> . Its mass is 5000 kg.                                 |  |
|     | Cal  | culate the density of the elephant.   |  |
|     | Sta  | te the formula that you use and show your working.  |  |
|     |  | formula   |  |
|     |  |   |  |
|     |  | working   |  |
|     |  |   |  |
|     |  |   |  |
|     |  | kg/m³ [2]   |  |
|     |  |   |  |
| (c) | An elephant can communicate with other elephants using infrasound. This is a very low<br>frequency vibration which it is usually impossible for a human to hear. |   |  |
|     | (i) Suggest a possible frequency for this vibration and explain why you chose yo answer.   |   |  |
|     |  | frequency Hz  |  |
|     |  | explanation   |  |
|     |  |   |  |
|     |  | [2]   |  |
|     | (ii)   | State the meaning of the term <i>frequency</i> .  |  |
|     |  |   |  |
|     |  | [1]   |  |

[Turn over

3 Fig. 3.1 shows an animal cell, just before it divides.




Fig. 3.1

| (a) | Define the term <i>chromosome</i> . |
|-----|-------------------------------------|
|     |                                     |

| <br> | <br> | ••••• |
|------|------|-------|
|      |      |       |
| <br> | <br> |       |
|      |      | [2]   |

- **(b)** Some cattle have horns, but other cattle do not. This is determined by a gene. The allele of the gene that produces horns, **h**, is recessive.
  - (i) Complete Table 3.1 to show the phenotypes of cattle with each of the possible genotypes for this gene.

Table 3.1

| genotype | phenotype |
|----------|-----------|
| нн       | no horns  |
| Hh       |           |
| hh       |           |

[1]

www.PapaCambridge.com

cow with horns

(ii) A farmer has a bull with no horns. He wants to make sure that the bull do have the recessive allele, **h**, for horns.

He breeds the bull with a cow that has horns.

parents

www.PapaCambridge.com Complete the genetic diagram to show the possible offspring if the bull does have the allele for horns.

bull with no horns

|       | genotype of parents   | Hh                                | hh                         |
|-------|---|-----------------------------------|----------------------------|
|       | gametes   | and                               |                            |
|       |   | gametes gametes from bull         | from cow                   |
| (iii) | Explain how the results of the chas the allele <b>h</b> or not. | cross can help the farmer to deci | [3]<br>de whether the bull |
|       |   |                                   |                            |
| (iv)  | Cows usually give birth to one                                  | or two calves each time.          | [2]                        |
| (,    |   | to cross the bull with the cow s  | everal times before        |
|       |   |                                   |                            |
|       |   |                                   |                            |
|       |   |                                   | [2]                        |

[Turn over © UCLES 2013

**4** Fig. 4.1 shows a microwave oven.




Fig. 4.1

(a) Microwaves cook food by transferring energy to the food.

Choose words from the list to complete the sentences below. You may use each word once, more than once or not at all.

| chemical  | conduction | convection |  |
|-----------|------------|------------|--|
| potential | radiation  | thermal    |  |

Microwaves are absorbed by the outer layers of food.

| The microwave energy is transferred to water and fat molecules in these layers, |   |  |  |
|---|---|--|--|
| increasing the  | energy of these layers.                       |  |  |
|   | energy is mostly transferred to the centre of |  |  |
| solid food by   | . [2]   |  |  |

www.PapaCambridge.com

(b) A student heated some water in a microwave oven for five minutes. Fig. 4.2 shows the temperature of the water changed.





Fig. 4.2

The temperature of the water stops increasing after two minutes.

Explain what happened to the water molecules during the five minutes.

(c) The microwave oven is made of solids. The water is a liquid.

Complete Fig. 4.3 to show the arrangement of particles in a liquid. The diagram for a solid has been done for you.







Fig. 4.3

[2]

- 5 (a) Sodium is a reactive metal that forms compounds with non-metals.
  - (i) Name the compounds which are formed when sodium reacts with chlorine,

oxygen.

(ii) Fig. 5.1 shows diagrams of a sodium atom and a chlorine atom.






Fig. 5.1

When sodium reacts with chlorine, the atoms shown in Fig. 5.1 first change into electrically charged atoms known as ions.

Describe what happens when sodium and chlorine atoms change into ions.

[2]

(iii) State why the ions formed by sodium and chlorine attract each other.

(iv) Describe **two** differences between the properties of a typical ionic compound and a typical covalent compound.

| 1 |  |
|---|--|
|   |  |
| 2 |  |
|   |  |

www.PapaCambridge.com (b) Fig. 5.2 shows apparatus a student used to investigate the electrolysis of dilute




Fig. 5.2

| (i)   | On Fig. 5.2, label the anode.  | [1] |
|-------|--|-----|
| (ii)  | Name the gases <b>P</b> and <b>Q</b> .                                   |     |
|       | P  |     |
|       | Q  | [2] |
| (iii) | Choose <b>one</b> of the gases in (ii) and describe a test for this gas. |     |
|       | gas  |     |
|       | description of test  |     |
|       |  |     |
|       |  | [2] |

**6** Fig. 6.1 shows a section through a blood capillary.




Fig. 6.1

| (a) | Describe how cell <b>A</b> transports oxygen. |        |
|-----|---|--------|
|     |   | •••    |
|     |   |        |
|     |   | 2]     |
| (b) | Describe the function of cell <b>B</b> .      | •      |
|     |   | •••    |
|     |   |        |
|     |   | 2]     |
| (c) | Outline the functions of a blood capillary.   |        |
|     |   | •••    |
|     |   | •••    |
|     |   | <br>01 |
|     | l-  | 2]     |

www.PapaCambridge.com

| 7 | (a) | A re | esistor of 1200 $\Omega$ is connected in series with another resistor of 2400 $\Omega$ .            |
|---|-----|------|---|
|   |     | Cal  | culate the combined resistance of these two resistors.  |
|   |     | Sta  | te the formula that you use and show your working.  |
|   |     |      | formula   |
|   |     |      | working   |
|   |     |      |   |
|   |     |      |   |
|   |     |      |   |
|   |     |      | Ω [2]   |
|   | (b) | (i)  | The diagrams below show the circuit symbols for three components of an electric torch (flashlight). |
|   |     |      | On the line below each diagram state the name of the component.                                     |
|   |     | -    |   |
|   |     |      |   |

(ii) Using only these symbols draw a circuit diagram for a torch.

[1]

[2]

(c) Complete the sentences to describe the energy transfers which take place who torch (flashlight) is used.

iner's

Choose from the words below. You may use each word once, more than once or not at all.

| chemical | electrical | kinetic | light   |
|----------|------------|---------|---------|
| nuclear  | potential  | sound   | thermal |

energy is stored in the cells.

This is transferred into \_\_\_\_\_\_ energy which passes to the lamp.

The useful energy output from the lamp is \_\_\_\_\_\_ energy, but much energy is wasted as \_\_\_\_\_ energy. [2]

(d) A ray of light from the torch is reflected by a mirror. This is shown in Fig. 7.1.




Fig. 7.1

Angle a has a value of 45°.

Name angle **b** and write down its value.

| name |   |
|------|---|
|      | • |

[2]

**8 (a)** The ovary of a flower contains one or more ovules. The ovules contain gametes. After fertilisation, an ovule becomes a seed containing an embryo plant.

contain ryo plant. For iner's

Fig. 8.1 shows a pea seed developing inside a pod.




Fig.8.1

| (i)   | Explain the meaning of each of the following terms.   |     |
|-------|---|-----|
|       | gamete  |     |
|       | fertilisation   |     |
|       |   | [2] |
| (ii)  | Parts <b>A</b> and <b>B</b> in Fig. 8.1 remain from the flower.                                     |     |
|       | State the name of part <b>A</b> and function of part <b>B</b> of these parts <b>in the flower</b> . |     |
|       | name of part <b>A</b>   |     |
|       | function of part <b>B</b>   |     |
|       |   | [2] |
| (iii) | Suggest the part of the flower from which structure <b>C</b> developed.                             |     |
|       |   | [1] |

amp soil or For iner's

(b) Four sets of pea seeds were placed in Petri dishes containing either damp soil of filter paper. They were left in different conditions, shown in Table 8.1.

Table 8.1

Predict which sets of seeds will germinate.

| set | con               | ditions |       |
|-----|-------------------|---------|-------|
| Α   | damp soil         | cold    | dark  |
| В   | damp filter paper | warm    | light |
| С   | damp filter paper | warm    | dark  |
| D   | damp soil         | cold    | light |

(c) A pea seed was planted in a pot. When the seed had grown into a young plant, the pot was placed on its side, in a room where light was coming from all sides.

Fig. 8.2 shows the young pea plant three days after the pot had been placed on its side.




Fig. 8.2

| (i) | Name the response shown by the pea plant in Fig. 8.2. |     |
|-----|---|-----|
|     |   | [2] |

| (ii) | Suggest how this response will help the plant to reproduce sexually. |
|------|--|
|      |  |
|      |  |
|      |  |
|      |  |
|      | [3]  |

[Turn over

|   |     |       | 16 MAL PARA  |                   |
|---|-----|-------|--|-------------------|
| 9 | (a) | (i)   | Explain why hydrogen and carbon are described as elements, but hydroc such as methane and ethane are described as compounds. | Olynbride For ine |
|   |     |       |  | 196.0             |
|   |     |       | [2   | 2]                |
|   |     | (ii)  | Complete the diagram below to show one molecule of methane.  |                   |
|   |     |       | H—C  |                   |
|   |     |       | [2   | 21                |
|   | (   | (iii) | Name the material found in the Earth that is the main source of methane.   |                   |

(b) Ethene is a colourless gas made of hydrocarbon molecules.

Fig. 9.2 shows diagrams of four hydrocarbon molecules, W, X, Y and Z.




Fig. 9.2

(i) State which diagram, W, X, Y or Z, represents one molecule of ethene.

| F41 |
|-----|
| [1] |
|     |

X-rays

photographing bones

www.papaCambridge.com

[2]

| (b) | X-rays and $\gamma$ -rays are both examples of ionising radiation. |     |
|-----|--|-----|
|     | Explain what is meant by the term ionising radiation.              |     |
|     |  |     |
|     |  | [1] |
| (c) | Some countries use nuclear fission in electricity power stations.  |     |
|     | What is meant by the term <i>nuclear fission</i> ?                 |     |
|     |  |     |
|     |  | [2] |

(d) The stages that take place in a nuclear power station generating electricity are in Table 10.1 below.

iner's

Put the stages in the correct sequence by adding numbers 1, 3, 5 and 7 to the right hand column.

**Table 10.1** 

| stage                                 | sequence |
|---------------------------------------|----------|
| A chain reaction happens in the core. |          |
| A generator is turned.                |          |
| A turbine turns.                      | 6        |
| Electrical energy is generated.       | 8        |
| Steam is produced.                    |          |
| Thermal energy is produced.           | 2        |
| Thermal energy is removed from core.  |          |
| Water is heated.                      | 4        |

[3]

**(e)** Which of these statements about the generation of electricity from nuclear fuel are correct?

Tick  $(\checkmark)$  the **two** correct statements.

| no carbon dioxide is produced          |     |
|--|-----|
| no dangerous waste is produced         |     |
| no fossil fuels are used               |     |
| no problems with the radioactive waste |     |
| no thermal energy is wasted            | [2] |

© UCLES 2013 [Turn over

(f) A teacher demonstrated how the count rate detected by a Geiger-Müller tube de on the distance between the front of the tube and a radioactive  $\alpha$  (alpha) source.




Fig. 10.1

Fig. 10.2 shows a graph of the results of the experiment.

Fig. 10.1 shows how the equipment was set up.




Fig. 10.2

| (i)  | State the range of the alpha particles.                           | cm | [1]   |
|------|---|----|-------|
| (ii) | Describe how you would use the apparatus to obtain these results. |    |       |
|      |   |    |       |
|      |   |    | ••••• |
|      |   |    |       |
|      |   |    |       |
|      |   |    | [3]   |

(iii) Before carrying out the experiment the teacher discussed how to reduce exposure to radiation.

www.PapaCambridge.com Which idea below would not help reduce the radiation exposure of the teacher during the experiment? Explain your answer.

- idea 1 Hold the source with long tongs and wear gloves.
- idea 2 Place a lead shield between the source and the teacher.
- idea 3 Wear a photographic badge that detects radiation.

| idea | because |
|------|---------|
|      |         |
|      |         |
|      | [2      |

[Turn over © UCLES 2013

**11** Fig. 11.1 shows a food chain. The arrows show how energy flows from one organ another, along the chain.




Fig. 11.1

| grass | sheep | man |
|-------|-------|-----|
|       |       |     |

(a) Energy enters the food chain as sunlight. Plant leaves use this energy to make food. (i) Name the substance in the leaves of a plant that absorbs this energy. [1] (ii) Name the two raw materials that the plant uses to make food. (iii) Name the gas released from plant leaves during this process. (b) A sheep is a herbivore. Define the term herbivore. (c) Meat from the sheep contains protein. Describe the importance of protein in the diet.

www.papaCambridge.com (d) In the cells of the plant, sheep and man, useful energy is released from the respiration. Some of the energy is released as heat. Explain why the following changes occur when the man's body temperature rises too high.

| The arterioles near the surface of his skin dilate. |
|---|
|   |
|   |
|   |
|   |
| His sweat glands produce more sweat.                |
|   |
|   |
|   |
|   |

[Turn over © UCLES 2013

[4]

## **BLANK PAGE**

www.PapaCambridge.com

12 (a) A student added a solution of the same dilute acid to each of the test-tubes shown in Fig. 12.1.




Fig. 12.1

Complete Table 12.1 by matching the test-tubes, P, Q, R, S and T, with the observations which are made when the dilute acid reacts with the contents.

Some of the observations could apply to more than one of the test-tubes. You may use each letter once, more than once or not at tall.

**Table 12.1** 

| observations   | test-tube(s) |
|--|--------------|
| The mixture turns red when excess acid has been added. |              |
| A colourless gas is given off.                         |              |
| A blue solution is formed.                             |              |
| A colourless gas which pops when ignited is given off. |              |

[4]

(b) The student used the apparatus shown in Fig. 12.2 to investigate neutral reactions involving three acids, A, B and C.




Fig. 12.2

In each experiment, 25.0 cm<sup>3</sup> of the same solution of sodium hydroxide were placed into a beaker. The tap on the burette was opened and acid was added slowly.

The measurements made by the pH sensor were displayed on the computer screen.

Some of the measurements from the three experiments are shown in Table 12.2.

**Table 12.2** 

| acid | source of acid                   | volume required to produce a neutral mixture/cm <sup>3</sup> |
|------|----------------------------------|--|
| Α    | sample taken from an acidic lake | 42.0   |
| В    | sample taken from a car battery  | 15.0   |
| С    | acid from a chemical laboratory  | 60.0   |

| (i)  | Suggest a possible pH value of the alkali before any acid was added.                              |     |
|------|---|-----|
|      |   | [1] |
| (ii) | State, with a reason, which acid <b>A</b> , <b>B</b> or <b>C</b> , had the highest concentration. |     |
|      | acid  |     |
|      | reason  |     |
|      |   | [1] |

| (iii) | The student noticed that in all three experiments, the temperature of the increased as the acid was added.   |
|-------|--|
|       | Suggest why the temperature increased.   |
|       |  |
|       | [1]  |
| (iv)  | Complete the general word equation for the reaction which occurs between an acid and an alkali.  |
| acid  | + alkali +   |
|       | [2]  |
| (v)   | Sample <b>A</b> was taken from an acidic lake. Much of the acidity of the acidic lake is caused by sulfur dioxide gas dissolving and reacting with lake water. |
|       | State <b>two</b> possible sources of the sulfur dioxide, one natural and one the result of human activity.   |
|       | natural  |
|       | human activity   |
|       | 701  |

| DATA SHEET | The Periodic Table of the Elements |
|------------|------------------------------------|
|------------|------------------------------------|

|       | _          |   | 28   | 173  |     |
|-------|------------|---|--|--|-----|
| 0     | Helium     | 20<br>Neon<br>10 Neon<br>10 Ar<br>Argon         | Krypton 36 Krypton 36 Xe Xenon 54 Xe Xenon 54 Xe Xenon 54 Xe Xenon 64 Xe Xenon 65 Xe Xenon 65 Xe Xenon 65 Xenon | Lutelium 71 103 Lutelium 103 Lr 103 Lutelium 103 Lr 103 Lutelium 103 Lr 103 Lutelium 103 Luteliu | 1   |
| ₹     |            | 19 Fluorine 9 35.5 <b>C1</b>                    | 80 Bromine 35 127 127 1  | Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y  | CON |
| >     |            | 16<br>Oxygen<br>8<br>32<br>\$<br>\$<br>\$<br>\$ | 79 Seemium 34 Tallurium 52 Poonium 84 Poonium 84   | Tm Thullum 69 Md Mendelevium 101   |     |
| >     |            | Nitrogen 7 31 Phosphorus 15                     | As<br>Arsenic<br>33<br>122<br>Sb<br>Antimony<br>51<br>E39<br>Bi  | 167 Erbium 68 Fm Fm 100  |     |
| ≥     |            | Carbon 6 Carbon 8 Silicon 14                    | 73<br>Ge Germanium 32<br>119   | Holmium 67 Holmium 67 Holmium 67 Holmium 69 (r.t.p.).  |     |
| ≡     |            | 11<br>B<br>Boron<br>5<br>27<br>A1<br>AUminium   | 70 <b>Ga</b> Salium 31 115 <b>In</b> Indium 49 204 <b>T 1</b> Thailium 81  | Dy<br>Dysprosium<br>66 Californium<br>98 Californium   |     |
|       |            |   | 65 Zn Znc 30 L12 Cd Cadmium 201 Hg Mercury 80  | Terbium 65 BK Berkelium 97 ture and  |     |
|       |            |   | 64 Cu Copper 108 Ag Ag Silver 197 Au Au Cod  | Gadolinium 64 Gadolinium 64 Cunium 64 Cunium 65 Cunium 66 Cunium 6 |     |
| dn    |            |   | Nickel 28 106 Pd Palladium 46 Palladium 78 Platinum 78   | Europium 63 Am Americium 95 at room  |     |
| Group |            |   | 59 Cobalt 103 Rh Rhodum 192 Ir   | Samantum 62 Pu Putorium 94 Putorium 94 Putorium 94 Putorium 95 SS  |     |
|       | T Hydrogen |   | 56 For 101 Ru Ruthenium 144 Os Osmium 76   | Pm Promethum 61 Np Nepturium 93  |     |
|       |            |   | Mn<br>Manganese<br>25<br>Technetum<br>43<br>186<br>Re<br>Rhentum<br>75   | Nadymum (80 238 Uranium 92 Uranium one mole c  |     |
|       |            |   | Cr<br>Cromium 24<br>Mo<br>Wolydenum 42<br>184<br>W Tungsten 74   | Ce         Pr         Nd         Pm         Sm         150         152         157         159         162         162         163         165         165         Hombur           Ce         Praseo-dymium         Neodymium         Samarium         Europium         Gadolinium         Tribum         Dysprosum         Hombur           232         238         238         Np         Pu         Am         Cm         Bk         Cf         Es           horium         Protactinium         Uranium         Neptunium         Putonium         Americium         96         37         Americium         99         97         Americium         99         97         Americium         100  |     |
|       |            |   | V Vanadium 23 93 93 NB Nobum 181 Ta Tanadium 73  | Coertum 140 Coertu |     |
|       |            |   | 48 Ti anium 22 91 Sr Zronnium 40 178 Hafrium 72  | mass   |     |
|       |            |   | * F  | Activium 1  39 Activium 1  31d Series   Series   series   a = relative atomic mass   x = atomic symbol   b = proton (atomic) number  |     |
| =     |            | Be Beryllium 4 24 Mg Magnesium 12               | _  | # Radium   |     |
| _     |            | Lithium 3 Lithium 3 23 23 Na Sodium 11          | E E E  | *58-71 Lar 190-103 Ac  |     |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.