



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

www.PapaCambridge.com

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

CO-ORDINATED SCIENCES

0654/31

Paper 3 (Extended) May/June 2013

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 36.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 34 printed pages and 2 blank pages.




www.PapaCambridge.com 1 (a) Table 1.1 shows the numbers of protons, neutrons and electrons in four atoms, and **D**.

Table 1.1

atom	protons	neutrons	electrons
Α	2	2	2
В	1	1	1
С	1	0	1
D	2	1	2

(1)	(mass number).	Dei
	atom	
	explanation	
		[1]
(ii)	Explain which pair of atoms chosen from A , B , C and D are isotopes of helium.	
	atomand atom	
	explanation	
		[2]

(b) Fig. 1.1 shows containers of hydrogen and helium.






Fig. 1.1


(i) Describe, in terms of electrons, how a chemical bond forms between two hydrogen atoms.

You may draw a diagram of a hydrogen molecule if it helps you to answer this question.

		[2]
(ii)	Explain why helium exists as single atoms and not as molecules.	
		[1]

(c) Hydrogen is often included in the reactivity series of metals.

Use the idea of reactivity to explain the observations shown in Fig. 1.2.






Fig. 1.2

		[3]

www.PapaCambridge.com

Please turn over for Question 2.

2 (a) A fishing boat is floating on the sea.

The fishing boat uses echo sounding to detect a shoal of fish.

This is shown in Fig. 2.1.




Fig. 2.1

Short pulses of sound are sent out from the boat. The echo from the shoal of fish is detected by a receiver on the boat 0.2 seconds later.

Sound waves travel through water at a speed of 1600 m/s.

(i) Calculate the distance of the shoal of fish below the boat.

State the formula that you use and show your working.

formula

working

[2]

www.PapaCambridge.com

(ii) The sound waves have a wavelength of 0.25 m.

Calculate the frequency of the waves.

State the formula that you use and show your working.

formula

working

																																[2)
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----	---

(b) Water waves are a renewable energy resource.

Way.	
7	
Water waves are a renewable energy resource.	For
Outline two advantages of using renewable energy resources.	THATE!
1	Se.Co.
2	
·	.01

(c) Fig. 2.2 shows an iceberg floating in the sea.




Fig. 2.2

(i) Which material named on Fig. 2.2 best fits the statement below?

"The particles are able to move, are randomly arranged and are closely packed."

[1	1	
 -	-	•

(ii) Name the process by which water molecules in the sea become water molecules in the air.

[1	1]	ĺ
 -	-	1

3 Fig. 3.1 shows an insect-pollinated flower cut in half.




Fig. 3.1

1) (1)	List the structures, labelled in Fig. 3.1, that are the male parts of the flower.	
	[1]
(ii)	List the structures, labelled in Fig. 3.1, that are the female parts of the flower.	
	[1]
(iii)	The nectary produces a sugar solution.	
	Explain how the positions of the anthers, stigma and nectary help insect pollination to take place.	on
		••••
		•••
	[:	31

www.PapaCambridge.com

develops For iner's

- **(b)** After pollination, the ovule inside the ovary may be fertilised. The ovary develops fruit, and the ovule develops into a seed.
 - (i) Draw a labelled diagram to show how one named fruit is dispersed by wind.

		[2]
(ii)	State why dispersal of seeds is important to a species of plant.	
		[1]

For iner's

- 4 Petroleum (crude oil) and rock salt occur naturally in the Earth's crust.
 - (a) Petroleum is a mixture that contains thousands of different compounds. Many of these compounds are alkanes.

Draw the structure of the alkane molecule that contains eight hydrogen atoms. Use short lines to represent covalent bonds.

[2]

(b) When petroleum is refined, it is separated into simpler mixtures.

Fig. 4.1 shows a simplified diagram of a distillation column that is used to refine petroleum.




Fig. 4.1

(i) Describe how the temperature inside the apparatus changes from position ${\bf D}$ to position ${\bf A}$.

[1

	(ii)	Explain, in terms of intermolecular forces and the size of molecules, was average boiling point of the fraction at B differs from the average boiling point the fraction at C .
		[3]
(c)		ck salt contains mainly sodium chloride which is a compound of the alkali metal, lium, and the halogen, chlorine.
	(i)	Explain why the uncombined elements sodium and chlorine are not found in the Earth's crust.
		[1]
	(ii)	Describe the changes in electron configuration when sodium atoms (2,8,1) react with chlorine atoms (2,8,7) to form sodium chloride.
		[2]

(iii)	Explain, in to regular shap		f its struc	ture, why	sodiun	n chloride	forms ci	ystals v	vhich	aCal.
	You should question.	draw	a simple	diagram	of the	structure	to help	you to	answer	this

www.PapaCambridge.com

Please turn over for Question 5.

5 Milk is a liquid produced by cows, goats and other mammals, on which they fee young.

viner's

(a) Table 5.1 shows the mass of some of the substances in 100 g samples of milk from three mammals.

Table 5.1

substance	cow's milk	goat's milk	water-buffalo's milk
protein/g	3.2	3.1	4.5
fat/g	3.9	3.5	8.0
carbohydrate/g	4.8	4.4	4.9
calcium/mg	120	100	195

(i) Which substance shown in Table 5.1 is present in the samples of smallest quantity?	milk in the
	[1]
(ii) Suggest which substance, not shown in Table 5.1, is present in the milk in the largest quantity.	samples of
	[1]
(iii) Explain one way in which drinking water-buffalo's milk might be be person's health than drinking goat's milk.	etter for a
	FO1
	[2]
(iv) Explain one way in which drinking cow's milk might be better for a pers than drinking water-buffalo's milk.	on's health
	[2]

		The state of the s
		15
	(v)	15 Explain why calcium does not need to be digested in the human alimentary
		[1]
(b)	Milk	c can be used for making yoghurt.
	•	Bacteria are added to the milk. The milk is kept at a temperature of 40 °C.
	•	The bacteria convert lactose in the milk to lactic acid.
	•	When the pH has reached about 4.5, the yoghurt is moved to a refrigerator at a temperature of 3 °C.
	(i)	Explain why the milk is kept at a temperature of 40 °C after the bacteria have been added to it.
		[2]
	(ii)	Suggest why the yoghurt is kept in a refrigerator at a temperature of 3 °C.
		[1]
	(iii)	Milk has a pH of about 6.5. Explain why the pH of milk changes during the manufacture of yoghurt.
		[1]

[Turn over © UCLES 2013

www.PapaCambridge.com 6 (a) In a store, two workers are lifting 5 kg bags of flour onto the shelves. There a shelves, 0.4 m apart. The lowest shelf is 0.4 m from the floor.

Fig. 6.1 shows the two workers.




Fig. 6.1

(i) Worker X lifts three bags from the floor to shelf 2. Worker Y lifts one bag from the floor to shelf 5.

Worker **X** says that he has done more work than worker **Y**.

Use calculations of the work done to explain whether or not he is correct.

State the formula that you use.

formula

[2]
Each worker lifts one bag from the floor to shelf 2. Worker ${\bf X}$ does this more quickly than worker ${\bf Y}$.
Which worker exerted the higher power during their lift?
Explain your answer.

(ii)

(iii) Each 5 kg bag of flour has a volume of 5500 cm³.

www.PapaCambridge.com Calculate the average density of the bag of flour. State your answer in g/cm³.

State the formula that you use and show your working.

formula

working

g/cm ³	[2
 _	

(b) The store has a fire alarm, which detects an increase in temperature.

The fire alarm circuit has a resistor R, a thermistor and a buzzer connected to the battery shown in Fig. 6.2.




Fig. 6.2

increases.	
	[3]

Explain what happens to the current in the fire alarm circuit when the temperature

[Turn over © UCLES 2013

hey stay For iner's

(c) Three boys, A, B and C, walk together from their school to a store. They stay store for a few minutes and then return to school.

When they leave the store,

- one boy walks back to school at a steady pace,
- one boy walks back to school at a slower steady pace,
- one boy slows down gradually as he walks back to school.

The graph in Fig. 6.3 shows how their speeds vary with time.




Fig. 6.3

(i) Calculate the distance of the store from the school.Show your working.

		[2]
(ii)	For how many seconds do the boys stay in the store?	
	s	[1]
(iii)	Which boy slowed down on his way back to school?	
	Explain your answer.	
		[1]

	42	
	tal vanadium is mixed with iron and carbon to make vanadium steel. Vanadium metal may be obtained by reducing vanadium oxide with magnesium. Suggest the word chemical equation for this reaction.	
The me	etal vanadium is mixed with iron and carbon to make vanadium steel.	For
(a) (i)	Vanadium metal may be obtained by reducing vanadium oxide with magnesium.	Tit.
	Suggest the word chemical equation for this reaction.	Se.Co.
	[1]	133
(ii)	Vanadium is a transition metal and magnesium is in Group 2 of the Periodic Table.	•
	Suggest two differences in properties between vanadium and magnesium.	
	1	
	2	
	וסו	

7

(b) Sulfuric acid is made in industry by the Contact Process.

Fig. 7.1 shows a simplified flow diagram of part of the Contact Process.




Fig. 7.1

A mixture of the gases sulfur dioxide and oxygen passes over the surface of solid vanadium oxide inside the reaction vessel.

The unbalanced equation for the reaction that occurs in the reaction vessel is shown below.

Balance the equation and explain why it does not contain the formula of vanadium oxide.

	SO_2	т	$O_2 \longrightarrow$	3O ₃	
explana	tion				
					[2]

90

(c) 1.00 kg of a sample of concentrated sulfuric acid contains 98% by mass of molecules.
 Calculate the number of moles of H₂SO₄ molecules in 1.00 kg of this sample of concentrated sulfuric acid.
 Show your working.

[3]

Three ext

- 8 The addition of a harmful substance to the environment is called pollution. Three exor pollution caused by human activities are
 - acid rain,
 - fertilisers entering rivers and lakes,
 - the release of too much carbon dioxide into the atmosphere.

(a)	Describe how acid rain is caused.
	rol
	[2]
(b)	Explain what happens in a lake after large quantities of fertilisers are washed into it.
	[4]
(c)	Explain how cutting down forests can result in an increase in the carbon dioxide concentration in the atmosphere.
	[2]

9 (a) Fig. 9.1 shows a mobile phone (cell phone) and battery charger.




Fig. 9.1

A transformer inside the battery charger reduces the 220 V mains supply to the 5 V used to charge the mobile phone battery. The transformer has 40 turns on its secondary coil.

Calculate the number of turns on the primary coil of the transformer in the battery charger.

State the formula that you use and she	ow your working.
--	------------------

formula

working

(b)	Describe and explain how transformers are used in the large scale transmission electricity.	of

© UCLES 2013 [Turn over

www.PapaCambridge.com

10 (a) Fig. 10.1 shows apparatus a student used to investigate the reaction between a powder and dilute hydrochloric acid.

For viner's

The student predicted which gas would be given off in her experiment and chose to test the gas using limewater.




Fig. 10.1

State the gas that the student predicted would be given off.

Explain your answer.

name of gas

explanation

www.PapaCambridge.com

Question 10 continues over the page.

(b) The student investigated the temperature change when sodium hydrogencal was added to excess dilute hydrochloric acid.

www.PapaCambridge.com Fig. 10.2 shows the apparatus she used.




Fig. 10.2

Temperature measurements were displayed on the computer screen as a graph of temperature against time.

This graph is shown in Fig. 10.3.




Fig. 10.3

- (i) On the graph, mark with an X the point where sodium hydrogencarbonate was added to the dilute hydrochloric acid.
- (ii) Calculate the temperature change shown in Fig. 10.3 that occurred during the reaction.

[2]	1
 ٠.	4

(iii)	Use the results shown in Fig. 10.3 to explain, in terms of chemical energy and energy, the energy transformation that occurred during the reaction.
	[2]
	student's teacher then set up the apparatus shown in Fig. 10.4 in a fume board.
mixtu of so react	lid
	Fig. 10.4
	teacher heated the mixture of reactants. A gas was given off which did not change colour of the indicator.
The	teacher told the student
•	that the gas was an oxide of carbon,
•	that the relative formula mass of the gas molecules was 28.
(i)	State and explain why the observation involving the indicator shows that the gas produced was not carbon dioxide.
	[2]
(ii)	Use the value of the relative formula mass to deduce the chemical formula of the gas produced in this experiment.

11 Fig. 11.1 shows the human gas exchange system.




Fig. 11.1

(a) Use label lines to label each of these structures on Fig. 11.1.

trachea

bronchus

larynx

[3]

www.PapaCambridge.com

(b) Gas exchange takes place across the surface of the alveoli in the lungs.

List **three** features of alveoli that help gas exchange to take place quickly.

1	
2	

2

www.PapaCambridge.com (c) The gas exchange system is protected from pathogens and harmful substance tissue, containing goblet cells and ciliated cells, that lines the nose, trachea bronchi.

Fig. 11.2 shows part of this tissue inside the nose.




Fig. 11.2

Describe how into the lungs.		·	·		
					[2]

[Turn over © UCLES 2013

(d) An experiment was carried out to find out how passive smoking affects the act the goblet cells and cilia.

Six people sat in a closed room. On day 1, they breathed normal, clean air. On day 2, they breathed air containing cigarette smoke.

After one hour, an aerosol containing a radioactive isotope of technetium, ⁹⁹Tc, was sprayed into each person's nose. This isotope produces gamma radiation. The researchers measured the radioactivity in each person's nostrils for 40 minutes. This was done on both days.

The faster the cilia and goblet cells were working, the faster the ⁹⁹Tc was removed from the nose.

Table 11.1 shows the results.

Table 11.1

	percentage of radioactivity remaining after 40 minutes					
person	day 1 after breathing clean air	day 2 after breathing air containing cigarette smoke				
1	65	26				
2	84	49				
3	67	96				
4	23	51				
5	40	91				
6	78	24				

(i) Suggest why the researchers used a source that emits gamma radiation, rat than one that emits alpha radiation.	her
	[2]
Which three persons' results showed that breathing air containing cigarette small slowed down the rate at which their cilia and goblet cells worked?	oke
	[1]

	Why was a second of the second
	31
(iii)	Suggest how exposure to cigarette smoke could affect the health of these people.
	[4]

[Turn over © UCLES 2013

12 (a) Electromagnetic waves are transverse waves.

se wave and

Draw labelled diagrams to explain the difference between a transverse wave and longitudinal wave.

[3]

(b) Fig. 12.1 shows a person using a periscope to look over a wall.




Fig. 12.1

(i) On Fig. 12.1 draw a ray diagram to explain how the person can see over the wall.

[3]

An image formed in a plane mirror is called a virtual image.	For
Explain the meaning of the term <i>virtual image</i> .	TONIGH WES
	Se.co
	[1]

(c) Fig. 12.2 shows a lens being used to observe an object O.

(ii)

The focal length of the lens is 3.0 cm. The diagram is drawn full scale.




Fig. 12.2

(i)	On Fig. 12.2 draw two	rays from the top	of the object (that meet at	the image.

Label the image **X**.

(ii) Measure the height of the object ${\bf O}$ and the height of the image ${\bf X}$.

object height image height [1]

(iii) Calculate the magnification.

Show your working.

[2]

[3]

BLANK PAGE

www.PapaCambridge.com

BLANK PAGE

www.PanaCambridge.com

The Periodic Table of the Elements DATA SHEET

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.