

# **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

# 0 1 7 8 1 1 6 3 0

## **CO-ORDINATED SCIENCES**

0654/32

Paper 3 (Extended)

May/June 2016

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 32.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.



1 A student adds four liquids to four solids.

Fig. 1.1 shows the four experiments **A**, **B**, **C** and **D**.




Fig. 1.1

(a)	(i)	Give the letter of the experiment in which a reaction occurs that releases a gaseous compound.
		Name the gaseous compound.
		experiment
		name of gaseous compound[2]
	(ii)	Give the letter of the experiment which involves a change of colour.
		Explain your answer.
		experiment
		explanation

.....[2]

(b) Table 1.1 shows the temperature measurements the student makes during his investigation.

Table 1.1

experiment	temperature of substances before mixing/°C	temperature of the mixture after one minute/°C
Α	22	22
В	22	45
С	22	15
D	22	22

(i)	Give the letter of the experiment in which an exothermic reaction occurs.	
	Explain your answer.	
	reaction	
	explanation	
		 [1]
(ii)	Give the letter of the experiment in which there is a decrease in the speed of molecules.	the
	Explain your answer in terms of the energy conversion that occurs.	
	reaction	
	explanation	
		[2]
(iii)	Explain the results for experiment <b>A</b> .	
		.[2]

2 (a) Plants lose water by evaporation.

(i)	State the term for the loss of water from a plant by evaporation.
	[1]
(ii)	Describe and explain how the rate of this evaporation is affected by the number of stomata in a leaf.
	[1]
(iii)	Most leaves have more stomata on their underside than on their upper surface.
	Suggest why this is an advantage for the plant.

**(b)** Fig. 2.1 shows the rate of water loss and the rate of water uptake for a plant over a period of one day.




Fig. 2.1

	(1)	For this day, state	
		the time at which the rate of water loss is greatest,	
		a time when the rate of water loss is the same as the rate of water uptake.	
			[2]
	(ii)	Describe the relationship between water loss and water uptake that is shown in Fig.	2.1.
			[2]
(c)	Stat	te <b>two</b> ways in which the structure of a root hair helps a plant to absorb water.	
	1		
	2		[2]

**3** Fig. 3.1 shows an aircraft of mass  $3.6 \times 10^5$  kg moving with constant acceleration from rest along an airport runway.



Fig. 3.1

(i)	Calculate the kinetic energy of the aircraft, when travelling at 60 m/s.

State the formula you use and show your working.

formula

working

(ii) Calculate the acceleration of the aircraft during the first 30 seconds.

Show your working.

acceleration = ..... 
$$m/s^2$$
 [2]

(b)	Just after taking off, the aircraft continues to accelerate as it gains height.
	State <b>two</b> forms of energy gained by the aircraft during this time.
	1
	2
	[1]
(c)	State the difference between the terms speed and velocity.
	[1]
(d)	The aircraft has 20 tyres. Each tyre has an area of $0.06\mathrm{m}^2$ in contact with the ground when the aircraft is on the runway.
	The weight of the aircraft is 3600000N.
	Calculate the pressure exerted by the aircraft on the runway.
	State the formula you use and show your working.
	formula
	working
	pressure = N/m <sup>2</sup> [3]
(e)	It has been raining and there is a large puddle of water on the runway.
	State <b>two</b> factors that would increase the rate at which the water evaporates from the puddle.
	1
	2[2]

(f) Fig. 3.2 shows an aircraft being refuelled through a rubber pipe.




Fig. 3.2

	[2
Suggest, in terms of electrons, why the fuel becomes positively charged.	
As the fuel flows through the rubber pipe, it becomes positively charged.	

4 Fig. 4.1 shows a hot-air balloon with a propane gas burner and a helium-filled airship.




Fig. 4.1

a)	Both helium and hydrogen could be used to fill airships.	
	Explain why helium is preferred to hydrogen for filling airships designed to transport people	€.
		[2

(b) Propane is an alkane. A molecule of propane contains three carbon atoms.Complete the diagram to show one molecule of propane.



[2]

(c)	Explain, in terms of the properties of molecules, why propane has a higher boiling point that helium.
	[2

**5** (a) Fig. 5.1 shows part of a food web from a rainforest. The food web is a network of interconnecting food chains.




Fig. 5.1

(i)	State the number of trophic levels in the longest food chain in Fig. 5.1.	
		[1]
(ii)	Name an organism in Fig. 5.1 that is at the second trophic level.	
		[1]
(iii)	Explain why food webs rarely have more than five trophic levels.	
		[2]
(iv)	Name a <b>type</b> of organism that might feed on <b>all</b> of the organisms shown in Fig. 5.1.	
		.[1]

timber has been used as building material and some has been used as fuel.

(b) In the last 50 years, large areas of rainforest have been cut down for timber. Some of the

(i)	Many people believe that cutting down trees increases the amount of carbon dioxide in the Earth's atmosphere.
	Explain why cutting down trees could cause this increase.
	[2]
(ii)	Explain why using timber as a fuel will have more effect on the Earth's atmosphere than using timber as a building material.
	[1]

6 (a) Fig. 6.1 shows an incomplete diagram of the electromagnetic spectrum.

Fig. 6.1

Visible I	iaht is	part of the	e electromag	netic si	oectrum.
VISIDIC I	ignit io	part or tri	, cicononiaț	Ji i Cli C O	JCCII GIII.

On Fig. 6.1 write visible light in the correct position.

State **one** difference between gamma radiation and alpha radiation.

(b)	Gar	nma radiation is emitted from some unstable nuclei. Gamma radiation is ionising.
	(i)	State <b>one</b> risk to humans of exposure to ionising radiation.
		[1]
	(ii)	Alpha radiation is also emitted from some unstable nuclei.

[1]

**(c)** Visible light is able to pass through an optical fibre by total internal reflection.

Fig. 6.2 shows a student's diagram of total internal reflection along the optical fibre. The diagram contains some errors.




Fig. 6.2

On Fig. 6.2, circle **two** errors the student has made in their diagram.

Describe the errors you have identified.

error 1					
error 2					

[3]

(d)		frequency of red light is $4\times10^{14}$ Hz. Red light travels at a speed of $3\times10^8$ m/s in a num.
	(i)	Calculate the wavelength of red light.
		State the formula you use and show your working.
		formula
		working
		wavelength = m [2]
	(ii)	The frequency of blue light is $6.5 \times 10^{14}\mathrm{Hz}$ . Write down the speed of blue light in a vacuum.
		Explain your answer.
		speed = m/s
		explanation
		[1]

								1	6							
7	(a)		neostasis dback.	depe	nds o	n neg	ative	feedk	back.	Explai	in w	vhat is ı	meant I	by the	term	negative
																[2]
	(b)	Fig.	7.1 show	/s part	of the	alime	entary	y cana	al and	d some	ass	sociated	organs	<b>).</b>		
							£ (0		756							
								Fig.	. 7.1							
		(i)	On Fig.	7.1, lat	bel the	panc	reas.									[1]
		(ii)	The pan	creas	helps	to ma	intain	n a cor	nstar	nt conce	entr	ation of	glucos	e in the	e bloo	d.
	Use the words in the list to complete the sentences about the pancreas									reas.						
			Each wo	ord mag	y be u	sed o	nce, I	more	than	once, d	or n	ot at all.				
			adre	naline	<b>;</b>	an	nylas	se		glucag	jon		glyco	gen		
			ins	sulin		ki	dney	'S		live	r		star	ch		
			When th	ıe bloo	d gluc	ose c	once	ntratio	on is	too higl	h, th	ne panci	eas se	cretes		

8 Fig. 8.1 shows two cars. One car is painted black. The other car is painted white.




Fig. 8.1

(a)	The	cars are left outside on a hot, sunny day.
	(i)	State the method of energy transfer by which energy travels from the Sun to the Earth.
		[1]
	(ii)	State the process by which energy is released in the Sun.
		[1]
	(iii)	The black car gets much hotter than the white car.
		Suggest why the black car gets hotter than the white car.

(b) Each of the cars has its own electrical generator to generate electricity for the car.

Fig. 8.2 shows a simple a.c. generator.




Fig. 8.2

Explain how the rotation of the coil in the magnetic field and the use of slip rings produce alternating current.	an
	• • • •
	[3]

(c)	The	engine in a car is noisy. It emits a sound with a frequency of 5000 Hz.	
	(i)	State what is meant by the term <i>frequency</i> .	
			.[1.
	(ii)	While he was driving, the driver notices that the noise from the engine becomes quie and the frequency of the sound waves decreases.	etei
		State whether the sound waves have	
		a larger or smaller amplitude than the original sound waves,	
		a higher or lower pitch than the original sound waves.	
			[1]
	(iii)	The sound waves produced travel through the air by compressions and rarefactions.	
		Describe the difference between a compression and a rarefaction.	
			.[1]

(a)	(i)	Use data from the Periodic Table on page 32 to describe how the electrons are arranged in an atom of sodium.
		You may draw a diagram if it helps your answer.
		[2]
	(ii)	Rubidium, Rb, is an element in the same group of the Periodic Table as sodium, Na.
		State how the arrangements of the electrons in these two elements cause them to have very similar chemical properties.
		[1]
(b)	Soc	dium is obtained by electrolysis of molten sodium chloride, NaC $\it l$ .
		scribe, in terms of the particles involved, what happens at the cathode during this ctrolysis.
		[2]

**(c)** Fig. 9.1 shows the apparatus and materials used to investigate the reaction between sodium and water.





Fig. 9.1

The reaction between sodium and water produces hydrogen gas and a solution of sodium hydroxide, NaOH.

(i)	Suggest and explain the reading of the pH meter at the end of the reaction.	
	pH reading	
	explanation	
		[2
(ii)	Write the balanced symbol equation for the reaction between sodium and water.	ےا

(d) Lithium hydroxide is used in space vehicles to remove the carbon dioxide produced by the astronauts.



The balanced equation for this reaction is shown.

$${\rm 2LiOH} \, + \, {\rm CO_2} \, \rightarrow \, {\rm Li_2CO_3} \, + \, {\rm H_2O}$$

It is estimated that during a particular mission, the astronauts will produce a total of 1000 moles of carbon dioxide.

Calculate the minimum mass of lithium hydroxide needed to react with 1000 moles of carbon dioxide.

Show your working and state the unit of your answer.

Relative atomic masses may be found in the Periodic Table on page 32.

mass = ...... unit = ......[3]

10	Cys	tic fibrosis (CF) is	a genetic disor	der that can b	e caused by a mu	tation.	
	(a)	State what is mea	ant by the term	mutation.			
							[2
	(b)	Fig. 10.1 shows th	ne inheritance o	of cystic fibros	is in a family.		
		grandpa	arents P	$T^{\bigcirc}$		Q	
		parents					
		offsprin	g		R		
					key norn	mal male	
						e with CF	
						nal female	
					= tema	ale with CF	
				Fig. 10.1			
			ymbols <b>N</b> (alle f the people lab		and <b>n</b> (allele fo	r CF), state all t	he possible
		P					
		Q					[3
			ce to Fig. 10.1, be recessive.	, explain why	this family tree sh	nows that the alle	-

.....[2]

# 24

# **BLANK PAGE**

- 11 Sulfur is a yellow crystalline solid that occurs naturally in the Earth's crust.
  - (a) Fig. 11.1 shows a diagram of a molecule of sulfur.




Fig. 11.1

[1]
[1]

**(b)** Fig. 11.2 shows the apparatus and materials used by a teacher to demonstrate the formation of sulfur dioxide by burning sulfur in air.




Fig. 11.2

(i)	Some of the sulfur dioxide dissolves and reacts with the water in the bottom of gas-jar to form an aqueous solution.	the
	Predict and explain the colour of full-range indicator (Universal Indicator) when added this aqueous solution.	ot to
	colour	
	explanation	
		 [2]
(ii)	State the percentages of nitrogen and oxygen in unpolluted air.	
	oxygen %	
	nitrogen %	[1]
(iii)	The teacher repeats the demonstration using pure oxygen instead of air.	
	Predict how the rate of burning will change when using pure oxygen instead of air.	
		.[1]
(iv)	Explain your answer to (b)(iii) in terms of collisions between reactant molecules.	

(c) Sulfur is an industrial raw material used in the Contact process. It is burned in air to make sulfur dioxide.

Fig. 11.3 is a diagram of part of the Contact process.




Fig. 11.3

(i) The word equation for the reaction in vessel 1 is shown.

sulfur dioxide + oxygen  $\rightarrow$  sulfur trioxide

Explain why the word equation does **not** include vanadium oxide.

(ii) Name the main product leaving vessel 2.

.....[1]

(d) Sulfur can react with hydrogen to form hydrogen sulfide, H<sub>2</sub>S.

Fig. 11.4 shows a student's attempt to draw a dot and cross diagram of all the outer electrons in a molecule of hydrogen sulfide.




Fig. 11.4

The student's diagram is incorrect.

Redraw the diagram correctly in the space below.

[2]

12	(a)	A torch contains four cells, a filament lamp and a switch connected in series.
		Draw a circuit diagram for the torch using the correct electrical circuit symbols.
		[3]
		(~)
	(b)	The current in the lamp is 0.7A when it is at normal brightness.
		The torch is switched on for 20 minutes.
		Calculate the total charge that passes through the lamp in this time.
		State the formula you use and show your working. State the unit of your answer.
		formula
		working
		charge = unit =[3]

(c)	Two lamps, one of resistance $4\Omega$ and one of resistance $12\Omega$ , are connected in parallel.
	Calculate the total resistance of these two lamps in parallel.
	State the formula you use and show your working.
	formula
	working
	resistance = $\Omega$ [2]
(ما/	A register of 20 and a register of 100 can be arranged either in series or in narellal and then

(d) A resistor of  $3\Omega$  and a resistor of  $10\Omega$  can be arranged either in series or in parallel and then connected to a battery.

Use ticks ( $\checkmark$ ) to show which statements in Table 12.1 are correct.

**Table 12.1** 

	in series	in parallel
the current in each resistor is the same		
the potential difference across each resistor is the same		

[1]

**13** Fig. 13.1 shows a cross-section through a pond. The pond contains plants growing near the surface of the water. At the bottom of the pond there is mud which contains bacteria.




Fig. 13.1

(a)	Ехр	lain the advantage for the plants of being at the top of the pond rather than at the bottom.
		[2]
(b)	Δ fa	rmer accidentally spills some fertiliser into the pond.
(5)	/ \ ia	The addiction of the fertiliser into the porta.
	Sug	gest and explain what effect this would have on
	(i)	the plants,
		[2]
	(ii)	the bacteria,
		[2]
	(iii)	the fish living in the pond.
		rej

The Periodic Table of Elements

	III/	2	유	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	22	Xe	xenon 131	98	~	radon			
	IIΛ				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Br	bromine 80	53	Н	iodine 127	85	Ą	astatine -			
	I				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>е</u>	tellurium 128	84	Ро	polonium –	116	^	livermorium –
	>				7	Z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	<u> </u>				9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	Ъ	lead 207	114	ŀΙ	flerovium -
	=				2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	lΤ	thallium 204			
											30	Zu	zinc 65	48	р С	cadmium 112	80	Нg	mercury 201	112	ű	copernicium –
											29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group											28	Z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium –
Gre											27	ပိ	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	Ħ	meitnerium -
		-	I	hydrogen 1							26	Fe	iron 56	44	R	ruthenium 101	92	SO	osmium 190	108	HS	hassium
											25	M	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	뭠	bohrium –
						pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic numbe	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	9 N	niobium 93	73	ц	tantalum 181	105	op O	dubnium –
						atc	rei				22	i=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	፟ጟ	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89-103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				3	:=	lithium 7	#	Na	sodium 23	19	¥	potassium 39	37	SP SP	rubidium 85	55	Cs	caesium 133	87	Ŧ	francium —

7.1	3	lutetium 175	103	۲	lawrencium	ı
70	ΥÞ	ytterbium 173	102	%	nobelium	1
69	T	thulium 169	101	Md	mendelevium	ı
89	ш	erbium 167	100	Fm	ferminm	1
29	웃	holmium 165	66	Es	einsteinium	ı
99	ò	dysprosium 163	86	ರ	californium	ı
65	ТР	terbium 159	6	益	berkelium	ı
64	В	gadolinium 157	96	Cm	curium	ı
63	En	europium 152	92	Am	americium	ı
62	Sm	samarium 150	94	Pn	plutonium	1
61	Pm	promethium -	93	ď	neptunium	ı
09	PN	neodymium 144	92	$\supset$	uranium	238
29	Ā	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	드	thorium	232
22	La	lanthanum 139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.)

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.