

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			ANDIDATE UMBER		

# 9 1 7 4 6 3 0 8 3

### **CO-ORDINATED SCIENCES**

0654/33

Paper 3 (Extended)

May/June 2016

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB soft pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 36.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of 34 printed pages and 2 blank pages.



1 Aluminium foil is made when aluminium is rolled into thin sheets.

Aluminium foil is used to make food containers and fizzy-drink cans.



(b) Aluminium used to make fizzy-drink cans contains small amounts of other metals.

As well as the liquid, the fizzy-drink can contains gas under pressure.

(1)	State the word used for a mixture of metals.	

(ii)	Suggest a reason why aluminium containing small amounts of other metals, rather than pure aluminium, is used for fizzy-drink cans.

.....[1]

(c) Fig. 1.1 shows the industrial electrolysis that is used to extract aluminium from aluminium oxide.




Fig. 1.1

(i)	Explain why the process shown in Fig. 1.1 only works when the electrolyte is strongly heated.
	[2]
(ii)	State the number of electrons that each aluminium ion gains from the cathode during electrolysis.
	Give a reason for your answer.
	number of electrons
	reason
	[2]

(iii) Fig. 1.2 shows an unused carbon anode and how it looks after being used for several days.



Fig. 1.2

State the balanced chemical equation for a reaction that causes this loss of mass of the anode material during electrolysis.

.....[2]

2 (a) Fig. 2.1 shows some blood, as seen through a microscope.




Fig. 2.1

(1)	Name the part of the blood labelled <b>W</b> .
	[1]
(ii)	The cell labelled <b>X</b> carries out phagocytosis. Describe the process of phagocytosis.
	[2]
(iii)	Describe how the cell labelled $\mathbf{Y}$ would respond if a person received a blood transfusion of the wrong blood type, and describe the effect that this response would have.
	response of the cells
	effect of this response
	[2]

(b) (i)	State how the function of an artery differs from the function of a vein.	
		[1]
(ii)	Explain why it is important that arteries have thick walls.	
		[2]
(iii)	Describe the function of the elastic tissue in the artery wall.	
		[0]

(a)	Sor	ne oil leaks from an oil tanker. It forms a very thin layer of oil on the surface of the seawater.
	The	layer of oil covers a rectangular area measuring $2.5 \times 10^3$ m by $5.0 \times 10^3$ m.
	The	layer of oil is $3.0 \times 10^{-6}$ m (0.000003 m) thick.
	(i)	Calculate the volume of the layer of oil leaked.
		volume = m <sup>3</sup> [1]
	(ii)	The density of the oil is 880 kg/m <sup>3</sup> .
		Calculate the mass of the oil that leaked from the oil tanker.
		State the formula you use and show your working.
		formula
		working
		mass = kg [2]

**(b)** The oil tanker is carrying crude oil. Crude oil is a non-renewable energy resource.

Other energy resources are shown in Table 3.1.

Table 3.1

	non-renewable	renewable
coal		
geothermal energy		
hydroelectricity		
natural gas		
solar		
energy from ocean waves		
tidal energy		

Identify two non-renewable energy resources by placing a tick ( $\checkmark$ ) in the non-renewable column.

	Identify	/ two	renewable energ	y resources l	by placing	g a tick (🗸	') in	the renewable colum
--	----------	-------	-----------------	---------------	------------	-------------	-------	---------------------

[1]

- (c) The depth of the sea below the oil tanker is determined by sending out pulses of ultrasound waves through the water. The ultrasound pulses reflect off the sea bed and the echoes are detected on the oil tanker.
  - (i) Humans cannot hear ultrasound waves.

State the normal audible frequency range for a human.

from	Hz to	Hz	[1]	1

(ii)	The echo of an ultrasound wave emitted by the oil tanker is detected 1.2 seconds later. The speed of ultrasound waves in water is 1500 m/s.
	Calculate the depth of the sea below the oil tanker.
	State the formula you use and show your working.
	formula
	working
	distance = m [2]
(iii)	When ultrasound waves pass through the water, they travel as a series of compressions (C) and rarefactions (R).
	Fig. 3.1 shows the positions of the compressions and rarefactions as the ultrasound wave passes through the water.

# Fig. 3.1

On Fig. 3.1, sketch a similar ultrasound wave with an increased wavelength. Show the compressions (C) and rarefactions (R).

Label **one** wavelength on your drawing using a double headed arrow (← → ). [1]

In the African savannah (grassland), zebras feed on grass. They are preyed on by carnivores, such as lions. The lions have fleas in their fur. The fleas feed on the lions' blood.

(a) Con	struct a food chain containing four organisms, based on this description.
	[2]
(b) State	e the term that describes
(i)	an area such as the savannah, with all the organisms in it and their environment interacting together,
	[1]
(ii)	the position of an organism in a food chain,
(iii)	an organism that gets its energy from dead or waste organic matter.
	[1]
	e and explain which <b>one</b> of the four organisms described above has the most energy ng through it.
	[2]

© UCLES 2016 0654/33/M/J/16

4

**5 (a)** Fig. 5.1 shows two headlamps in a car. The headlamps are connected in parallel with the battery. A switch and a fuse are also connected in the circuit.




Fig. 5.1

(i) Draw the circuit diagram for the car headlamps, shown in Fig. 5.1, using circuit symbols.

[2]

	(ii)	The car battery provides an e.m.f. of 12V. When the headlamps are switched on, there is a current of 1.5A through <b>each</b> headlamp.
		Calculate the charge that passes through one headlamp in 5 minutes.
		State the formula you use and show your working. Give the unit of your answer.
		formula
		working
		working
		charge = unit = [3]
(b)		headlamps of the car emit visible light of several different wavelengths. One of the relengths is $4.8\times10^{-7}\mathrm{m}$ .
	(i)	The frequency of this light is $6.25 \times 10^{14}$ Hz.
		Calculate the speed of this light.
		State the formula you use and show your working.
		formula
		working
		Working
		speed =m/s [2]
	(ii)	Visible light is part of the electromagnetic spectrum.
		State <b>one</b> property that is the same for all electromagnetic waves.
		[1]

(c) A small panel of the bodywork of the car is painted using an electrostatic paint spray gun.

The paint droplets leave the spray gun with a positive electric charge.

The bodywork panel is given a negative electric charge.

This is shown in Fig. 5.2.




Fig. 5.2

Explain why this m	ethod spreads the pair	nt evenly.	
			 [2

(d) The driver of a car sees a bus in his mirror, as shown on Fig. 5.3.




Fig. 5.3

	Apart from any changes in size, describe <b>one</b> characteristic of the image that he sees.
	[1]
(e)	It has been raining and there is a large puddle of water on the road.
	State <b>two</b> factors that would increase the rate at which the water evaporates from the puddle.
	1
	2[2]

**6 (a)** Fig. 6.1 shows what happens when a sperm fertilises an egg, and how the cell produced by fertilisation then divides.




Fig. 6.1

(i) On Fig. 6.1, label,with the letter **D**, a cell that is diploid,with the letter **H**, a cell that is haploid.

[1]

- (ii) Name the type of cell division that is occurring at P. .....[1]

		10	
(b)	Sex	rual reproduction increases variety within a species.	
	(i)	Name another process that can produce completely new varieties within a species.	
			[1]
	(ii)	Explain how variety in a species could be important for the survival of the population	if
		the climate where a population of plants is growing becomes much drier,	
			· • • • •
		an antibiotic is used against a population of bacteria.	
			· • • • •
			[2]

(c) Fig. 6.2 shows the frequency of different blood groups within a population of people.




Fig. 6.2

(i)	In Fig. 6.2, state which is the most common blood group.
	[1]
(ii)	Name the <b>type</b> of variation that is shown by blood groups in humans.
	[1]
(iii)	State what causes people to have different blood groups.
	[1]

© UCLES 2016

7	(a)	A black	powder,	Q,	is added	to an a	queous	solution of	of a	comp	ound	R and	a ga	s is r	eleased	ł.
---	-----	---------	---------	----	----------	---------	--------	-------------	------	------	------	-------	------	--------	---------	----

The gas relights a glowing splint.

Name the gas released in this reaction.

.....[1]

**(b)** Fig. 7.1 shows apparatus and materials a student uses to investigate the speed of the reaction described in **(a)**.




Fig. 7.1

The student measures the total volume of gas released during the reaction.

Her results are shown as a graph in Fig. 7.2 on page 18.




Fig. 7.2

(i)	State at which point, <b>A</b> , <b>B</b> or <b>C</b> , the speed of reaction is greatest.
	Explain your answer.
	point
	explanation
	[1]
(ii)	State the time taken for the reaction to finish.
	[1]
(iii)	Explain your answer to <b>(b)(ii)</b> .
	[1]

(c)	The student added exactly 2.0 g of powder <b>Q</b> to the solution of <b>R</b> when she carried out her experiment.
	The black powder <b>Q</b> is a catalyst for the decomposition of compound <b>R</b> .
	State the mass of <b>Q</b> which remains when <b>R</b> has fully decomposed. Explain your answer.
	mass of <b>Q</b> remainingg
	explanation
	[2]
(d)	The student repeats the experiment using a solution of <b>R</b> that has a higher concentration.
	Predict and explain, in terms of particle collisions, the effect this has on the speed of reaction
	[3]

**8** Fig. 8.1 shows the inside of a refrigerator.




Fig. 8.1

(a) The air inside the refrigerator is cooled by convection.

The cold air moves downwards from the freezing compartment and displaces warm air which moves upwards.

Explain this movement in terms of particles.	
	L—

**(b)** Some ice has been made by freezing some water.

Fig. 8.2 shows the arrangement of the particles in a liquid and in a solid.




Fig. 8.2

(d)	The refrigerator has two lamps connected in parallel. The resistance of each lamp is 5500 $\Omega$ .
	Calculate the combined resistance of the two lamps.
	State the formula you use and show your working.
	formula
	working
	resistance = $\Omega$ [2]
(e)	The mass of air in the refrigerator is 0.20 kg. The air in the refrigerator is cooled by 15 °C.
	This removes 3.03J of thermal energy from the air.
	Calculate the specific heat capacity of air.
	State the formula you use and show your working.
	formula
	working
	specific heat capacity =

(f) The pump in the refrigerator is powered by an electric motor.

Fig. 8.3 shows a simple electric motor.




Fig. 8.3

Explain why the contains when an electric current passes through it.
Your answer should refer to the current, any magnetic fields and the forces acting.
[3

**9** Table 9.1 shows information about some of the elements found in the second period of the Periodic Table.

Table 9.1


Group	IV	V	VI	VII	VIII
element symbol	С	N	0	F	Ne
proton number	6	7	8	9	10
relative atomic mass	12	14	16	19	20

(a)	(i)	Explain the meanings of the following.
		Carbon has a proton number of 6.
		Oxygen has a relative atomic mass of 16.
		[2]
	(ii)	Calculate the relative molecular mass of fluorine, F <sub>2</sub> .
		Show your working.
		[1]
	(iii)	State, in terms of atomic structure, which of the elements shown in Table 9.1 does <b>not</b> form compounds. Explain your answer.
		[2]

(b)	(i)	Describe the arrangement of the electrons in a nitrogen atom. You may draw a diagram if it helps your answer.
		[2]

(ii) Complete the covalent bonding diagram of a nitrogen molecule.

Your diagram should show only the electrons in the outer shells.



[2]

**10** A student pinned a young bean plant to a cork board. The plant was on its side with light shining on it from above, as shown in Fig. 10.1.




Fig. 10.1

Fig. 10.2 shows the appearance of the plant after two days.




Fig. 10.2

1	a)	The student's	experiment	demonstrated	that the bea	n plant shows	sensitivity
١	u	THE Students	CAPCITITICITE	acilionistiatea	tilat tile bed	ii piaiit siiows	OCHOILIVILY.

Define the term sensitivity.	
	19.

(b)	The student concluded that his experiment showed that the plant stem responds to light be growing towards it.		
	(i)	State the name for the type of response where a plant grows towards the light[1]	
	(ii)	The student's experiment does <b>not</b> justify his conclusion. Explain why not.	
(	(iii)	Describe, in terms of auxins, what causes the plant stem to change its direction of growth.	
		[2]	

- 11 An athlete is training for a race. He runs along a race track.
  - (a) Fig. 11.1 shows the speed/time graph for the athlete's run.




Fig. 11.1

(i) Calculate the distance travelled by the athlete.

Show your working.

distance = ..... m [3]

(ii)	The mass of the athlete is 80 kg. Calculate the kinetic energy of the athlete when he is
	moving at his maximum speed.

State the formula you use and show your working.

formula

working

kinetic energy = ......J [2]

**(b)** Fig 11.2 shows the athlete running at his maximum speed.




Fig. 11.2

Two forces acting on the athlete are his weight **A** and air resistance **B**, which slows the athlete.

Draw arrows on Fig. 11.2 to show the directions of these two forces. Label each force clearly using the letters **A** and **B**. [2]

12 Fig. 12.1 shows two processes, **L** and **M**, which are important in the petrochemical industry.




Fig. 12.1

(a)	(i)	Name processes <b>L</b> and <b>M</b> .
-----	-----	--

L		•••••
М	И	
		[2]

(ii) State two features of a typical alkane molecule.

1		
2		
	[2	21

**(b)** Complete the diagram to show the structure of a molecule of ethene.



[2]

(c)	Bro	mine reacts with ethene to form a compound that has the formula $\mathrm{C_2H_4Br_2}$ .
	(i)	Name the type of chemical reaction that occurs between ethene and bromine.
		[1]
	(ii)	The balanced equation for the reaction is shown.
		$C_2H_4 + Br_2 \rightarrow C_2H_4Br_2$
		State the colour, if any, of the compound that has the formula $\mathrm{C_2H_4Br_2}$ .
		[1]
	(iii)	A solution of bromine contains 0.00625 moles of bromine molecules.
		Calculate the mass of the compound ${\rm C_2H_4Br_2}$ that is produced when this bromine reacts completely with excess ethene.
		The relative atomic masses of the elements may be found in the Periodic Table on page 36.
		Show your working.
		mass = g [2]
	(iv)	Describe the reaction, if any, between bromine and <b>ethane</b> .
		[1]

(a)	Explain	why humans would be	n the planet. dependent on these p	lants.	
(b)	Table 1	3.1 shows some of the o	conditions on Mars, co	ompared to Earth.	
			Table 13.1		
			Earth	Mars	
		distance from the Sun/millions of km	149.6	227.9	
		mean surface temperature/°C	14	<b>–</b> 55	
		carbon dioxide in the atmosphere/%	0.03	95	
		availability of water	large amounts	traces	
		plain why the distance of Mars.	f the planet from the S	un would be importa	nt for plants grow
	(ii) Sta			the atmosphere on	

(111)	might change the planet's atmosphere. Explain your answer.
	change
	explanation
	[2]

# **BLANK PAGE**

© UCLES 2016

0654/33/M/J/16

# **BLANK PAGE**

The Periodic Table of Elements

	\	2	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	Ą	astatine -			
	IA				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	molonium —	116	^	livermorium —
	>				7	Z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209			
	≥				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Ъ	lead 207	114	Fl	flerovium
	≡				2	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204			
											30	Zn	zinc 65	48	g	cadmium 112	80	Рg	mercury 201	112	ű	copernicium -
											29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group											28	z	nickel 59	46	Pq	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium –
Gro											27	රි	cobalt 59	45	뫈	rhodium 103	77	٦	iridium 192	109	Ψ	meitnerium -
		_	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium -
											25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
				Key		pol	ass				24	ဝ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -
					atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Б	tantalum 181	105	ОР	dubnium –
						ato	rela				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium —
											21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	99	Ba	barium 137	88	Ra	radium
	_				3	:=	lithium 7	11	Na	sodium 23	19	$\prec$	potassium 39	37	&	rubidium 85	55	Cs	caesium 133	87	ъ́	francium —

71	Γn	lutetium 175	103	۲	lawrencium	I
		ytterbium 173				ı
69	H	thulium 169	101	Md	mendelevium	1
89	ш	erbium 167	100	Fm	fermium	I
29	웃	holmium 165	66	Es	einsteinium	ı
99	ò	dysprosium 163	86	ర	californium	ı
65	Д	terbium 159	26	益	berkelium	ı
64	Gd	gadolinium 157	96	Cm	curium	I
63	En	europium 152	92	Am	americium	ı
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pm	promethium -	93	δ	neptunium	I
09	ΡN	neodymium 144	95	$\supset$	uranium	238
29	Ā	praseodymium 141	91	Ра	protactinium	231
58	Ce	cerium 140	06	T	thorium	232
22	La	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.)

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.