



CO-ORDINATED SCIENCES

0654/32

Paper 3 Theory (Extended)

October/November 2016

MARK SCHEME

Maximum Mark: 120

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0654	32

Question	Answer	Marks
1(a)	diffusion / movement, of water ; from high to low water potential ; through a partially permeable membrane ;	3
1(b)	elongated / AW ; large surface area ; thin / permeable, (cell) wall ;	max 2
1(c)(i)	loses water / decrease in volume / becomes plasmolysed ; because seawater has a lower water potential ;	2
1(c)(ii)	wilt ; because receive less water from roots ;	2
1(d)(i)	carbon dioxide ;	1
1(d)(ii)	chlorophyll ;	1
	Total:	11

Question	Answer	Marks
2(a)(i)	outer electron shell is complete ; do not need to, gain / lose / share electrons ;	2
2(a)(ii)	highly reactive elements exist between magnesium and argon / examples given e.g. chlorine ;	1
2(b)(i)	1.2 (mol / dm ³) ; use of the proportionality between variables ;	2

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0654	32

Question	Answer	Marks
2(b)(ii)	idea that there are more acid particles per volume ; at higher concentration the frequency of collision increases ;	2
	Total:	7

Question	Answer	Marks
3(a)	weight ;	1
3(b)	the extension of an elastic object is <u>directly</u> proportional to the force applied to it ;	1
3(c)(i)	38 m / s ;	1
3(c)(ii)	acceleration = change of speed/time or working ; = $38 / 4 = 9.5 \text{ m/s}^2$;	2
3(c)(iii)	area under graph or working ; $\frac{1}{2} \times 4 \times 38 + \frac{1}{2} \times 1 \times 38 = 95 \text{ m}$;	2
3(c)(iv)	KE = $\frac{1}{2}mv^2$ or working ; = $\frac{1}{2} \times 90 \times 38 \times 38 = 64\,980 \text{ J}$;	2
3(d)	man starts moving in opposite direction ;	1
	Total:	10

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0654	32

Question	Answer	Marks
4(a)	X = bronchus ; Y = trachea ;	2
4(b)	less oxygen ; more carbon dioxide ; more water vapour ; warmer ;	max 3
4(c)(i)	61 – 19 = 42 minutes ;	1
4(c)(ii)	similar pattern curve rising from the existing line at 50 mins ; rises to higher peak ;	2
4(c)(iii)	combines with haemoglobin ; reduces oxygen carrying capacity of the blood ; less respiration / less energy released (for muscle contraction) ;	max 2
	Total:	10

Question	Answer	Marks
5(a)	aluminium ; iron ; chlorine / hydrogen ;	3
5(b)	decomposition ; endothermic ;	2
5(c)(i)	electrons are negatively charged and protons are positively charged / atoms contain equal numbers of protons and electrons ; calcium atom loses two electrons / calcium ion contains two more protons than electrons ; oxygen atom gains two electrons / oxide ion contains two fewer protons than electrons ;	3

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0654	32

Question	Answer	Marks
5(c)(ii)	reference to charge balance ;	1
5(d)	STEP 1 (1000 × 0.95) = 950 (g) ; STEP 2 moles calcium carbonate (950 ÷ 100) = 9.5 moles calcium oxide = 9.5 ; STEP 3 (40 + 16) = 56 ; STEP 4 (56 × 9.5) = 532 (g) ;	4
	Total:	13

Question	Answer	Marks
6(a)	<i>copper or aluminium no mark</i> good heat conductor ; <i>plastic or wood no mark</i> good insulator ;	2
6(b)	particles closer together in liquid ; stronger forces in liquid ; particles move slower in liquid ;	3
6(c)	energy = mass × SHC × change in temperature / E = mCΔT or working = 0.8 × 4200 × 70 ; change in temperature = 90 – 20 = 70 (°C) ; = 235 200 (J) ;	3
	Total:	8

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0654	32

Question	Answer	Marks
7(a)(i)	homozygous ;	1
7(a)(ii)	heterozygous ;	1
7(a)(iii)	discontinuous (variation) ;	1
7(b)(i)	0.75/75% ;	1
7(b)(ii)	0.50/50% ;	1
7(c)	mutation ; spontaneous/random, change OR caused by, (named) ionising radiation / mutagens ;	2
	Total:	7

Question	Answer	Marks
8(a)	shared pair of electrons shown ; correct number of non-bonding electrons shown ;	2
8(b)	chloride ions move to the anode / ref to opposite charge attraction ; chloride ions are discharged / lose one electron ; chlorine atoms bond to form molecules ;	3
8(c)(i)	C no change in appearance / solution becomes (pale) green ; D solution becomes brown ;	2
8(c)(ii)	C chlorine less reactive than fluorine (so no reaction) ; D chlorine more reactive than iodine (so displaces it) ;	2
	Total:	9

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0654	32

Question	Answer	Marks
9(a)	<u>temperature</u> at which all of a liquid boils and turns into a gas/vapour ;	1
9(b)(i)	between X rays and visible light ;	1
9(b)(ii)	$300\,000 / 3 \times 10^5$ km/s ;	1
9(b)(iii)	$\alpha / \beta / \gamma / X$ -rays ;	1
9(c)	$P_1V_1 = P_2V_2$ or working ; $V_2 = 5 \times 10^4 \times 330 / 10^5 = 165$ cm ³ ;	2
9(d)(i)	principal focus correctly identified ;	1
9(d)(ii)	focal length correctly shown ;	1
	Total:	8

Question	Answer	Marks
10(a)	area 2, because has lowest pH ;	1
10(b)	area has, factories / traffic / burning of <u>fossil</u> fuels ;	1
10(c)	acidifies soil / rivers / lakes ; “burns” plant leaves ; kills fish ; erodes / corrodes, buildings ; AVP ;	max 2

Page 8	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0654	32

Question	Answer	Marks
10(d)	<i>any two of:</i> taxation of (use of) fossil fuels / fining excessive emissions ; encourage use of public transport ; use (named) alternative energy sources ; catalytic converters ; flue gas desulfurisation ; AVP ;;	max 2
	Total:	6

Question	Answer	Marks
11(a)(i)	petroleum / crude oil ;	1
11(a)(ii)	R at the top take-off point ;	1
11(a)(iii)	<i>diesel</i> molecules are on average the largest ; molecules have largest intermolecular forces ; so more thermal <u>energy</u> required to separate molecules ;	max 2
11(a)(iv)	carbon dioxide and water vapour ;	1
11(b)	<i>butane</i> X is saturated because it does not react with bromine / alkanes do not react quickly with bromine ; relates but- to four carbon atoms / prop- to three carbon atoms ;	2
11(c)(i)	$\text{CH}_4(\text{g}) + \text{H}_2\text{O}(\text{g}) \rightarrow \text{CO}(\text{g}) + 3\text{H}_2(\text{g}) ; ; ;$	3
11(c)(ii)	nitrogen + hydrogen \rightarrow ammonia ;	1
	Total:	11

Page 9	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0654	32

Question	Answer	Marks
12(a)(i)	0.13 A ;	1
12(a)(ii)	R = V/I or working ; = 12/0.13 = 92/92.3 ; Ω ;	3
12(a)(iii)	as temperature increases current increases ;	1
12(a)(iv)	as temperature increases resistance decreases ;	1
12(b)(i)	X = slip ring Y = coil Z = magnet ;;	2
12(b)(ii)	sine curve ; approx. equal wavelengths and amplitudes ;	2
12(c)(i)	f = v/ λ or working ; = 330/0.7 = 471 Hz ;	2
12(c)(ii)	one wavelength correctly shown ;	1
12(c)(iii)	compressions / rarefactions, closer together ;	1
	Total:	14

Page 10	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0654	32

Question	Answer	Marks
13(a)(i)	iris correctly labelled ;	1
13(a)(ii)	retina correctly labelled ;	1
13(b)(i)	becomes thinner / under tension ;	1
13(b)(ii)	relaxes ;	1
13(b)(iii)	under tension / taut / stretched ;	1
13(c)	less able to focus on near objects ;	1
	Total:	6