

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

3 0 4 4 8 0 8 1 9 6

CO-ORDINATED SCIENCES

0654/43

Paper 4 Theory (Extended)

May/June 2020

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 120.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 28 pages. Blank pages are indicated.

DC (JC/CB) 183536/4 © UCLES 2020

[Turn over

1 (a) A scientist investigates the production of carbon dioxide by anaerobic respiration in yeast.

Two different sugars are used, glucose and sucrose.

The scientist measures the volume of carbon dioxide produced.

The results are shown in Fig. 1.1.




Fig. 1.1

(i)	Calculate the difference in volume of carbon dioxide produced in the first 20 minutes by
	yeast using glucose and by yeast using sucrose.

......cm³ [1]

(ii) Describe **one** use of the production of carbon dioxide by anaerobic respiration in yeast.

.....[1]

(b)	The investigation is repeated using yeast and glucose at 80 °C.
	Explain why no carbon dioxide is produced at this temperature.
	Use ideas about enzymes in your answer.
	[4]
(c)	Explain why a mixture of only yeast and water would not produce carbon dioxide.
	[1]
/ ₋ 1\	
(a)	Complete the sentences to define the term anaerobic respiration.
	Anaerobic respiration is the reactions in cells that
	break down nutrient molecules to release without using
	[Total: 10]

- 2 Table 2.1 shows examples of chemical and physical changes.
 - (a) Complete Table 2.1 by putting ticks (\checkmark) in the correct columns.

Table 2.1

	chemical change	physical change
burning magnesium	✓	
melting ice		✓
rusting iron		
dissolving salt in water		
boiling water		
neutralising an acid with a base		

1.,	
-	
	•

(b) Ma	agnesium,	Mg,	is	an	element.
----	------	-----------	-----	----	----	----------

Water, H_2O , is a compound.

Describe what is meant b	an element and	a compound.
--------------------------	----------------	-------------

element	
compound	
	[2]

(c) A list of particles is shown.

Cu CO₂ H₂ Na OH⁻ S Zn²⁺

Write each symbol or formula in Table 2.2 to show whether the particles are atoms, ions or molecules.

One has been done for you.

Table 2.2

atom	ion	molecule
Na		

[3]

(d) Fig. 2.1 shows an experiment to investigate diffusion of gases.




Fig. 2.1

Ammonia gas, NH_3 , and hydrogen chloride gas, $\mathrm{HC}{\it l}$, diffuse along the tube.

When the gases meet they react to form a white cloud of ammonium chloride.

The ammonium chloride forms at the end of the tube nearest to the hydrochloric acid.

Explain why.			
	 	 	[2]

[Total: 9]

An	athletics race is started using a starting pistol.					
The sound from the starting pistol passes through the air and reaches the ears of the athletes						
Soi	und waves pass through the air as a series of compressions and rarefactions.					
De	scribe one difference between a compression and a rarefaction.					
	[1]					
) An	athlete in the race has a mass of 70 kg. Her acceleration is 1.6 m/s ² .					
(i)	Calculate the force needed to give this acceleration.					
	force = N [2]					
(ii)	The athlete reaches a maximum speed of 8 m/s.					
	Calculate the kinetic energy of the athlete when moving at this speed.					
	kinatia anargy =					
/iii\	kinetic energy =					
(111)	Explain the difference between the terms speed and velocity.					
	[1]					
	The Sou					

© UCLES 2020 0654/43/M/J/20

3

(c)	At the end of the race, the athlete is sweating. The sweat of the athlete evaporates faster or a hot day.				
	(i)	Suggest in terms of molecules why this happens.			
		[1]			
	(ii)	State one other way by which the rate of evaporation from the surface of a liquid can be increased.			
		[1]			
(d)		he end of a long race athletes are sometimes wrapped in a shiny foil blanket to reduce mal energy losses.			
	Exp	plain why the shiny foil blanket helps reduce energy losses.			
		[2]			
		[Total: 10]			

4 (a) Fig. 4.1 is a diagram of the alimentary canal and associated organs.




Fig. 4.1

Table 4.1 shows the functions of some parts shown in Fig. 4.1.

Complete Table 4.1.

Table 4.1

name of part	letter in Fig. 4.1	function
salivary gland		produces salivary amylase
gall bladder		
	D	produces lipase, protease and amylase
		produces bile

[4]

(b)	(b) Explain why gastric juice in the stomach contains hydrochloric acid.	
		[3]
(c)	(c) Name the part of the alimentary canal where these processes occur:	
	absorption of water	
	egestion	
	ingestion	[3]
		[ان]

[Total: 10]

5 The alkenes are a homologous series.

The general formula for the alkenes is C_nH_{2n} .

The alkanes are another homologous series.

(a) State the **general formula** for the alkanes.

(b) Propene, C₃H₆, is an alkene.

Complete Fig. 5.1 to show the structure of a propene molecule.

Show all of the atoms and all of the covalent bonds.

Fig. 5.1

[1]

(c) Ethene is also an alkene.

Ethene reacts with steam to form ethanol.

This reaction is exothermic.

Explain why. Use ideas about bond breaking and bond making.



(d)	Ethanol is an alcohol.
	Describe how ethanol is made by fermentation.
	[3]
	[Total: 8]

6 (a)	The v	olume of the S	Sun is 1.4 × 10 ²	27 m 3 .			
	The a	verage densit	y of the Sun is	1410 kg/m³.			
	Calcu	late the mass	of the Sun.				
				mas	s =		kg [2]
		nin why the Sun	n transfers ene	ergy to the Eart	h mainly by ra	diation and not	by conduction
		Sun emits γ-ι omagnetic spe		visible light.	Both of these	radiations ar	e part of the
		Place γ-radiationspectrum show		ght in their corr	ect places in th	e incomplete e	lectromagnetic
radio wa	aves		infrared		ultraviolet		
				Fig. 6.4			[1]
	/::\	State why both	these radiation	Fig. 6.1	as time to trav	al from the Cum	to the Forth
	(ii) S	State wily both		ns take the san			
							[.]

(d)	Visible light from the Sun can be reflected, refracted and diffracted.			
	Describe what happens to a wave when it is:			
	reflected			
	refracted			
	diffracted.			
	[3]			
	[Total: 8]			

7 (a) Fig. 7.1 is a photomicrograph of a human eye.




Fig. 7.1

(1)	Identify parts labelled A, B and C in Fig. 7.1.	
	A	
	В	
	C	
		[3]
(ii)	Draw an X on Fig. 7.1 to show the position of the blind spot.	[1]
(iii)	Describe the changes that occur in the eye when changing focus to view a dista	nt object.
		[3]

(b) The list shows examples of involuntary and voluntary responses.

Place ticks (✓) to show **all** the examples of involuntary responses.

breathing	
heart beating	
reading	
running	
sweating	
writing	

ഗ
-

(c)	Sense org	gans form par	t of the p	peripheral	nervous system.
-----	-----------	---------------	------------	------------	-----------------

State the two parts that form the central nervous system.

1	
2	
_	
	[2]
	[2]

[Total: 11]

Iror	is a transition metal.	
(a)	State two properties of transition metals that are not properties of all metals.	
	1	
	2	
		[2]
/b\	Describe the metallic handing in a metal	
(b)	Describe the metallic bonding in a metal.	
	You may draw a labelled diagram to help your answer.	
		[2]
(c)	Hematite contains iron oxide, Fe ₂ O ₃ .	
	Iron is extracted from iron oxide in a blast furnace.	
	(i) Describe how iron is extracted from iron oxide.	
	Do not describe how impurities are removed.	
	You can use balanced symbol equations in your answer.	
		[3]

8

	(ii)	Silicon dioxide, SiO ₂ , is an impurity that needs to be removed from the blast furnace.
		The silicon dioxide reacts with calcium oxide, CaO.
		${\rm CaO~+~SiO}_2 \rightarrow {\rm CaSiO}_3$
		Calculate the mass of calcium oxide needed to remove 21 kg of silicon dioxide, ${\rm SiO}_2$.
		[A _r : Ca, 40; O, 16; Si, 28]
		mass of calcium oxide = kg [2]
(d)	A b	ast furnace works at a very high temperature.
		actions are faster at higher temperatures.
	Exp	plain why reactions are faster at higher temperatures.
	Use	e ideas about collisions between particles.
		[3]
		[Total: 12]

(a)	Ast	atine 211 (At-211) decays by the emission of α -particles.	
	The	α -particles emitted by At-211 are used to destroy cancer cells.	
	Sm	all quantities of At-211 are injected directly into the site of the cancer.	
	(i)	Explain why At-211 is only effective when injected directly into the cancer.	
			[1]
	(ii)	At-211 decays by α -particle emission to produce an isotope of bismuth.	
		Use nuclide notation to complete a symbol equation for this decay process.	
		$_{85}^{211}$ At \rightarrow Bi +	
			[2]
(b)	X-ra	ays and ultrasound waves are used by doctors in hospitals.	
	(i)	X-rays are transverse waves and ultrasound waves are longitudinal waves.	
		Describe the difference between a transverse wave and a longitudinal wave.	
			[1]
	(ii)	X-rays have a wavelength of 1.1×10^{-9} m and travel at 3.0×10^{8} m/s.	
		Calculate the frequency of X-rays.	
		frequency = Hz	z [2]

© UCLES 2020 0654/43/M/J/20

9

(iii)	Ultrasound waves are used to scan unborn babies.
	Ultrasound waves have a frequency too high to be heard by a healthy human ear.
	Using your knowledge of the range of audible frequencies for a healthy human ear, suggest a frequency for ultrasound waves.
	Explain your answer.
	frequency = Hz
	explanation
	[1]
(iv)	Suggest a reason why it is not safe to scan unborn babies with X-rays.
	[1]
	[Total: 8]

10 (a) Fig. 10.1 is a sketch graph showing the effect of humidity on the rate of transpiration.




Fig. 10.1

	(i)	Explain the change in rate of transpiration shown in Fig. 10.1.	
			[3]
	(ii)	State one other factor that affects the rate of transpiration.	
			[1]
(b)	Trar	nspiration pull moves water through xylem vessels.	
	Stat	te how water molecules are held together.	
			[1]

(c) Xylem is a specialised tissue in plants.

The	e palisade mesophyll layer is another specialised tissue in plants.	
(i)	Describe two ways the palisade mesophyll cells are adapted for photosynthesis.	
	1	
	2	
		[2]
(ii)	State the raw materials required for photosynthesis.	
		[1]
(iii)	State the source of energy needed for the process of photosynthesis.	
		[1]

[Total: 9]

11 Fig. 11.1 shows part of the Periodic Table.

								Gro	oup								
ı	Ш											Ш	IV	V	VI	VII	VIII
Н																	Не
Li	Ве											В	O	Z	0	F	Ne
Na	Mg											Αl	Si	Р	S	Cl	Ar
K	Са	Sc	Ti	V	Cr	Mn	Fe	Со	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr

Fig. 11.1

(a)	Describe the relationship between the Group number and the number of electrons in outer shell.	the
		[1
(b)	Magnesium, Mg, is in Group II.	
	Magnesium has a proton number of 12.	
	State the electronic structure of a magnesium atom.	
		[1

(c) Sodium forms bonds with chlorine.


Sodium is in Group I.

Chlorine is in Group VII.

(i) Sodium chloride is an ionic compound.

Fig. 11.2 shows a sodium ion.

Complete Fig. 11.2 to show a chloride ion.



chloride ion

Fig. 11.2

[2]

(ii) lonic compounds, such as sodium chloride, have a lattice structure.

Describe the lattice structure of sodium chloride.

You may draw a labelled diagram to help you.

[2]

(d) Table 11.1 shows some information about the Group VII elements.

Table 11.1

element	state at room temperature	melting point /°C	boiling point /°C
fluorine	gas	-220	-188
chlorine	gas		-35
bromine	liquid	- 7	
iodine		114	184
astatine	solid	302	337

	(i)	Identify the state of iodine at room temperature.	
			[1]
	(ii)	Suggest the melting point of chlorine and the boiling point of bromine.	
		Use ideas about trends down a Group to help you.	
		melting point of chlorine	°C
		boiling point of bromine	°C [2]
(e)	Chl	orine has a relative atomic mass of 35.5.	
	Def	ine relative atomic mass.	
			[2]
		[Total:	11]

12 (a) Fig. 12.1 shows the speed–time graph for part of a train journey.




Fig. 12.1

Calculate the acceleration of the train at 5 s.

- **(b)** The train has two large headlamps connected in parallel. The lamps have a power rating of 360 W and are operated with a potential difference of 80 V.
 - (i) Show that the resistance of each lamp is 18Ω .

[3]

(ii)	Calculate the combined	resistance	of the two	lamps co	onnected	together i	n parallel.
------	------------------------	------------	------------	----------	----------	------------	-------------

resistance =
$$\Omega$$
 [2]

(c) The electricity for the lamps is produced by a generator.

Fig. 12.2 shows a simple generator.




Fig. 12.2

(i)	Describe how rotating the coil at constant speed induces an alternating voltage.
	[2]

(ii) On the grid in Fig. 12.3, sketch a graph of voltage output against time for the generator when the coil rotates at constant speed.




Fig. 12.3

[2]

(111)	The con is rotated faster.	

Suggest two effects this will have on the alternating voltage output.

1	
2	
	[2]

(iv) The permanent magnets in the generator shown in Fig. 12.2 are made from steel rather than iron.

Suggest why the magnets are made from steel rather than iron.

	[1]

[Total: 14]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

S
r
ᇴ
Ĕ
ㅎ

ш
ठ
O
<u>ө</u>
9
a.
_
ပ
픙
ŏ
Ť
ē
Φ
چ
\vdash

	III/	2]	helium d	4	10	Ne	neon 20	18	Ā	argon 40	36	첫	krypton 84	54	Xe	xenon 131	98	R	radon -			
	II/				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ā	bromine 80	53	П	iodine 127	85	Αŧ	astatine -			
					80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ро	polonium	116	_	livermorium -
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	2				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ър	lead 207	114	ŀΙ	flerovium -
	≡				5	М	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	1L	thallium 204			
											30	Zu	zinc 65	48	ည	cadmium 112	80	Нg	mercury 201	112	ပ်	copemicium -
											59	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group											28	z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -
Gro											27	ပိ	cobalt 59	45	格	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -
		-]	☐ hydrogen	_							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium -
											25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -
			3	Vey	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Б	tantalum 181	105	Op	dubnium -
						atc	rek				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ва	barium 137	88	Ra	radium -
	_				က	=	lithium 7	=======================================	Na	sodium 23	19	¥	potassium 39	37	В	rubidium 85	55	S	caesium 133	87	ᇁ	francium -

	58	29		61	62	63	64	65	99	29	89	69	70	71
	Ce	Ā		Pm	Sm	En	P G	Д	ò	운	ш	Tm	Υp	Γn
Ε	cerium	praseodymium		promethium	samarium	europium	gadolinium	terbium	dysprosium	holmium	erbinm	thulium	ytterbium	Intetium
	140	141		ı	150	152	157	159	163	165	167	169	173	175
	06	91		93	94	98	96	26	86	66	100	101	102	103
Ac	Ħ	Ра	\supset	Δ	Pu	Am	Cm	æ	ర్	Es	Fn	Md	9	۲
Ε	thorium	protactinium		neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrenciur
	232	231		ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	I
								_						

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).