

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

771418813

CO-ORDINATED SCIENCES

0654/33

Paper 3 Theory (Core)

May/June 2021

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 120.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 28 pages. Any blank pages are indicated.

DC (CE/SG) 213460 © UCLES 2021

[Turn over

1 (a) Fig. 1.1 is a diagram of the female reproductive system.




Fig. 1.1

	(1)	State the letter from Fig. 1.1	that shows the part where:					
		fertilisation occurs						
		gametes are produced.		[2]				
	(ii)	Identify the part labelled B in	n Fig. 1.1.	[1]				
(b)	Fig.	1.2 shows a student's descri	iption of fertilisation in humans.					
	The description of fertilisation in humans is incorrect. Circle the two incorrect words in the description in Fig. 1.2.							

Fertilisation is the separation of the nuclei from a sperm cell and an ovary cell.

Fig. 1.2 [2]

(c) Fig. 1.3 shows how the thickness of the uterus lining changes during the menstrual cycle.




Fig. 1.3

Table 1.1 represents the days during an average menstrual cycle.

Table 1.1

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
15	16	17	18	19	20	21	22	23	24	25	26	27	28	

Use Fig. 1.3 and your own knowledge to:

- (i) place ticks (✓) in Table 1.1 to show the days when the uterus lining is shed [1]
- (ii) place crosses (X) in Table 1.1 to show the days when the uterus lining is at its thickest.
 [1]
- (d) Complete the sentence to define the term reproduction.

Reproduction is the processes that make of the same of organism. [2]

[Total: 9]

(a)	Mag	gnesium	is in Period 3 of	the Periodic Tab	le.	
	(i)				e gas in Period 3 of th	
	(ii)			metallic characte	er across Period 3.	[1]
						[1]
(b)	Mag	gnesium	reacts with carbo	on dioxide.		
	Mag	gnesium	oxide and carbo	n are made.		
	(i)	Write th	ne word equation	for this reaction		
			+		\rightarrow	+[1]
	(ii)				arbon dioxide is exoth	
	(,		what is meant b			omile.
				-		
						[1]
(c)		atom of				12 and a nucleon number
			able 2.1 to shownis magnesium a		I numbers of the two	particles contained in the
				Table 2	.1	
			name	of particle	number of particle	es
						[2]
(d)		gnesium oride.	carbonate reac	ts with dilute hy	drochloric acid to ma	ake aqueous magnesium
	(i)	Magnes	sium carbonate is	s insoluble in wa	ter.	
			ne separation teo sium carbonate a		remove magnesium ca	rbonate from a mixture of
						[1]

© UCLES 2021 0654/33/M/J/21

2

(ii)	Magnesium chlo	ride dissolves in wat	er.	
	State the separa of magnesium cl		to obtain solid magr	nesium chloride from a solution
				[1]
(iii)	Magnesium carb	onate reacts with di	ute hydrochloric acid	I.
	Complete the ba	lanced symbol equa	tion for this reaction.	
	MgCO	$_3$ +HC l \rightarrow	$MgCl_2 + CO_2$	+ H ₂ O [1]
(iv)	Dilute hydrochlo	ric acid contains aqu	leous chloride ions.	2
, ,	-			ervation for a positive result.
		-		•
	observation			[2]
(e) Tab	le 2.2 shows the	composition of a mag	gnesium alloy.	
		Tab	e 2.2	
		element	% by mass	
		magnesium	94	
		neodymium	2	
		yttrium	4	
(1)	0-11-4-4		500 less of the cellers	
(1)	Calculate the ma	ass of magnesium in	500 kg of the alloy.	
				kg [1]
(ii)	The alloy is used	l in aircraft bodies.		
	Suggest why the bodies.	e alloy of magnesiu	m is used rather tha	n pure magnesium for aircraft
				[1]
				[Total: 13]

(a)	A torch (flashlight) contains four cells, a lamp and a switch connected in series.						
	(i)	Draw a circuit diagram for the torch using standard electrical symbols.					
			[3]				
	(ii)	The potential difference (p.d.) across the lamp is 6.0 V when the switch is closed.					
		The resistance of the lamp is 5.0Ω when lit.					
		Calculate the current in the lamp.					
		current =A	[2]				
	(iii)	Two lamps each of resistance 5.0Ω are connected together in a series circuit.					
		Calculate the combined resistance of the two lamps in series.					
		resistance = Ω	.1]				

© UCLES 2021 0654/33/M/J/21

3

(b) Choose words from the list to complete the sentences to describe the energy transfers that occur when the torch is switched on.

You may use each word once, more than once or not at all.

	chemical	elastic	electrical	gravitational	
	light	nuclear	sound	thermal	
	The energy stored in	the cells is		potential energy.	
	This energy is transfethrough the lamp.	erred into		energy which passes	S
	The useful energy from	om the lamp is		energy.	
	Some energy is wast	ed as		. energy.	[3]
(c)	Solar energy is som resource.	netimes used to p	power torches. Sola	r energy is a renewable	energy
	State two other renev	wable energy reso	urces.		
	1				
	2				
					[2]

(d) Fig. 3.1 shows a ray of light from a torch shining on a mirror.




Fig. 3.1

(i)	State the name of line XZ .	
		[1]
(ii)	State what happens to the ray of light at point X on Fig. 3.1.	
		[1]
	[Tota	al: 13

4 (a) Fig. 4.1 is a diagram of the heart.





Fig. 4.1

(i)	Identify the parts labelled B , C and D in Fig. 4.1.	
	В	
	c	
	D	
		[3]
(ii)	Describe the function of the structure labelled E .	
		[1]
(iii)	The blood vessel labelled A is an artery.	
	Describe the role of arteries in the circulatory system.	
		[1]
Nar	me two of the main components of blood.	
1		
2		
۷		 [2]

(b)

(c) A student measures their heart rate over a 24-hour period.






Fig. 4.2

(i)	Calculate the difference in heart rate between the minimum and maximum heart rate seen in Fig. 4.2.
	bpm [1]
(ii)	At 10:00 hours the student attends a fitness class.
	Estimate the length of time of the fitness class.
	hours [1]
(iii)	At 18:00 hours the student was scared by a snake.
	Describe and explain the result seen at 18:00 hours in Fig. 4.2.
	Use ideas about hormones in your answer.
	[2]

[Total: 11]

5 (a) Potassium is a very reactive metal.

Potassium is stored under oil as shown in Fig. 5.1.




Fig. 5.1

Suggest two reasons why potassium is stored under oil.

1	
2	
	[7]

(b) Potassium has a proton number of 19.

Complete Fig. 5.2 to show the electronic structure of a potassium atom.

The inner shell electrons have been drawn for you.




Fig. 5.2 [2]

- (c) Solid potassium reacts with chlorine gas to make solid potassium chloride.
 - (i) Describe the differences between the structures of a solid and a gas in terms of particle separation and particle arrangement.

particle separation	 	
particle arrangement .		
h		

[2]

(ii)	When potassium reacts with chlorine, potassium atoms become potassium ions.	
	Describe what happens to a potassium atom when it becomes a potassium ion.	
		[1]
(iii)	Potassium and chlorine are elements. Potassium chloride is a compound.	
	Describe the difference between an element and a compound.	
		[2]

(d) The maximum mass of potassium chloride that dissolves in 100 cm³ of water is called the solubility of potassium chloride.

Fig. 5.3 shows the solubility of potassium chloride in water at different temperatures.




Fig. 5.3

(i)	Describe the trend in solubility shown in Fig. 5.3.
	[1]
(ii)	State the mass of potassium chloride that dissolves in 100 cm ³ of water at 45 °C.
	g [1]
	[Total: 11]

6 (a) Fig. 6.1 shows the speed-time graph for the journey of a train travelling between two stations.




Fig. 6.1

(i)	Use letters from the graph in Fig. 6.1 to identify the two stations on the train's journey.		
		[1]	

- (ii) On Fig. 6.1, label with a cross (X) a part of the journey when the train is accelerating. [1]
- (iii) Use Fig. 6.1 to calculate the total distance travelled by the train on this journey.

distance = m [3]

(b) Fig. 6.2 shows the forces acting on the train when it travels at a constant speed.




	Fig. 6.2
(i)	State which force, P, Q, R or S, is the weight of the train.
	[1]
(ii)	Compare the magnitude and the direction of forces ${\bf Q}$ and ${\bf S}$ when the train is travelling at a constant speed.
	[2]
	[Total: 8]

7 (a) A scientist investigates the effect of immersion of plant cells in different concentrations of sugar solution.

Fig. 7.1 shows the appearance of the plant cells before immersion.




Fig. 7.1

Beakers **A–D** contain different concentrations of sugar solution.

Some plant cells are placed in each solution and left for an hour.

Table 7.1 shows the results.

Table 7.1

beaker	appearance of plant cells after immersion
Α	
В	
С	
D	

	(i)	Describe the change seen to the plant cells placed in beaker A in Table 7.1.	
	(ii)	Suggest which beaker contains the solution with the same concentration as the p cells.	lant
		Give a reason for your answer.	
		beaker	
		reason	 [2]
(b)	Wat	er enters the plant through the root hair cells.	
	Con	nplete the flow chart to show the pathway of water through the cells of a plant.	
	root	hair cell $ ightarrow$ xylem $ ightarrow$	[2]
(c)	Xyle	em transports water through the plant stem.	
	Nan	ne the tissue that transports sugars through the plant stem.	
			[1]
(d)	Wat	er and carbon dioxide are raw materials required for photosynthesis.	
	Nan	ne two other requirements for photosynthesis.	
	1		
	2		
, ,	Б.		[2]
(e)		tecting land from deforestation helps stop the loss of soil.	
		s is because tree roots hold the soil together, stopping it being washed away.	
		gest two other benefits of protecting land from deforestation.	
	1		
	2		
			 [2]

8 (a) Fig. 8.1 shows the electrolysis of molten lead(II) bromide.




Fig. 8.1

	(i)	State the name of the electrode where lead is made.	
	(ii)	Explain why an orange gas is seen above the molten lead(II) bromide.	
(b)	Lea	d is extracted from lead oxide by reaction with carbon.	1.1
	The	equation for the reaction is shown.	
		lead oxide + carbon → lead + carbon dioxide	
	Nan	ne the substance that is oxidised and the substance that is reduced in this reaction.	
	sub	stance oxidised	
	sub	stance reduced	 [1]
(c)	Lea	d is a metal.	
	Sug	gest one test to show that lead is a metal.	
			[1]
(d)	Lea	d reacts very slowly with dilute sulfuric acid.	
	Stat	e two ways of increasing the rate of reaction between lead and dilute sulfuric acid.	
	1		
	2		 [2]

9 Fig. 9.1 shows a tumble dryer.



Fig. 9.1

In a tumble dryer, wet clothes are warmed and dried. Water on the clothes evaporates.

(1)	Describe the process of evaporation.
	Use ideas about molecules in your answer.
	[2]
(ii)	During evaporation the water does not boil.
	State the boiling point of water.
	°C [1]
(iii)	Inside the tumble dryer, water vapour changes into liquid water.
	State the term used to describe a gas changing into a liquid.
	[1]
(iv)	Thermal energy passes through the metal casing of the tumble dryer.
	State the method of thermal energy transfer through metals.
	[1]

(b)	(i)	The tumble dryer is noisy and emits loud sound waves with a low pitch.	
		Describe the sound waves in terms of their amplitude and frequency.	
		amplitude	
		frequency	
			[2]
	(ii)	State the lowest audible frequency for a healthy human ear.	
		State the unit of your answer.	
		frequency = unit	[2]
	(iii)	The speed of sound in air is 340 m/s.	
		Calculate the time taken for a sound wave to travel 85 m.	

time =s [2]

[Total: 11]

10 (a) Fig. 10.1 is a diagram of the human alimentary canal and associated organs.




Fig. 10.1

(i) Label Fig. 10.1 on the answer lines provided.

Choose words from the list.

- anus
- large intestine
- mouth
- pancreas
- small intestine
- stomach

(ii) Different processes occur in the alimentary canal.

Complete Table 10.1 using words from the list in (a)(i).

Table 10.1

process	one part of the alimentary canal where process occurs
ingestion	
egestion	
mechanical digestion	


[3]

[3]

(b)	Describe the role of chemical of	digestion in the alimentary canal.	
			[2]
(c)	The boxes contain the beginni	ngs and the endings of some sentences.	
	Join one sentence beginning t	o one sentence ending to define the term assimilation.	
	beginning	ending	
di	esimilation is the movement of gested food molecules into the ells of the body	where they are excreted, becoming part of the faeces.	
di	esimilation is the movement of gested food molecules into the ngs of the body	where they are excreted, becoming part of the cells.	
Assimilation is the movement of undigested food molecules into the lungs of the body		where they are used, becoming part of the faeces.	
Assimilation is the movement of undigested food molecules into the cells of the body where they are used, be part of the cells.		where they are used, becoming part of the cells.	[2]

[Total: 10]

11 Fig. 11.1 shows the structures of five compounds A, B, C, D and E.






Fig. 11.1

(a) Use the letters **A**–**E** to identify all the hydrocarbon molecules.

[1]

(b) Use the letters **A–E** to identify the **two** products of the complete combustion of a hydrocarbon.


..... and [1]

(c) Use Fig. 11.1 to name one greenhouse gas.

.....[1]

(d) Draw a dot-and-cross diagram to show the bonding in molecule ${\bf E}.$

Only show the outer shell electrons.



[3]

(e)	Cor	npound D is an unsaturated compound.
	(i)	State what is meant by the term <i>unsaturated</i> compound.
		[1]
	(ii)	Name the process that produces smaller unsaturated hydrocarbon molecules from large saturated hydrocarbon molecules.
		[1]
	(iii)	State the chemical test for an unsaturated hydrocarbon and give the observation for a positive result.
		test
		observation
		[2]
		[Total: 10]

12 (a) Electricity is generated in a nuclear power station by the nuclear fission of plutonic								onium-239.	
		Des	cribe what happe	ens to a nucleu	us of plutonium	n-239 during nu	ıclear fission.		
								[1]	
	(b)	Plut	onium-239 is an						
		(i)	State the meani						
								[1]	
		(ii)							
		Suggest how a small sample of plutonium-239 can be stored safely.							
		(iii)	iii) Plutonium-239 has a half-life of 24 000 years.						
			Calculate the m	ass of plutoniu	ım-239 remain	ing after 48 000) years.		
					mas	s =		g [2]	
	((iv)	iv) State two differences between $β$ -radiation and $γ$ -radiation.						
			1						
	2								
(v) Fig. 12.1 above an incomplete electromagnetic enectrum								[2]	
	(v) Fig. 12.1 shows an incomplete electromagnetic spectrum.Place γ-radiation in its correct place in Fig. 12.1.								
			Tiacc y-radiation		place in rig. 1	2.1.			
				ultraviolet	visible light		microwaves		

Fig. 12.1

[1]

[Total: 8]

0654/33/M/J/21

© UCLES 2021

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements	
Periodic Table of Eleme	ts
Periodic Table of Ele	a
Periodic Table	em
Periodic Table	ш
Pel	o
Pel	<u>e</u>
Pel	<u>a</u>
Pel	ပ
Pel	po
The P	eri
Pe	٩
	Pe

III	
III	
III IV B	ı
5 BB boron 111 13 A1 27 27 27 27 31 Ga gallium 70 115 R1 Inalium 115 81 T1 T1 T1 T1 T1 T1	
	ı
230 Since Grand Gr	
	1
29 Cu copper 64 47 47 Ag silver 108 79 Au gold 197 111 Rg	ı
28 Ni Nickel 59 Ni Nickel 59 A6 Palladfum 106 Palladfum 106 Na N	ı
Group 27 Co cobatt 59 45 Rh rhodium pa 103 77 Ir iridium ph 192 109 Mt meitherium darr	ı
108 H Sasium 108 H	ı
Mn manganese 55 55 55 55 55 55 65 55 65 65 61 107 107 Bh bohnum	ı
24 Cr chomium 552 Mo woybdenum 966 G Mo WW Lungsten 184 W W Lungsten 106 Sg seaborgum	ı
Hey atomic number atomic number by a semicon number name name name name name name name name	ı
ato	ı
SC scandium 45 7 45 7 45 7 4 945 103 89-103 actinoids	
H A A A A A A A A A	ı
3 Li Hithium 3 3 3 3 3 3 3 4 4 4	1

r ₁	lutetium 175	103	۲	lawrencium -
۶ ۲p	ytterbium 173	102	8	nobelium -
mL	thulium 169	101	Md	mendelevium —
₈₈ П	erbium 167	100	Fm	fermium -
67 Ho	holmium 165	66	Es	einsteinium –
66 Dy	dysprosium 163	86	Ç	californium —
e5 Tb	terbium 159	97	Ř	berkelium –
²⁹ Gd	gadolinium 157	96	Cm	curium —
e3 Eu	europium 152	92	Am	americium -
Sm	samarium 150	94	Pu	plutonium —
e1 Pm	promethium -	93	Δ	neptunium —
9 09	neodymium 144	92	\supset	uranium 238
59 Pr	praseodymium 141	91	Ра	protactinium 231
Ce Ce	cerium 140	06	드	thorium 232
57 La	lanthanum 139	88	Ac	actinium _

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).