

# Cambridge IGCSE<sup>™</sup>

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

# 1 6 8 8 3 5 7 5 0 2

#### **CO-ORDINATED SCIENCES**

0654/41

Paper 4 Theory (Extended)

May/June 2022

2 hours

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

#### **INFORMATION**

- The total mark for this paper is 120.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 36 pages. Any blank pages are indicated.

DC (CE/SG) 303327/3 © UCLES 2022

[Turn over

1 (a) Fig. 1.1 shows some specialised cells.




Fig. 1.1

	1 lg. 1.1	
(i)	Identify the names of the cells labelled <b>B</b> and <b>E</b> in Fig. 1.1.	
	В	
	E	
(ii)	Explain how the structure of cell <b>A</b> is related to its function.	[2]
(iii)	Describe two ways in which cell <b>D</b> is adapted for transporting oxygen.	
	1	
	2	[2]
Cell	D is one of the main components of blood.	
Stat	te two other main components of blood.	
1		
2		[2]

© UCLES 2022 0654/41/M/J/22

(b)

)	BIO	od vessels are adapted to their function.	
	(i)	Explain why arteries have a thick elastic wall.	
			[1]
	(ii)	Explain why veins have valves.	
			[1]
(	(iii)	Explain why capillaries have very thin walls.	
			[1]
		[Total:	11]

**2** Ethene is a member of a family of hydrocarbons.

Fig. 2.1 shows an ethene molecule.

Fig. 2.1

(a)	Stat	te the family of hydrocarbons that ethene is a member of.	
			[1]
(b)	Ethe	ene is made from the larger molecules in petroleum.	
	Stat	te the name of this process.	
			[1]
(c)	Poly	y(ethene) can be made from ethene.	
	Poly	y(ethene) is a polymer.	
	(i)	State what is meant by a polymer.	
			[2]

(ii) Table 2.1 shows some information about polymers.

Complete Table 2.1.

Table 2.1

molecule used to make polymer	name of polymer	repeat unit of polymer
H C=C H	poly(ethene)	H H H C C H H H H
	poly(chloroethene)	C1 H     
F C=C F	poly(tetrafluoroethene)	

[2]

(d) Ethene can be made into ethane.

State the **formula** of the substance that ethene reacts with to make ethane.

.....[1]

**(e)** Ethane is a saturated hydrocarbon.

Describe what is meant by a **saturated** hydrocarbon.

(f) Ethene undergoes an addition reaction with bromine.

Fig. 2.2 shows the equation for the reaction.

Complete the equation in Fig. 2.2 by drawing the structure of the compound formed.

Fig. 2.2

[1]

[Total: 9]

# **BLANK PAGE**

**3** Fig. 3.1 shows a forklift truck lifting a crate.




Fig. 3.1

- (a) The crate has a mass of 140 kg.
  - (i) Calculate the weight of the crate.

The gravitational field strength, g, is 10 N/kg.

weiaht =	 Ν	[1	ı.
WCigit	 1.4		i

(ii) Calculate the work done on the crate when it is lifted through a height of 1.5 m.

State the unit for your answer.

work done = ..... unit ...... [3]

© UCLES 2022

**(b)** The forklift truck uses an electric motor to lift the crate.

Fig. 3.2 shows the circuit that includes the electric motor.




Fig. 3.2

The voltmeter displays a reading of 0.50 V.

(i) Show that the potential difference (p.d.) across the motor is 11.5 V.

[1]

(ii) The current in the circuit is 9.20A.

Calculate the resistance of the motor.

resistance = .....  $\Omega$  [2]

[Total: 7]

4 (a) Tay-Sachs disease is a genetic disorder that destroys nerve cells in the brain and spinal cord.

The allele for Tay-Sachs disease is recessive t.

The allele for unaffected by Tay-Sachs disease is dominant **T**.

Fig. 4.1 is a pedigree diagram showing the inheritance of Tay-Sachs disease.




Fig. 4.1

(i)	State the number of males in Fig. 4.1 that are <b>unaffected</b> by Tay-Sachs disease.	
		[1]
(ii)	Complete the sentences to explain the genotypes of some of the people in Fig. 4.1.	
	Person <b>E</b> and person <b>F</b> are by Tay-Sachs disease.	
	Person <b>E</b> and person <b>F</b> both have the genotype	
	Person <b>G</b> has Tay-Sachs disease. They have the genotype	
	Person <b>G</b> will have inherited one allele from each parent.	[4]
(iii)	State the probability of two parents with the genotypes <b>TT</b> having a child with Tay-Sadisease.	chs
		[1]

(b) Growth of offspring involves mitosis.

The box on the left contains the term mitosis.

The boxes on the right contain some sentence endings.

Draw **three** lines from the word mitosis to the boxes on the right to make **three** correct sentences about mitosis.

	occurs after exact duplication of chromosomes.	
	is involved in the production of gametes.	
Mitosis	is reduction division.	
Wittosis	produces cells with diploid nuclei.	
	produces nuclei with paired chromosomes.	
	produces genetically different cells.	
		[3]
State the number of chromoso	omes in a human diploid cell.	
		[1]
State the term given to a char	nge in a gene or chromosome.	
		[1]

[Total: 11]

(c)

(d)

5 In an experiment, a student adds an alkali to an acid.

Fig. 5.1 shows the experiment.




Fig. 5.1

(a)	The student slowly adds the alkali to the acid.	

(i)	Describe how the pH of the <b>acid</b> changes as the alkali is added.	
		[1]
(ii)	Complete the word equation to show the <b>type</b> of substance made in the reaction.	
	acid + alkali → + water	[1]
(iii)	Sulfuric acid, H <sub>2</sub> SO <sub>4</sub> , is an acid.	
	Potassium hydroxide, KOH, is an alkali.	

Construct the balanced symbol equation for the reaction of sulfuric acid with potassium hydroxide.

(iv) State the formula of the ion which is present in solutions of all acids.

\_\_\_\_\_\_[1]

(b)	Ammonium sulfate, (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> , is made by reacting an acid with an alkali.
	Calculate the relative formula mass, $M_{\rm r}$ , of ammonium sulfate.
	[A <sub>r</sub> : H, 1; N, 14; O, 16; S, 32]
	relative formula mass =[1
(c)	The alkali used to make ammonium sulfate is ammonia, NH <sub>3</sub> .
	Ammonia is made by the Haber process.
	Nitrogen, N <sub>2</sub> , and hydrogen, H <sub>2</sub> , are the starting materials.
	Look at the equation for the reaction.
	$N_2 + 3H_2 \rightleftharpoons 2NH_3$
	(i) Describe the Haber process.
	You should include:
	<ul><li>the sources of nitrogen and hydrogen gas</li><li>the conditions used.</li></ul>
	[3

(ii) Ammonia, NH<sub>3</sub>, reacts with nitric acid, HNO<sub>3</sub>.

Ammonium nitrate,  $\mathrm{NH_4NO_3}$ , is made.

Look at the equation for the reaction.

$$NH_3 + HNO_3 \rightarrow NH_4NO_3$$

Calculate the mass of ammonium nitrate made from 51 kg of ammonia.

Show your working.

[A<sub>r</sub>: H, 1; N, 14; O, 16]

mass =		kg	[2]
--------	--	----	-----

[Total: 11]

# **BLANK PAGE**

**6** Fig. 6.1 shows a tidal power station which uses tidal energy to generate electricity.

The moving water turns a turbine which is connected to a generator.




Fig. 6.1

(a)	(i)	State the source of the energy for the tides.	
			[1
	(ii)	Each kilogram of water has 1.62 J of kinetic energy.	
		Calculate the speed of the water flow.	

speed = ..... m/s [2]

(b) Fig. 6.2 shows a simple a.c. generator.




Fig. 6.2

- (i) On Fig. 6.2, draw an arrow to show the direction of the magnetic field between the permanent magnets. [1]
- (ii) State the name of the components labelled **X** and describe their use.

name	 
use	 
	[2]

(iii) On Fig. 6.3, sketch a graph of voltage output against time for a simple a.c. generator operating at a constant speed.




Fig. 6.3

(c)	The tidal power station uses a warning lamp to warn passing boats of its location.
	The lamp emits light with a wavelength of $4.0 \times 10^{-7}$ m.
	Calculate the frequency of the light.

frequency = ..... Hz [3]

[Total: 11]

# **BLANK PAGE**

**7 (a)** Fig. 7.1 is a photograph of a wind-pollinated flower.




Fig. 7.1

	Identify part <b>A</b> in Fig. 7.1.
	[1]
(b)	Describe <b>one</b> way the pollen and petals of insect-pollinated flowers are <b>different</b> from wind-pollinated flowers.
	pollen
	petals[2]
(c)	State where fertilisation occurs in a plant.
	[1]
(d)	Many plants are able to reproduce sexually and asexually.
	Describe the <b>disadvantages</b> to a plant in the wild of reproducing asexually.
	[2]
(e)	State two requirements for germination of plant seeds.
	1
	2
	[2]
	[Total: 8]

# **BLANK PAGE**

8 Table 8.1 gives some information about atoms.

Table 8.1

atom	proton number	nucleon number	electronic structure
sodium	11	23	2.8.1
fluorine	9	19	2.7
chlorine	17	35	2.8.7
chlorine	17	37	2.8.7
argon		40	2.8.8
magnesium	12	24	

a)	Con	mplete Table 8.1.	[2]
b)	Chlo	orine appears twice in Table 8.1.	
	Eac	ch of the atoms is an isotope of chlorine.	
	(i)	Explain what is meant by the word isotope.	
			[2]
	(ii)	The two isotopes of chlorine have the same chemical properties.	
		Explain why.	
			[1]
c)	Arg	on is a noble gas.	
	Ехр	plain why argon is very unreactive.	
	Use	e ideas about electronic structure.	
			[4]

(d)	Sodium is a metal.	
	Describe the bonding in a metal.	
	You may draw a diagram to help your answer.	
(e)	Magnesium chloride contains the ions $\mathrm{Mg}^{2^+}$ and $\mathrm{C}\ell^-$ .	[ <del>-</del> ]
(-)	Determine the <b>formula</b> of magnesium chloride.	
	formula =	[1]
(f)	Fluorine, F <sub>2</sub> , reacts with sodium chloride, NaC <i>l</i> .	
	Construct the balanced symbol equation for the reaction.	
		[2]
	lTotal: 1	111

**9** A student investigates the motion of smoke particles in air using a microscope.

The student shines a bright light on a transparent box containing a mixture of smoke and air and observes the smoke particles as bright dots of light.

(a) The student observes that the smoke particles move in straight lines between random changes of direction.

Fig. 9.1 shows the observed path of one smoke particle.




Fig. 9.1

The motion shown in Fig. 9.1 is known as Brownian motion.
Describe what causes the motion of the smoke particles shown in Fig. 9.1.

(b) The microscope uses a filament lamp to illuminate the smoke particles.






Fig. 9.2

Use the shape of the graph in Fig. 9.2 to describe <b>and</b> explain what happens to the resistance of the filament lamp as the potential difference is increased.
l3.

(c) The microscope uses a thin converging lens to produce an image.

Fig. 9.3 shows a thin converging lens.




Fig. 9.3

(i) Draw a ray diagram on Fig. 9.3 to show the formation of a real image.

Label the image with the word image.

[3]

(ii) Fig. 9.4 shows a single ray of light entering a thin glass block.




Fig. 9.4

Calculate the refractive index of the thin glass block.

refractive index = .....[2]

[Total: 10]

- **10** The control of blood glucose concentration is an involuntary action by the body.
  - (a) Place ticks  $(\checkmark)$  in the boxes to show **two** other involuntary actions.

coughing	
cycling	
reading	
sneezing	
talking	

וי)	1
14	1

**(b)** State the characteristic of living things that is defined as the ability to respond to a stimulus.

.....[1]

(c) Fig. 10.1 is a graph that shows the blood glucose concentration after eating a meal.




Fig. 10.1

(i)	Calculate the length of time it takes for the blood glucose concentration to return to its
	starting concentration from its maximum.

mir	utes	[1	1]
-----	------	----	----

(ii) Explain the results between **20–30 minutes** in Fig. 10.1.


	(iii)	State the type of response shown by the control of blood glucose concentration.	
			[1]
(d)	Sta	te the names of two hormones that can increase the blood glucose concentration.	
	1		
	2		
			[2]
		[Tot	al: 10]

**11** A student investigates indigestion tablets.

Indigestion tablets neutralise acids.

The student measures 50 cm<sup>3</sup> of dilute hydrochloric acid into a beaker.

He adds an indigestion tablet to the acid.

Fig. 11.1 shows the student's experiment.




Fig. 11.1

The student measures the time the tablet takes to react completely.

He repeats the experiment but makes one change each time.

Table 11.1 shows his results.

**Table 11.1** 

experiment	volume of acid/cm <sup>3</sup>	concentration of acid	temperature of acid/°C	time for tablet to react/s
1	50	dilute	20	131
2	50	concentrated	20	66
3	100	concentrated	20	66
4	50	concentrated	30	32

(a	)	Ihe	VO	lume	ot	acıd	does	not	affect	the	rate	ot	reaction
----	---	-----	----	------	----	------	------	-----	--------	-----	------	----	----------

State which <b>two</b> experiments show this.	
and	[1]

(b) Increasing the temperature of the acid affects the rate of reaction.

Increasing the concentration of the acid also affects the rate of reaction.

For each factor (temperature and concentration):

- describe how the rate of reaction changes
- explain why the rate of reaction changes, using ideas about particles.

	temperature
	how the rate of reaction changes
	because
	concentration
	how the rate of reaction changes
	because
	[4]
(c)	In experiment 1, the student uses dilute hydrochloric acid with a concentration of 0.1 mol/dm <sup>3</sup> .
	Calculate the concentration of the dilute hydrochloric acid in <b>g/dm³</b> .
	[A <sub>r</sub> : H, 1; C <i>l</i> , 35.5]
	answer = g/dm³ [1]
(d)	The reaction between the indigestion tablet and the acid is an exothermic reaction.
	Explain why. Use ideas about bond breaking and bond making.
	[3]

- **12** A rocket is used to launch satellites into Earth's orbit.
  - (a) Fig. 12.1 shows the forces acting on a rocket as it is launched.




Fig. 12.1

(i) Calculate the resultant force acting on the rocket as it is launched.

	resultant force = N [1]
(ii)	Describe the motion of the rocket as it is launched.
	[2]
(iii)	Suggest a reason why the weight decreases as the rocket travels further away from Earth.
	[1]

**(b)** Fig. 12.2 shows a satellite in orbit around the Earth.

The satellite orbits at a height of 2000 km above the surface of the Earth.

The satellite takes 125 minutes to complete one orbit.

The satellite travels at an average speed of 7.1 km/s.




Fig. 12.2

Calculate the radius of the Earth.

radius of the Earth = ..... km [4]

(c) When in orbit, satellites are subject to ionising radiation coming from space.

This	radiation in	ncludes o	α-partic	les, β- <sub> </sub>	part	icles and	d γ-rays.						
(i)	State and		which	forms	of	ionising	radiation	will	be	deflected	by	the	Earth's

magnetic field.	
forms of radiation	
explanation	
	[2

(ii) A  $\beta$ -particle is emitted when the radioactive isotope iodine-131 decays into an isotope of xenon.

Use the correct nuclide notation to complete the decay equation for iodine-131.

$$_{53}^{131}I$$
  $ightarrow$  ......Xe + ..... $eta$ 

[Total: 12]

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

ts
Ĭ
ခ
e
$\underline{\underline{}}$
Ш
Ψ,
0
<u>o</u>
용
$\vdash$
ပ
=
ō
0
∵⊏
ā
ď
Φ
ĕ
亡

	\text{\tin}\text{\tin}\text{\texi\tin}}\\ \tittt{\text{\text{\text{\text{\texi}\text{\text{\texi}\text{\text{\texi}\text{\text{\texi}\text{\texi}\text{\texi}\tex{\texi}\text{\texi}\text{\texit{\texi}\text{\texi}\text{\texi}\t	2	e L	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=>				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ā	bromine 80	53	П	iodine 127	82	Αŧ	astatine			
	>				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ро	polonium -	116	_	livermorium -
	>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	В	lead 207	114	Εl	flerovium -
	=				5	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	ပ်	copernicium
											29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -
Group											28	ïZ	nickel 59	46	Pq	palladium 106	78	础	platinum 195	110	Ds	darmstadtium -
Ď											27	රි	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		<b>←</b> <u>-</u>	Ε	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	H	hassium -
											25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	д	tantalum 181	105	Db	dubnium –
						atc	re				22	i=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	Ŗ	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_				က	:=	lithium 7	#	Na	sodium 23	19	×	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	ᇁ	francium

		_	_	_		_	_
71	n	Intetium	175	103	ۓ	lawrencium	ı
70	Υp	ytterbium	173	102	8	nobelium	ı
69	H	thulium	169	101	Md	mendelevium	ı
89	Ē	erbinm	167	100	Fm	ferminm	ı
29	웃	holmium	165	66	Es	einsteinium	ı
99	۵	dysprosium	163	86	Ç	califomium	ı
65	Д	terbium	159	26	Ř	berkelium	ı
64	Gd	gadolinium	157	96	Cm	curium	ı
63	En	europium	152	98	Am	americium	ı
62	Sm	samarium	150	94	Pu	plutonium	ı
61	Pm	promethium	1	63	δ	neptunium	ı
	PΝ	ű					
69	Ą	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	드	thorium	232
22	Га	lanthanum	139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).