

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



BIOLOGY 5090/03

Paper 3 Practical Test May/June 2007

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: As specified in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **both** questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
Total	

This document consists of 7 printed pages and 1 blank page.

SP (SLM/CGW) T26711/3 © UCLES 2007



[Turn over

1 The human body maintains a constant temperature regardless of the external temperature even though heat may be transferred to or from the environment.

Fig. 1.1 shows the apparatus you will use to investigate heat transfer.






Fig. 1.1

The small plastic bottle represents the human body.

The water in the beaker represents the external environment.

Read through the following instructions before you attempt question (a)(i).

- Half fill the plastic bottle with water at approximately 37°C (supplied by your supervisor).
- Measure the temperature of the water in the plastic bottle and record it in the table you have prepared below.
- Immediately place the plastic bottle in the beaker of ice-cold water.
- Then measure the temperature of the water in the bottle every minute for five minutes and record your measurements.
- Between readings, gently move the bottle around in the beaker.
- Replace the water in the plastic bottle with water at 37°C and replace the water in the beaker with hot water (both supplied by your supervisor).
- Measure the temperature and record for five minutes as before.
- (a) (i) Prepare a table in the space below for the recording of your results.

Follow the instructions to set up the apparatus as shown in Fig. 1.1 and take the measurements as instructed.

(ii) Plot your two sets of results on the same axes on the grid below.

For
Examiner's
Use

1 1																																						
	- 1					1 1							1 1			1 1		ı											ΙI		- 1			- 1				- 1
\vdash	\rightarrow	\neg	$\overline{}$	-		+	$^{-}$		\vdash	\neg	-	+	-	\pm	+		+	Н	-	-	$\overline{}$	+	\vdash	-	_	Н	-	-	Н	$\overline{}$	\neg	\rightarrow	+	+	+	+	+	\neg
\vdash	_	_	_	_			_	\perp	ш	_	_	\perp	\sqcup	_	_		_	ш	_	\perp	_	_	\sqcup	_	_	ш	_		ш	\perp	_	_	_	4	_	_	\perp	_
						1 1							ш			1 1		ш								ll			ΙI		- 1			- 1				- 1
-	\neg						_			\neg	\neg	-	Н	\neg			\top	Н		-		\top	\Box	-		П			Н	-	\neg	\neg	+	+	$^{+}$	+	\vdash	\neg
\vdash	\rightarrow	\rightarrow	\rightarrow	+	\vdash	+	+	+	\vdash	\rightarrow	-	+	Н	+	+	\vdash	+	Н	-	+	-	+	\vdash	+	+-	\vdash	+	-	ш	\vdash	\rightarrow	\rightarrow	+	+	+	+	\vdash	\dashv
1 1	- 1					1 1							1 1			1 1		ı											ΙI		- 1			- 1				- 1
П	\neg	\neg	\neg	\top		\Box	\neg	\top	П	\neg	\neg		П	\neg	\top			П	\neg	\Box		\top	\Box	\neg		П	\neg	т	П	\Box	\neg	\neg	\top	\top	\neg	\top	\Box	\neg
\rightarrow	\rightarrow	\rightarrow	-	+	\vdash	+	+	-	\vdash	\rightarrow	+	+	\rightarrow	\rightarrow	+	+	+	\vdash	-	+	-	+	\rightarrow	-	+	\vdash	-	+	Н	\rightarrow	\rightarrow	\rightarrow	+	+	+	+	+	\dashv
						ш					\perp		ш					ш											ш					Д.				
	Т	\neg				П	Т	П	П	П	Т	Т	П	Т				П		П		Т	П	Т	Т	П		П	П		\neg		\top	Т	Т	Т	П	
+	\rightarrow	\rightarrow	\rightarrow	+	\vdash	+	+	+	\vdash	\rightarrow	+	+	\vdash	+	+	+	+	\vdash	+	+	\rightarrow	+	\rightarrow	+	+	\vdash	+	+	Н	\rightarrow	\rightarrow	\rightarrow	+	+	+	+	+	\neg
ш	_	_	_	\perp		\perp	_	\perp		_	_	_	ш	_				ш	_	ш	_	\bot	ш	_	_	Ш	_	\perp	Ш	Ш	_	_	_	4		\perp	\perp	_
1 1	- 1					1 1							1 1			1 1		ı											ΙI		- 1			- 1				- 1
\vdash	\rightarrow	\neg	$\overline{}$	+		\vdash	-		Н	\neg	-	_	Н	\pm	_		+	Н	-	-	-	+	\vdash	+	_	Н	-		Н	\vdash	\neg	\neg	+	+	$^{+}$	+	\vdash	\neg
Н	-	\rightarrow	\rightarrow	+	\vdash	\vdash	+	+	\vdash	\rightarrow	+	+	Н	+	+		+	Н	+	+	-	+	\vdash	+	+	Н	+	\vdash	Н	\vdash	\rightarrow	\rightarrow	+	+	+	+	\vdash	-
1 1	- 1					1 1							1 1			1 1		ı											ΙI		- 1			- 1				- 1
П	\neg	\neg				П	\neg	\top	П	\neg			П	\neg	\top			П		П		\top	П	\neg		П	\neg	Т	П	П	\neg	\neg	\top	\top	\neg	\top	П	\neg
+	+	\rightarrow	\rightarrow	+	\vdash	+	+	+	\vdash	\rightarrow	+	+	\vdash	+	+	+	+	\vdash	+	+	+	+	\vdash	+	+	\vdash	+	+	Н	\rightarrow	-	\rightarrow	+	+	+	+	+	\dashv
ш	4	_	\perp	\perp	\perp	\perp	\perp	\perp	\sqcup	_	\perp	_	ш	_		\perp	_	ш	_	\perp		\perp	ш	_	_	ш	\perp	_	Ш	\Box	_	_	\perp	4	_	\perp	\sqcup	_
ΙТ	T	Т	Т	1	ΙТ	I T		П	ΙТ	T		1	ΙТ	Т	1	ΙТ		ΙТ				1	ΙТ		1	ΙТ		П	ΙТ	ш	T	- T		П	Т		\Box	П
\vdash	7	\neg	\rightarrow	+	\vdash	\vdash	+	\top	\vdash	\rightarrow	+		\vdash	+	$^{-}$	+		\vdash	-	\vdash	$^{+}$	+	\vdash	+	+	\vdash	-	-	\vdash	\vdash	\rightarrow	\rightarrow	+	+	+	+	\vdash	\dashv
\vdash	4	_	\rightarrow	+	\vdash	\vdash	+	1	\vdash	_	+	+	\vdash	\rightarrow	+	\vdash	+	\vdash	\rightarrow	\perp	\perp	+	\vdash	+	+	\vdash	+	-	ш	\vdash	-	-	+	4	+	+	\vdash	_
H	-1			1		1		1	ıl		- 1		ιI			1-1		ıl		1			ıl		1	ıl	- [1	ıl		- 1	- 1	- 1	- 1	- 1		1	
\Box	7	\neg	\neg	\top	\vdash	\Box	\top	\top	П	\neg	\top	Т	П	\top	\top	\Box	\top	\Box	\neg	П	\neg	\top	\Box	\top	\top	П	\neg	Т	П	\Box	\neg	\neg	\top	十	\top	\top	П	\neg
\vdash	+	\dashv	+	+	+	\vdash	+	+	\vdash	+	+	+	\vdash	+	+	+	+	\vdash	+	+	+	+	\vdash	+	+	\vdash	+	+	Н	\vdash	+	+	+	+	+	+	\vdash	\dashv
ш				\perp		\sqcup	\perp	1			\perp		\sqcup	\perp	\perp			Ш		\perp		\perp	\sqcup			Ш	\perp	_	Ш	\Box			\perp	4	\perp	\perp	\sqcup	\Box
ιГ	П	П	- 1	1	П	1 T	- 17	1	ιT	Γ	-1	1	ιT	- 1	1	П		ιT	- 1	П	- 1	1	ıΤ	1	1	ιT	-1-	1 -	ιĪ	1 T	- [П	- 1	- 1	- 1	- 1 -	\square	-1
\vdash	-	\dashv	$^{+}$	+	\vdash	1	+	+	\vdash	\dashv	+	+	Н	+	+	+	+	\vdash	_	Н	\rightarrow	+	\vdash	\perp	+	Н	\rightarrow	1	Н	\vdash	-	-	+	+	+	+	\Box	\dashv
\vdash	-	-	-	-	\vdash	\rightarrow	-	-	ш	-	-	+	ш	-	-	\vdash	+	ш	-	+	-	+	\vdash	-	+	ш	-	-	ш	\rightarrow	-	-	-	-	_	-	\vdash	_
						1 1							ш			1 1		ш								ll			ΙI		- 1			- 1				- 1
П	\neg	\neg		\top		т	\neg	\top	П	\neg	\neg	\top	П	\neg	\top			П	\neg	т		\top	П	_		П		-	П	\neg	\neg	\neg	\top	\top	\neg	\top	П	\neg
\vdash	\rightarrow	\rightarrow	\rightarrow	+	\vdash	+	+	-	\vdash	\rightarrow	+	+	\vdash	\rightarrow	+	\vdash	+	\vdash	-	+	-	+	\rightarrow	+	+	\vdash	+	\vdash	\vdash	\rightarrow	\rightarrow	\rightarrow	+	+	+	+	+	\dashv
						ш							ш					ш											ш								\perp	
П	Т	\neg				П	Т	П	П	П	Т	Т	П	Т	Т		Т	П	Т	П		Т	П	Т	Т	П			П	П	П	П	\top	Т	Т	Т	П	\neg
\vdash	\rightarrow	\rightarrow	\rightarrow	+	\vdash	+	-	-	\vdash	\rightarrow	+	-	Н	\pm	+	+	+	\vdash	-	-	-	+	\vdash	+	-	\vdash	+	+	Н	\vdash	\rightarrow	\rightarrow	+	+	+	+	+	\neg
ш	_	_	_			\perp	_	\perp		_	_	\perp	ш	_			\perp	Ш	_	ш	_	_	ш	\perp	_	Ш	_	_	Ш	Ш	_	_	_	4			\perp	_
						1 1							ш			1 1		ш								ll			ΙI		- 1			- 1				- 1
т	\neg					\vdash				\neg	\neg		П	\neg				П				\top				П			П		\neg	\neg	\top	+	\neg	\top		\neg
\vdash	\rightarrow	\rightarrow	\rightarrow	+	\vdash	-	+	-	\vdash	\rightarrow	+	+	\vdash	+	+	\vdash	+	\vdash	-	+	+	+	\vdash	+	+	\vdash	-	-	Н	\rightarrow	\rightarrow	\rightarrow	+	+	+	+	+	-
						1 1							ш			1 1		ш								ll			ΙI		- 1			- 1				- 1
П	Т	\neg		\top		П	т	П	П	\neg	т	\neg	П	\neg	\top			П	\neg	\Box		Т	П	т	Т	П	\neg	П	П	П	\neg	\neg	\top	т	Т	\top	П	\neg
\vdash	\rightarrow	\rightarrow	\rightarrow	-	-		-	-	\vdash	\rightarrow	+	+	Н	+	+	+	+	\vdash	+	-	-	+	\vdash	+	+	Н	+	-	\vdash	\vdash	\rightarrow	\rightarrow	+	+	+	+	+	\neg
\vdash	4										- 1			- 1		\vdash	_	ш	_	ш	_	_	\vdash	-	-	ш	_	_	ш	\rightarrow	_	-	-	4	_	_	\vdash	_
1 1	- 1		_	┸	Ш	Ш	_	\perp	\rightarrow																						- 1						1 1	- 1
\vdash	_	\exists	+	+	+	Н	+	+	Н	\neg	Т	Т	П	\neg	Т	1 1		ш					1 1															
\mapsto		4	#			H	#	Ė		1	7	F	П	Ŧ	Ŧ	Н	+	Н	+	Н	+	+	H	+	+	Н	+	H	Н	+	\rightarrow	+	+	+	+	+	+	\neg
1	4							Ė			Ŧ	E		\exists	H		+					t		+	t						#	1	\pm	#	#	I		\exists
	1										Ŧ	F		\exists	Ė		Ė					l			Ė]		\pm	#	#	Ŧ	H	
Н	+										-			#	ŧ		+			H		ŧ											‡	‡	#	+		
П														=																			#	#	#	_		
														-																			#	+				
H														-																			+	+	+	_		
														 - -																			<u> </u>	+	<u> </u>	<u> </u>		
																																		+	<u> </u>			
																																		+				

		[5]
(b) (i)	State why the water provided for the bottle should have been at 37°C.	
		••••
		[1]
(ii)	Suggest why the bottle was moved around in the beaker between the readings.	
		[1]
(iii)	Describe how you read the thermometer to ensure your readings were accurate	
		[1]

For Examiner's Use

(c)					ng conclus g list once,						
		hot	cold	d	loses	9	gains	to		from	
	(i)	The wa	ater in the	e bottle			heat to	the ice	cold wa	ater in the	
		beaker	, as happ	oens in	a human bo	eing ir	n a		pla	ace.	
		Heat is	transfer	red		th	e hot wa	iter in the	e beake	er to the	
		water i	n the bot	tle, as h	appens in	a hun	nan bein	g in a		pla	ice. [2]
	(ii)			• .						rting tempe ed in the ho	
(d)	sho	w how s		helps to	ut, an expe maintain a					shown in Fig	g. 1.2, to
			37°C								
tap			eaker of arm wate		thermome	eter		cloth		str	ing
					Fig	. 1.2					
										•••••	[6]
										ſΤ	otal : 22]

size and Leaf A is Leaf B v Leaf C v jelly.	provided with four leaves labelled A , B , C and D which were initially all of the same from the same plant. If the freshly picked and has received no treatment, was picked three days ago. If the freshly example is a picked three days ago and its upper surface coated immediately with petroleum was picked three days ago and its lower surface coated immediately with petroleum	For Examiner's Use
Leaves I	B, C and D have been left by a window in the laboratory since they were picked.	
(a) (i)	Make a large, labelled drawing of the lower surface of leaf A .	
	[4]	
(ii)	Measure and record the width of leaf A at its widest point.	
	width of leaf	
	Draw a straight line across the widest point of your drawing of leaf A . Measure and record the length of your line.	
	Length of line[2]	
(iii)	Calculate the magnification of your drawing. Show your working.	
	magnification[2]	

2

(b)	Exa	mine leaves B , C and D and describe their appearance and texture.
	(i)	leaf B
		leaf C
		leaf D
		[3]
	(ii)	Suggest a reason for the difference in appearance and texture between:
		Leaf B and C
		Leaf C and D
		[2]
(c)	left Cut	are also provided with a leaf stalk from a different plant, labelled E , that has been to stand in a beaker of dye. it in half across its width. mine the cut surface.
	(i)	Make a large, labelled drawing of the cut surface.

[3]

For Examiner's Use

specimen E.	For Examiner's Use
[1]	
Draw a simple diagram of a transverse section of a root and indicate where the same tissue that is stained in the leaf stalk would be found.	
[1]	
	Draw a simple diagram of a transverse section of a root and indicate where the

[Total : 18]

[Paper total : 40]

© UCLES 2007

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.