

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

BIOLOGY 5090/31

Paper 3 Practical Test

May/June 2012

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: As specified in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black ink.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use red ink, staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use									
1									
2									
3									
Total									

This document consists of 8 printed pages and 4 blank pages.

DC (LEO/SW) 43598/6 © UCLES 2012



[Turn over

In order to plan the best use of your time, read through all the questions on this paper carefully before starting work.

For Examiner's Use

1 Bread is made from dough composed of flour, water and active yeast.

You are required to investigate the action of active yeast in 30 g of each of two different types of flour, **S1** and **S2**.

- Carefully add flour **S1** to the beaker, labelled **S1**, containing active yeast, and stir until thoroughly mixed to make the dough.
- Level the top of the dough as much as possible by using the stirrer. Using a marker pen or label, mark this level on the outside of the beaker.
- Use the ruler to measure the height of the dough and record your measurement in Table 1.1 as the initial height.
- Record the start time in Table 1.1 and leave the beaker on the bench for 30 minutes.
- Clean the stirrer.
- Repeat the above procedure using flour **S2** and the second sample of active yeast in the beaker, labelled **S2**. Record the initial height and the start time in Table 1.1.

While you are waiting you should continue with the other questions.

- After leaving each dough for 30 minutes, record the finish times in Table 1.1 for **S1** and **S2**. Measure the maximum height of the dough in each beaker and record this in Table 1.1 as the final height.
- (a) Complete Table 1.1 by calculating the durations and changes in height for S1 and S2.

Table 1.1

	time		height of dough/mm								
	S1	S2		S1	S2						
at start			initial height								
at finish			final height								
duration/mins			change in height								

[4]

© UCLES 2012 5090/31/M/J/12

(b)	(i)	Describe any differences in the two dough mixtures after the 30 minutes.	For
			Examiner's
			Use
		[3]	
	(ii)	Describe and explain how the metabolic processes of the active yeast have brought about the changes that you have observed.	
		[3]	
(c)		cribe how you would carry out an investigation into the effect of temperature on the vity of yeast in dough made with flour S1 .	
	•••••		
	•••••		
		[5]	
		[5]	
		[Total: 15]	

		4
2	You	are provided with part of a plant, S3.
	(a)	Make a large, labelled drawing of S3.
		[5]
	(b)	Describe how S3 is suited to its functions.

For Examiner's Use

© UCLES 2012 5090/31/M/J/12

Fig. 2.1 shows a specialised leaf modified to trap insects.





Fig. 2.1

(c)	Usir	ng information shown in Fig. 2.1, suggest how the leaf is modified to trap the insects.
		[1]
	•	nts live in soil low in mineral ions and add to their mineral intake by digesting the nsects.
(d)	(i)	Suggest one important mineral ion these plants might gain from the insects after digesting and absorbing them.
		[1]
	(ii)	Describe how this ion may be used in the plant.
		[1]
		[Total: 11]

	provided with a mature flower, S4 .		Ex								
•	Remove the petals. Observe the remaining structures of	the flower.									
a) Dra	aw and label										
(i)	a structure that produces the pollen,	[1]								
(ii)	a structure on which the pollen lands during pollination.										
	Drawing (a)(i)	Drawing (a)(ii)									
	er landing on the structure identified in ntain stored nutrients for growth, they c	(a)(ii) , pollen grains germinate. As they do no obtain them from surrounding tissues.	ot								
		obtain them from surrounding tissues.	ot								
cor	 Remove this central structure from 	obtain them from surrounding tissues.									
cor	 Remove this central structure from Describe how you might safely care contains reducing sugar. 	obtain them from surrounding tissues. om the flower.	re								
cor	 Remove this central structure from Describe how you might safely care contains reducing sugar. 	obtain them from surrounding tissues. om the flower. ry out a food test to show that this structure.	re								
	 Remove this central structure from Describe how you might safely care contains reducing sugar. 	obtain them from surrounding tissues. om the flower. ry out a food test to show that this structure.	re								
cor	Remove this central structure from Describe how you might safely care contains reducing sugar.	obtain them from surrounding tissues. om the flower. ry out a food test to show that this structur	re								
cor	Remove this central structure from Describe how you might safely care contains reducing sugar.	obtain them from surrounding tissues. om the flower. ry out a food test to show that this structur	re								
cor	Remove this central structure from Describe how you might safely care contains reducing sugar.	obtain them from surrounding tissues. om the flower. ry out a food test to show that this structur	re								
cor	Remove this central structure from Describe how you might safely care contains reducing sugar.	obtain them from surrounding tissues. om the flower. ry out a food test to show that this structur	re								
cor	Remove this central structure from Describe how you might safely care contains reducing sugar.	obtain them from surrounding tissues. om the flower. ry out a food test to show that this structure.	re								
cor	Remove this central structure from Describe how you might safely care contains reducing sugar. Carry out this test using the central structure from Describe how you might safely care contains reducing sugar.	obtain them from surrounding tissues. om the flower. ry out a food test to show that this structure.	re								

3

Pollen grains were grown in nutrient solution on microscope slides. Fig. 3.1 shows diagrammatically the growth of pollen tubes with time.

For Examiner's Use

time / hours	
0.0	0
2.0	
4.0	<u> </u>
6.0	
8.0	
10.0	

Fig. 3.1

(c) (i) Measure the lengths of these pollen tubes shown in Fig. 3.1, and record them in Table 3.1.

Table 3.1

time / hours	length/mm
0.0	0
2.0	
4.0	
6.0	
8.0	
10.0	

[2]

(ii) Construct a graph of the data in Table 3.1.

For
Examiner's
Use

Н	Н	Н	Н	\dashv	+	+	+	+	Н	Н	\vdash	\dashv	\dashv	+	+	+	+	+	+	+	+	\vdash	Н	\dashv	\dashv	+	+	+	+	+	Н	\dashv	+	+	+	Н	\dashv	\dashv	\dashv	+	+	+	+	+
⊢	Н	Н	Н	\dashv	+	+	+	+	Н	Н	\vdash	\dashv	\dashv	+	+	+	+	+	+	+	+	\vdash	Н	\dashv	\dashv	+	+	+	+	+	Н	\dashv	+	+	+	Н	\dashv	\dashv	-	\dashv	+	+	+	+
⊢	Н	Н	Н	-	+	+	+	+	Н	Н	-	\dashv	\dashv	+	+	+	+	+	+	+	+	⊢	Н	\dashv	_	-	+	+	+	╀	Н	_	+	+	⊢	Н	\dashv	\dashv	-	+	+	+	+	+
⊢	Ш	Ш	Н	_	_	+	+	╀	₽	Ш		_	_	4	4	4	4	4	_	4	+	⊢	Н	_	_	_	4	+	+	╄	Н	_	_	+	┺	Н	_	_	_	_	+	+	+	Н
ᆫ	Ш	Ш	Ш	_	4	4	+	╄	┖	Ш		_	Ц	_	4	4	4	4	4	4	╀	╙	Ш	_	_	_	4	4	+	┺	Ш	_	_	_	┺	Ш	_	_	_	4	4	_	4	ш
ᆫ			Ш	_	_	4	\perp	\perp	ш	Ш		_	\Box	4	4	4	4	4	_	4	\perp	╙	Ш	_	_	_	4	4	\perp	┺	Ш	_	_	\perp	\perp	Ш	_	_	_	_	4	4	4	ш
L			Ш		_	\perp	\perp	┸	Ш	Ш		\Box		_	_	4	_	4		\perp	┸	┖	Ш	\perp		_	4	\perp	\perp	┸	Ш		_	\perp	L	Ш	_	_	_	_	4	\perp	\perp	ш
L						\perp												┸									┙				Ш												\perp	
						\perp									\Box		\perp	Ι									\Box																I	
Г	П	П	П	T	Т	Т	Т	Т	П	П	П	П	П	Т	T	Т	Т	Т	Т	T	Т	П	П	П	T	Т	T	T	Т	Т	П	П	Т	Т	Г	П	\neg	П	T	Т	T	Т	Т	П
г		П	П	П	Т	Т	Т	Т	П	П	П		П	П	Т	Т	Т	Т	П	Т	Т		П	\neg	П	П	Т	Т	Т	Т	П	П	T	Т	П	П	П	\neg	П	П	Т	Т	Т	П
г		П		\neg		\top	\top	Т	П	П			П	\neg	\neg	\neg	T	1	7	T	Т		П		\neg	\neg	7	\top	\top		П	\neg	T	Т	Т	П			\neg	\neg	\top	\top	T	П
г				1	1	\top	\top		П	П				1	1	\neg	1	1	+	\top	T		П			1	7	\top			П		T	T		П				1	+	\top	$^{+}$	Ħ
г	П	П	П	_	+	$^{+}$	$^{+}$	t	Ħ	П		\neg	\neg	_	1	\top	\top	+	1	$^{+}$	$^{+}$		П	\neg	_	_	7	$^{+}$	$^{+}$	t	П	_	+	$^{+}$	t	П	\neg	\neg	_	_	$^{+}$	$^{+}$	$^{+}$	П
Н	Н	Н	Н	_	$^{+}$	+	+	+	Н	Н		\neg		\dashv	\dashv	$^{+}$	$^{+}$	+	+	+	+		Н	\dashv	_	_	+	+	+	$^{+}$	Н	_	+	+		Н	\neg	\dashv	_	_	$^{+}$	+	+	Н
Н	Н	Н	Н	+	+	+	+	+	Н	Н	Н	\dashv	+	+	+	+	+	+	+	+	+	Н	Н	\dashv	+	$^{+}$	+	+	+	+	Н	\dashv	+	+	+	Н	\dashv	\dashv	+	+	+	+	+	+
Н	Н	Н	\vdash	\rightarrow	+	+	+	+	\vdash	Н	\vdash	\dashv	+	+	+	+	+	+	+	+	+	+	Н	\dashv	\rightarrow	+	+	+	+	+	\vdash	\rightarrow	+	+	+	Н	\dashv	\dashv	+	+	+	+	+	+
Н	Н	Н	Н	\dashv	+	+	+	+	\vdash	Н	Н	\dashv	\dashv	+	+	+	+	+	+	+	+	+	Н	\dashv	\dashv	+	+	+	+	+	\vdash	\dashv	+	+	+	Н	\dashv	\dashv	\dashv	+	+	+	+	+
⊢	Н	Н	Н	\dashv	+	+	+	+	\vdash	Н	Н	\dashv	\dashv	+	+	+	+	+	+	+	+	\vdash	Н	\dashv	\dashv	+	+	+	+	+	Н	-	+	+	+	Н	\dashv	\dashv	-	+	+	+	+	+
⊢	Н	Н	Н	-	+	+	+	+	\vdash	Н	Н	\dashv	\dashv	+	4	+	+	+	+	+	+	\vdash	Н	\dashv	-	_	+	+	+	+	Н	-	-	+	\vdash	Н	\dashv	\dashv	-	4	+	+	+	+
⊢	Н	Н	Н	-	+	+	+	+	\vdash	Н	Н	-	-	-	+	+	+	4	+	+	+	\vdash	Н	-	-	-	4	+	+	+	Н	-	+	+	+	Н	-	-	-	4	+	+	+	+
⊢	Ш	Ш	Ш	_	_	+	+	+	⊢	Ш	Ш	_	Ц	4	4	+	4	4	\perp	+	\perp	1	Ш	_	_	_	4	+	+	+	Н	_	_	+	1	Н	_	_	_	4	+	+	+	+
∟	Ш	Ш	Ш	_	4	4	\perp	1	ш	Ш	Ш		\Box	4	4	4	4	4	4	4	\perp	╙	Ш	_	_	_	4	\perp	\perp	1	Ш	_	_	\perp	_	ш	_	_	4	4	4	\perp	4	\sqcup
ᆫ	Ш	Ц	Ш	4	4	1	\perp	1	┖	Ш	Ш			4	4	4	4	4	4	\perp	\perp	\perp	Ш	_	_	_	4	\perp	\perp	1	Ш	_	_	\perp	\perp	ш	_	_	_	_	4	\perp	1	\perp
L						\perp												┸									┙				Ш												\perp	
						\perp									\Box		\perp	Ι									\Box																I	
Г	П		П	П	П	Т	Т	Т	П				П	П	Т	Т	Т	Т	П	Т	Т	П	П	П	П	П	Т	Т	Т	Т	П	П		Т	Г	П	П	П	П	П	Т	Т	Т	П
г	П	П	П	T	Т	Т	Т	Т	П	П	П		П	П	Т	Т	T	T	П	T	Т	П	П	П	T	Т	T	T	Т	Т	П	T	T	Т	П	П	П	П	T	П	T	Т	Т	П
г		П	П	\neg	T	\top	\top	Т	П	П				\neg	1	\neg	T	7	\neg	\top	T		П	\neg	\neg	T	7	\top	\top		П	\neg		T		П		\neg		T	\top	\top	T	П
г						1			П	П						1		1					П				7				П			Т		П				\neg			т	П
г				1	+	\top	\top	T	Ħ	П		\neg		\neg	1	\top	+	7	1	$^{+}$	T	T	П	\neg	_	1	┪	\top	\top	T	П	_	1	T		П	\neg	\neg	_	T	†	\top	+	П
Н	Н	Н	Н	_	$^{+}$	+	+	+	Н	Н	Н	\neg	\dashv	\neg	+	$^{+}$	$^{+}$	+	+	+	+	Н	Н	\dashv	_	_	+	+	+	+	Н	_	+	+	+	Н	\neg	\dashv	_	+	+	+	+	Н
Н	Н	Н	Н	_	$^{+}$	+	+	+	Н	Н	\vdash	\neg		\dashv	$^{+}$	$^{+}$	\pm	+	_	+	+	\vdash	Н	\dashv	\dashv	_	+	+	+	+	Н	_	+	+	+	Н	\dashv	\dashv	_	_	+	+	+	Н
Н	Н	Н	\vdash	_	+	+	+	+	Н	Н	-	\neg		\dashv	$^{+}$	$^{+}$	\pm	+	_	+	+	\vdash	Н	\dashv	_	_	+	+	+	+	Н	_	+	+	+	Н	\dashv	\dashv	_	\dashv	+	+	+	Н
⊢	Н	Н	\vdash	\dashv	+	+	+	+	Н	Н	\vdash	\dashv	\dashv	\rightarrow	+	+	+	+	+	+	+	+	Н	\dashv	\dashv	+	+	+	+	+	\vdash	\dashv	+	+	+	Н	\dashv	\dashv	\dashv	+	+	+	+	+
⊢	Н	Н	\vdash	\rightarrow	+	+	+	+	\vdash	Н	\vdash	\dashv	\dashv	+	+	+	+	+	+	+	+	+	Н	\dashv	\dashv	+	+	+	+	+	\vdash	\dashv	+	+	+	Н	\dashv	\dashv	\dashv	+	+	+	+	+
⊢	Н	Н	Н	\dashv	+	+	+	+	\vdash	Н	Н	\dashv	\dashv	+	+	+	+	+	+	+	+	\vdash	Н	\dashv	\dashv	+	+	+	+	+	Н	\dashv	+	+	+	Н	\dashv	\dashv	\dashv	+	+	+	+	+
⊢	Н	Н	Н	+	+	+	+	+	Н	Н	Н	\dashv	\dashv	+	+	+	+	+	+	+	+	\vdash	Н	\dashv	\dashv	+	+	+	+	+	Н	\dashv	+	+	+	Н	\dashv	\dashv	+	+	+	+	+	+
⊢	Н	Н	Н	\dashv	+	+	+	+	⊢	Н	Н	\dashv	\dashv	+	4	+	+	4	+	+	+	\vdash	Н	\dashv	\dashv	+	4	+	+	+	Н	_	+	+	+	Н	\dashv	\dashv	_	+	+	+	+	+
⊢	Н	Н	Н	-	+	+	+	+	\vdash	Н	Н	\dashv	\dashv	\rightarrow	4	+	+	+	+	+	+	\vdash	Н	\dashv	-	-	+	+	+	+	\vdash	-	+	+	\vdash	Н	-	\dashv	-	4	+	+	+	+
⊢	Н	Н	Н	_	+	+	+	+	\vdash	Ш	Н	_	\sqcup	\rightarrow	4	+	+	4	+	+	+	\vdash	Н	_	_	+	4	+	+	+	\sqcup	_	+	+	+	Н	_	_	_	4	+	+	+	+
ᆫ	Ш	Ш	Ш	_	4	\perp	\perp	\perp	┖	Ш	Ш	_	Ц	_	4	4	4	4	4	4	\perp		Ш	_	_	_	4	4	\perp	_	Ш	_	_	\perp	\perp	ш	_	_	_	4	4	\perp	+	\perp
ᆫ	Ш			_	_	4	\perp	\perp	\perp	Ш		_		4	4	4	4	4	_	\perp	\perp		Ш	_		_	4	4	\perp	\perp	Ш		_	\perp	\perp	Ш	_	_		_	4	4	1	\perp
ட					_	\perp	\perp	\perp	Ш	Ш				_	_	\perp	4	1	\perp	\perp	\perp		Ш			\perp	_	\perp	\perp	\perp	Ш		\perp	\perp		Ш					4	\perp	\perp	\perp
L		\Box	LI	\Box	\Box	Ţ	Т	L	L	Ll	L∏	_]	ЩI		⅃	_[\Box	ſ	Jſ	╝	L	L	L	_[\Box	ப	⅃	Ц	Т	L	LΙ	\Box	Щ	┸	L	LI	_[_[╝	⅃	\Box	Щ	Т.	\perp
Г		П	П	T	Т	Τ	Т	Г	П	П	П	٦	П	T	T	Т	Т	T	Т	Т	Г	Г	П	\exists	T	Т	T	Т	Т	Г	П	T	Т	Т	Г	П	П	\exists	T	T	Т	Т	Г	П
Г		П							П					1	1			1	Т				П				1				П					П							Т	П
Г						\top			П						1		1	1		1			П				1	1			П					П					1		Т	П
Г	П	Н	П	7	\top	†	+	$^{+}$	П	П	П	T	\Box	_	1	\top	\top	1	\top	\top	+	т	П	\dashv	\dashv	\top	1	\top	+	1	П	_	\top	$^{+}$		П	\dashv	\dashv	7	7	\top	\top	+	П
Н	Н	Н	Н	7	$^{+}$	$^{+}$	+	$^{+}$	т	Н	Н	\dashv	\dashv	\dashv	7	$^{+}$	$^{+}$	+	†	$^{+}$	$^{+}$	\vdash	Н	\dashv	7	$^{+}$	7	$^{+}$	+	$^{+}$	H	7	$^{+}$	$^{+}$	$^{+}$	Н	\dashv	\dashv	7	7	$^{+}$	$^{+}$	+	\forall
Н	Н	Н	\vdash	\dashv	$^{+}$	$^{+}$	+	+	т	Н	Н	\dashv	\dashv	-	+	+	+	+	$^{+}$	+	+	+	Н	\dashv	\dashv	$^{+}$	+	+	+	+	\vdash	\dashv	$^{+}$	+	+	Н	\dashv	\dashv	+	+	+	+	+	+
⊢	Н	Н	\vdash	\dashv	+	+	+	+	H	Н	Н	\dashv	\dashv	+	+	+	+	+	+	+	+	+	Н	\dashv	\dashv	+	+	+	+	+	\vdash	\dashv	+	+	+	Н	\dashv	\dashv	\dashv	+	+	+	+	+
_	ш	ш	ш	_	_	_	_	_	_	ш	ш	_	_	_	_	_	_	_	_	_	_	_	ш		_	_	_	_	_	_		_	_	_	_	ш		_	_	_	_	_	_	ш

	[3]
(iii) Describe the trend shown in the growth of the pollen tubes.	
	[1]
(d) Suggest how these pollen tubes are able to grow through the plant tissue in the confidence direction towards the ovule.	orrect
	[1]
	al: 14]

© UCLES 2012 5090/31/M/J/12

Copyright Acknowledgements:

Question 2, Fig 2.1 © NIGEL CATTLIN / SCIENCE PHOTO LIBRARY.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2012 5090/31/M/J/12