CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge Ordinary Level

MARK SCHEME for the October/November 2015 series

5090 BIOLOGY

5090/62

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme		Paper
	Cambridge O Level – October/November 2015	5090	62

Mark schemes will use these abbreviations:

; separates marking points

I alternatives

() contents of brackets are not required but should be implied

R reject

A accept (for answers correctly cued by the question, or guidance for examiners)

I ignore (for incorrect but irrelevant responses)

AW alternative wording (where responses vary more than usual)

AVP alternative valid point (where a greater than usual variety of responses is expected)

ORA or reverse argument

<u>underline</u> actual word underlined must be used by candidate (grammatical variants excepted)

indicates the maximum number of marks that can be given
 statements on both sides of the + are needed for that mark

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2015	5090	62

Question			Mark	rk Additional guidance
1 (a)	(fruit juice) 25 + (wa	ter) 75 ;	[1]]
(b) (i)	A 82 B 74 C 68 D 64 E 60		[2]	all correct: 2 marks 1 error: 1 mark 2 or more errors: 0 marks
(ii)	solution concentra / % A 0 B 25	length/mm	[2]	5 correct calculations: 2 marks 4 correct calculations: 1 mark 3 or fewer correct calculations: 0 marks
	C 50 D 75 E 100 ;;;	- 6	[1]	minus signs in C, D and E: 1 mark
(iii)	y-axis; 2. linear scales with; 3. line/plots to use 4. 5 plots correct +	n numerical values + i		

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2015	5090	62

Question		Mark	Additional guidance
(iv)	1. movement of water;		
	2. <u>osmosis</u> ;		
	3. partially permeable membrane ;		
	4. into A + B ;		
	5. out of C + D + E ;	[5]	
(c)	repeat/replicate/larger numbers of strips + calculate mean/average;		
	strips taken from same (type of / species) potato / AW;		
	strips should be of same thickness/surface area/cross-sectional area;		
	use smaller increments for fruit juice concentrations;	[max. 2]	
	Total:	[18]	
2 (a) (i)	clear, clean continuous outline ;		
	2. at least 100 mm total length + green area clearly outlined;		
	at least part of midrib drawn with double line + not ruled + 8 veins;		
	4. labels: 2 correct from lamina/petiole (leaf stalk) / midrib (main vein)/vein;	[4]	

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2015	5090	62

Question		Mark	Additional guidance
(ii)	leaf in hot water/boiled in water;		
	in ethanol/alcohol;		
	to remove chlorophyll;		A decolourise leaf
	in water (to soften/remove alcohol);		
	add iodine (solution) ;	[3]	
	no naked flames/turn off or don't use Bunsen burner;	[1]	1 mark awarded for safety point
		[max. 4]	
(iii)	green: blue - black/black;		
	white: yellow/brown/yellow-brown;	[2]	

Page 6	Mark Scheme		Paper
	Cambridge O Level – October/November 2015	5090	62

Question		Mark	Additional guidance
(b) (i)	14–17;	[1]	
(ii)	22–24 + mm ;		A 2.2–2.4 + cm
	divided by 500;		
	length;	[3]	
	Total:	[14]	
3 (a)	diameter of cylinder/number of 'turns' in roll;		
	material cylinder made of/thickness of paper/mass (weight) of paper/type of paper;		
	same position of hanger/hook/masses;		
	same (mass/surface area) hook;	[max. 2]	
(b) (i)	as length of cylinder/bone increases, mass (needed for bending) decreases;		A inverse relationship R inversely proportional
	as length of cylinder/bone decreases, mass (needing for bending) increases;	[max. 1]	
(ii)	shorter bones are stronger/longer bones are weaker;	[1]	must be comparative i.e. shorter/longer or both lengths of bone mentioned

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2015	5090	62

Question		Mark	Additional guidance
(c)	 vary diameter/thickness of cylinder/thickness of paper/mass (weight) of paper/number of turns in roll/more sheets of paper; 		
	2. use range of diameters i.e. more than 2;		
	3. use same length/supports at same distance apart;		
	4. add masses until bone bends;		
	5. note/record mass that causes bending (in table);		
	6. the more mass required to bend, the stronger the 'bone';	[max 4]	
	Total:	[8]	
	Paper total:	[40]	