

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

CHEMISTRY 5070/22

Paper 2 Theory

October/November 2010
1 hour 30 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

#### **Section A**

Answer all questions.

Write your answers in the spaces provided in the Question Paper.

#### Section B

Answer any three questions.

Write your answers in the spaces provided in the Question Paper.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use		
Section A		
В6		
B7		
В8		
В9		
Total		

This document consists of 17 printed pages and 3 blank pages.

DC (LEO/SW) 21596/2 © UCLES 2010



[Turn over

### **Section A**

For Examiner's Use

Answer all the questions in this section in the spaces provided.

The total mark for this section is 45.

A1 (a) Choose from the following list of metals to answer the questions below.

aluminium
iron
lead
magnesium
potassium
silver
vanadium

Each metal can be used once, more than once or not at all.

Which metal

(i)	reacts with cold water to form an alkaline solution,
	[1]
(ii)	forms a protective oxide layer on its surface,
	[1]
(iii)	is the catalyst used in the industrial manufacture of ammonia,
	[1]
(iv)	is a sacrificial metal used to prevent iron pipes from rusting,
	[1]
(v)	is in Period 5 of the Periodic Table?
	[1]
<b>(b)</b> Dra	aw a labelled diagram to show the structure of a typical metal.


[2]

<b>A2</b>	Eth	anol	can be made both by fermentation and by the addition of steam to ethene.	For
	(a)	(i)	Name the organic compound required for fermentation.	Examiner's Use
		(ii)	State the conditions under which fermentation most readily takes place.	
			[2]	
	(b)	Wri	te an equation for the reaction between steam and ethene.	
			[1]	
	(c)	Eth	anol, C <sub>2</sub> H <sub>5</sub> OH, reacts with ethanoic acid, CH <sub>3</sub> COOH.	
			$CH_3COOH + C_2H_5OH \rightleftharpoons CH_3COOC_2H_5 + H_2O$	
		(i)	Name the compound $\mathrm{CH_3COOC_2H_5}$ .	
			[1]	
		(ii)	What name is given to this type of chemical reaction?	
			[1]	
	(d)	(i)	Name the third member of the alcohol homologous series.	
			[1]	
		(ii)	Draw the structural formula of this compound, showing all atoms and bonds.	
			[1]	
			[Total: 8]	

**A3** A student measured the volume of hydrogen produced over time when small pieces of zinc reacted with excess sulfuric acid.

For Examiner's Use

The results are shown in the graph below.



(a) Use the information from the graph to calculate the average speed of reaction in the first two minutes.

[1]

(b) Explain why the reaction stopped after 6 minutes.

.....[1]

- (c) Copper catalyses this reaction.
  - (i) On the axes above, sketch a line to show the expected results for the catalysed reaction. [1]
  - (ii) Explain how a catalyst changes the speed of reaction.

.....[1]

(d)	Explain, using ideas about colliding particles, what happens to the speed of this reaction when larger particles of zinc are used.	For Examiner's Use
	[2]	
(e)	Explain, using ideas about colliding particles, what happens to the speed of this reaction when the temperature of the reaction mixture is increased.	
	[2]	
	[Total: 8]	

(d)	Wh	at do you understand by the term <i>diatomic</i> ?
		[1]
(b)	(i)	Describe the trend in colour of the Group VII elements down the Group.
		[1]
	(ii)	In what physical state do the following elements exist at room temperature and pressure?
		bromine
		iodine[2]
(c)	Αqι	ueous bromine reacts with aqueous potassium iodide.
		$Br_2(aq) + 2KI(aq) \rightarrow 2KBr(aq) + I_2(aq)$
	(i)	Write an ionic equation for this reaction.
		[1]
	(ii)	[1] Describe a positive test for iodide ions.
	(ii)	
	(ii)	Describe a positive test for iodide ions.
		Describe a positive test for iodide ions.  test
	(ii) (iii)	Describe a positive test for iodide ions.  test
		Describe a positive test for iodide ions.  test
		Describe a positive test for iodide ions.  test
(	( <b>iii)</b> Hyd	Describe a positive test for iodide ions.  test
(	Hyco	Describe a positive test for iodide ions.  test
(	Hyco	Describe a positive test for iodide ions.  test

(e) An aqueous solution of calcium hydroxide was titrated with 0.0150 mol/dm³ hydrochloric acid.

For Examiner's Use

$$Ca(OH)_2 + 2HCl \rightarrow CaCl_2 + 2H_2O$$

It required  $6.00\,\mathrm{cm^3}$  of this aqueous hydrochloric acid to neutralise  $20.0\,\mathrm{cm^3}$  of the calcium hydroxide solution.


Calculate the concentration, in mol/dm<sup>3</sup>, of the calcium hydroxide solution.

[3]

[Total: 12]

A5 Carbon and graphite are two forms of carbon.

diamond



graphite

(a) (i) Describe two differences in the structure of diamond and graphite.

[2]

(ii) Explain, in terms of their structure, why graphite is soft but diamond is hard.

.....[2]

(b) Tin is extracted by heating tin(IV) oxide,  $SnO_2$ , with carbon in a furnace.

$$SnO_2 + 2C \rightarrow Sn + 2CO$$

(i) How does this equation show that tin(IV) oxide gets reduced?

.....[1]

(ii) Explain why carbon monoxide must not be allowed to escape from the furnace.

.....[1]

(c) Carbon monoxide can be formed by the reduction of carbon dioxide with red-hot carbon.

(i) Write an equation for this reaction.

[1]

For Examiner's Use


(ii) Carbon monoxide has a triple covalent bond.

Draw the electronic structure of carbon monoxide. Show only the outer electrons.

For Examiner's Use

[2]

(iii) Carbon monoxide reacts with chromium to form chromium carbonyl. The structure of chromium carbonyl is shown below.



Write the empirical formula for chromium carbonyl.

.....[1]

[Total: 10]

## **Section B**

For Examiner's Use

Answer three questions from this section in the spaces provided.


The total mark for this section is 30.

В6	The	carb	on cycle regulates the amount of carbon dioxide in the atmosphere.
	(a)		lain how the processes of photosynthesis and respiration help to regulate the ount of carbon dioxide in the atmosphere.
			[3]
	(b)		nane is an atmospheric pollutant which contributes to global warming.
		(i)	Suggest <b>two</b> possible consequences of an increase in global warming.
		/ii\	Write an equation for the complete combustion of methods
		(ii)	Write an equation for the complete combustion of methane.
			[1]
		(iii)	Methane is generally unreactive. Apart from combustion, state one other chemical reaction of methane.
			[1]

(c) Methane is a member of the alkane homologous series.			For
	(i)	Describe how the boiling points of unbranched alkanes vary with the size of their molecules.	Examiner's Use
		[1]	
	(ii)	Alkanes can be cracked to form alkenes. State the conditions required for cracking alkanes.	
		[2]	
		[Total: 10]	

**B7** Zinc chloride is an ionic solid. It can be electrolysed using the apparatus shown below.





(a)	Explain why zinc chloride conducts electricity when molten, but not when solid.
	[2]
(b)	Predict the products of this electrolysis at
	the anode,
	the cathode[1]
(c)	When a dilute aqueous solution of zinc chloride is electrolysed, hydroxide ions are converted to oxygen at the anode.  Write the ionic equation for this reaction.
	[2]
(d)	Describe a positive test for zinc ions.
	test
	observations
	[2]

(e) Solid zinc chloride absorbs ammonia to form tetrammine zinc chloride,  $Zn(NH_3)_4Cl_2$ .

For Examiner's Use

$${\rm ZnC}\it{l}_{2} + 4{\rm NH}_{3} \longrightarrow {\rm Zn}({\rm NH}_{3})_{4}{\rm C}\it{l}_{2}$$

Calculate the maximum yield, in grams, of tetrammine zinc chloride formed when 3.4g of zinc chloride reacts with excess ammonia.

[2]


[Total:10]

B8	Magnesium is a reactive metal.				
	(a)	(i)	Name the products formed when magnesium reacts with steam.  [1]	Examiner's Use	
		(ii)	Write the equation for the reaction of magnesium with ethanoic acid, CH <sub>3</sub> COOH.		
			[2]		
	(b)	Des	gnesium chloride is a soluble salt. scribe how you can make pure dry crystals of magnesium chloride from magnesium bonate.		
			[3]		
	(c)	The	e equation shows the reaction which occurs when magnesium carbonate is heated. ${\rm MgCO_3}  \to  {\rm MgO}  +  {\rm CO_2}$		
		Sta	te the name given to this type of chemical reaction.  [1]		

(d) A student compared the action of heat on three solid metal carbonates.

She heated each carbonate using the apparatus shown below. In each case, she recorded the length of time taken for the limewater to turn milky.

For Examiner's Use



(i)	State one factor that must be kept constant if the speeds of reaction are to be
	compared in a fair way.

.....[1]

(ii) The time taken for the limewater to turn milky for each metal carbonate is shown in the table.

metal carbonate	time taken for the limewater to turn milky / s
copper carbonate	10
magnesium carbonate	40
zinc carbonate	24

 	 	 [2]

[Total: 10]

For Examiner's Use

В9	Sul	fur did	oxide is a gas which contributes to acid rain.												
	(a)	(i)	State one source of sulfur dioxide in the atmosphere.												
			[1]												
		(ii)	Acid rain can cause lakes to become acidic. This may cause fish and plants in th water to die.  Describe one <b>other</b> environmental problem caused by acid rain.												
			[1]												
	(b)		rain is a solution of dilute sulfuric acid. acidity in lakes can be neutralised by adding powdered calcium carbonate.												
		(i)	Write an equation, including state symbols, for the reaction of calcium carbonate with sulfuric acid.												
			[2]												
		(ii)	State one industrial use of sulfuric acid.												
		( )	[1]												
		(iii)	Sulfuric acid is a strong acid. What do you understand by the term <i>strong acid</i> ?												
			[1]												
	(c)		uric acid is manufactured by the Contact process.  ne the raw materials used in the first stage of the Contact process.												
			[1]												
	(d)	The	equation shows the second stage of the Contact process.												
			$2SO_2 + O_2 \rightleftharpoons 2SO_3 \Delta H = -197 \text{ kJ/mol}$												
		(i)	State the meaning of the symbol $\Delta H$ .												
			[1]												
		(ii)	Predict and explain the effect of increasing the temperature on the position of equilibrium in this reaction.												
			[2]												
			[Total: 10]												

# **BLANK PAGE**

# **BLANK PAGE**

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

		0	4	Helium		Ne	Neon 10	40	Ā	Argon 18	84	궃	Krypton 36	131	Xe	Xenon 54	222	R	Radon 86				175	Lu
		II/			19	ш	Fluorine 9	35.5	10	Chlorine 17	80	ğ	Bromine 35	127	Ι	lodine 53	210	Αţ	Astatine 85				173	Yb
		IΛ			16	0	Oxygen 8	32	S		62	Se	Selenium 34	128	<u>a</u>	Tellurium 52	209	Ъ	Polonium 84				169	<b>T</b>
		>			14	z	Nitrogen 7	31	<b>△</b>	Phosphorus 15	75	As	Arsenic 33	122	Sb	Antimony 51	209	ä	Bismuth 83				167	T H
		<u>\</u>			12	ပ	Carbon 6	28	Si	Silicon 14	73	Ge	Germanium 32	119	Sn	Tin 50	207	Pb	Lead 82				165	<b>P</b>
		≡			=	m	Boron 5	27	ΝI	Aluminium 13	70	Сa	Gallium 31	115	In	Indium 49	204	<i>1</i> 1	Thallium 81				162	Dy
S												Zu	Zinc 30	112	ဦ	Cadmium 48	201	Hg	Mercury 80				159	Terbium
The Periodic Table of the Elements											64	C	Copper 29	108	Ag	Silver 47	197	Αn	Gold 79				157	<b>G</b> adolinium
e of the	Group										59	Z	Nickel 28	106	Pd	Palladium 46	195	చ	Platinum 78				152	Euspilin
dic Tabl	Gro										59	ဝိ	Cobalt 27	103	Rh	Rhodium 45	192	ļ	Iridium 77				150	Samarium
e Perio			- 3	Hydrogen							56	Ъ	Iron 26	101	Bu	Ruthenium 44	190	SO.	Osmium 76				147	Promethium
F											55	Mn	Manganese 25		ဍ	Technetium 43	186	Re	Rhenium 75				144	Neodymium
											52	ပ်	Chromium 24	96	Mo	Molybdenum 42	184	≽	Tungsten 74				141	Praseodymium
											51	>	Vanadium 23	93	qN	Niobium 41	181	<u>a</u>	Tantalum 73				140	<b>O</b>
											48	F	Titanium 22	91	Zr	Zirconium 40	178	Ξ	Hafnium 72					
											45	Sc	Scandium 21	89	>	Yttrium 39	139	Ľa	Lanthanum 57 *	227	Ac	Actinium 89 †	d sprips	series
		=			6	Be	Beryllium 4	24	Mg	Magnesium 12	40	Ca	Calcium 20	88	Š	Strontium 38	137	Ва	Barium 56	226	Ва	Radium 88	* 58-71 Lanthanoid series	† 90–103 Actinoid series
		_			7	=	Lithium 3	23	Na	Sodium 11	39	¥	Potassium 19	85	Rb	Rubidium 37	133	S	Caesium 55	223	ř	Francium 87	* 58-71	+ 90–100
2010	)											507	70/22	/O/	NI/1	Λ								

260 **Lr** Lawrendum 103 Lutetium Ytterbium Nobelium **H**allium 258 **Md** 257 **Fm** Fermium 100 Erbium 89 **P**Holmium 252 **ES** Dy Dysprosium 66 251 **Ç** 247 **BK**Berkelium
1 97 **Tb** 65 **Gd**Gadolinium
64 **Curium Europium** 243 **Am**Americium Samarium 62 244 **Pu** Promethium 61 Pm 237 **Np** Neodymium ğ 09 Praseodymium 59 Ā 231 **Pa S**erium 232 **Th** Thorium 28 90 b = atomic (proton) number a = relative atomic mass X = atomic symbol

Key

The volume of one mole of any gas is 24dm³ at room temperature and pressure (r.t.p.).